



KATALOG CATALOGUE

Oprema za ugostiteljstvo / *Catering equipment*

PROJECT TRADE **2026**





PROJECT TRADE

O NAMA

Project-trade d.o.o. je prisutan na tržištu duže od 30 godina. Poduzeće je svojim inovacijama, predanošću i izvrsnosti oplemenilo sektor opremanja profesionalnom ugostiteljskom opremom. Utemeljeno 1990. godine u Zagrebu, u brojnim kontaktima s kupcima i poslovnim partnerima poduzeće crpi silno nadahnuće sva ova desetljeća postojanja, a što su prepoznali ugostitelji, kuhari, slastičari, pekari, proizvođači hrane, zaljubljenici u gastronomiju.

PROIZVODNJA:

Zahvaljujući Vašem povjerenju, cijenjeni kupci, iz našeg proizvodnog pogona pokrenutog 2003. godine, stvorena je domaća hrvatska robna marka "Niko". Proizvodi iz nehrđajućeg čelika "Niko" jamče kvalitetu i sigurnost u radu: radni stolovi, sudoperi, kuhinjske nape, razni kuhinjski elementi, kuhinjska kolica, grijane ploče, barski pultevi, samoposlužne linije, itd...

Svi naši "Niko" proizvodi su dizajnirani da traju, čime podržavamo pristup održivog razvoja, te politiku društvene i etičke odgovornosti. Materijali koje koristimo u proizvodnji su visoke kvalitete i dugotrajni, te 100% naših proizvoda može biti reciklirano. Osiguravamo popravak i održavanje svih naših proizvoda tokom njihovog životnog vijeka.

PROJEKTIRANJE:

Svaka profesionalna kuhinja zahtijeva promišljeno planiranje, dobar raspored i odabir odgovarajuće opreme. Potrebno je uskladiti namjenu objekta, kapacitet sa prostornim mogućnostima, sve to uklopiti u zakonske okvire i HACCAP norme. Brojni izvedeni objekti i stečeno iskustvo daju nam snagu, a svaki je novi objekt nama novi izazov.

RAZVIJENA LOGISTIKA:

Kultura predanosti, pouzdanost i odgovornost su temelj našeg poslovanja. Djelatnici logistike su profesionalci koji odgovorno i pažljivo koordiniraju narudžbe i isporuke, te pružaju poslijeprodajnu podršku, vodeći brigu o tome da na skladištu uvijek imamo najtraženije artikle i rezervne dijelove, kako bi kupac brzo dobio željeni proizvod ili uslugu.

WEB STRANICA I DRUŠTVENE MREŽE:

U više od 15 godina razvijanja web stranice www.project-trade.hr trudimo se pratiti trendove te svima pružiti što bržu i točniju informaciju. Na web stranici je prikazano većina onoga što nudimo i prodajemo, a putem internetske prodaje svakoga trenutka moguće je naručiti više od 1500 artikala koje uvijek imamo na skladištu. Također, prisutnost na društvenim mrežama Facebook & Instagram potvrđuje ono čime se bavimo i što smo u mogućnosti ponuditi.





PROJECT TRADE

ABOUT US

Project-trade d.o.o. has been present in the market for more than three decades. Thanks to its innovations, dedication and business excellence, the company has contributed to the development of the professional catering equipment supply sector. Since its foundation in 1990 in Zagreb, the company has derived huge inspiration from numerous contacts with its customers and business partners, which has been fully recognized by caterers, chefs, pastry cooks, bakers, food manufacturers and great gastronomy fans.

PRODUCTION:

Thanks to the trust and confidence of our esteemed customers, a Croatian brand Niko was created at our manufacturing facility which was launched in 2003. Niko products made of stainless steel such as work benches, sinks, cooker hoods, various kitchen elements, trolleys, heated tables, bar counters, self-serving lines and the like guarantee high quality and operational safety.

All Niko products are designed in such a way as to be long-lasting, complying with the principles of sustainable development and the social and ethical responsibility policy. Materials used in the production process are of high quality and durability while 100% of our products are recyclable. We are committed to providing maintenance and repair of all our products throughout the product life cycle.

DESIGN:

Careful planning, proper arrangement and appropriate selection of the equipment are absolutely essential for creation of a professional kitchen. Firstly, it is necessary to align the purpose and capacity of the facility with the spatial layouts and to incorporate the above into the legal frameworks and HACCAP norms. We draw strength from numerous completed projects and our previous experience and we regard each new project as a real challenge.

DEVELOPED LOGISTICS:

The key to our continued success is our striving to be committed, reliable and responsible. Our logistics professionals act in a responsible manner and take reasonable care when coordinating orders and deliveries and they also provide after-sales support, taking care that sufficient items and spare parts are in stock so that the customers are provided with the required product or service in a fast and convenient manner.

WEBSITE AND SOCIAL MEDIA:

Since our website www.project-trade.hr, was created 15 years ago, we have been dedicated to following trends and providing all of our customers with prompt and accurate information. The whole range of our products is displayed on our website, through which you can select and order any of the 1,500 items that are always in stock and ready to be delivered.





Kuhinjsko posuđe i potrepštine	6	<i>Cookware and Utensils</i>
Profesionalni noževi / Pribor za oblikovanje	40	<i>Professional Knives / Garnishing tools</i>
Gastro GN tave/posude	48	<i>GN Containers</i>
Pekarski / slastičarski inventar	57	<i>Bakery / Pastry Inventory</i>
Sladoled	83	<i>Ice cream</i>
Pizza	91	<i>Pizza</i>
Rukavice	106	<i>Gloves</i>
Pakiranje hrane	109	<i>Food packaging</i>
Kutije za prijenos hrane	113	<i>Food Transportation Boxes</i>
Stolne vitrine	118	<i>Tabletop displays</i>
Bife	122	<i>Buffet</i>
Oprema za bar	135	<i>Bar Equipment</i>
Aparati za filter kavu i čaj, grijači mlijeka	149	<i>Round Filtering Machines for Coffee / Tea and Milk Heaters</i>
Strojevi za kruh / Miješalice za tijesto / Izrada tjestenine	161	<i>Bread Slicers / Pastry Mixers / Pastry</i>
Snack, palačinke, vafle	171	<i>Snack / Crepes / Waffles</i>
Ledomati	193	<i>Ice Machines</i>
Perilice čaša, tanjura, crnog suda, omekšivači	214	<i>Glass Washers / Dishwasher / Ware / Washers / Water Softeners</i>
Obrada mesa	240	<i>Meat Processing</i>
Obrada povrća	256	<i>Food Processors</i>
Štapni mikseri	282	<i>Power mixers</i>
Hladnjaci, zamrzivači, hladeni pultevi, uređaji za brzo hlađenje i zamrzavanje	295	<i>Refrigerated cabinets, blast chillers</i>
Male konvekcijske pećnice i mikrovalne pećnice	321	<i>Small Convection Ovens / Microwave Ovens</i>
Profesionalne konvekcijske pećnice	325	<i>Professional Convection Ovens</i>
Termička obrada LINIJA 600	339	<i>Large Kitchen Series 600</i>
Termička obrada LINIJA 700	358	<i>Large Kitchen Series 700</i>
Termička obrada LINIJA 900	383	<i>Large Kitchen Series 900</i>
Radni stolovi, viseći ormarići, police, ormari	398	<i>Work tables, Cupboards, Shelves, Storage Cupboards</i>
Sudoperi, rukoperi	421	<i>Sinks, hand wash basins,</i>
Profesionalne miješalice za vodu	436	<i>Professional taps for sinks</i>
Kolica	443	<i>Trolleys</i>
Kuhinjske profesionalne nape	452	<i>Professional Hoods</i>



KUHINJSKO POSUĐE I POTREPŠTINE *COOKWARE AND UTENSILS*

Lonci
Rajngle
Tave
Kuharski pribor
Hvataljke i pincete
Ribeži
Otvarači konzervi
Termo posude
Poslužavnici i pladnjevi
Kante za kuhinjski otpad
Termometri
Vage

*Pots
Casserole
Pans
Kitchen Utensils
Tongs and pincers
Graters
Can Openers
Thermo-Containers
Trays
Waste Bins
Thermometers
Scales*

Proizvodi koji su odlično prihvaćeni, kako u malim, tako i u velikim profesionalnim kuhinjama, rezultat su iskustva, naprednih istraživanja i novih tehnologija. Čak i nakon dugogodišnjeg korištenja izgledat će dobro zbog svoje čvrstoće i kvalitete. Odličnih su higijenskih svojstava koja ne dopuštaju zadržavanje ostataka hrane na površinama i jednostavni za održavanje.

Products that are well accepted both in small and large professional kitchens are a result of experience, advanced research and new technologies. Even after years of use they look excellent due to strength and high-quality.

The products are characterized by excellent hygienic features that do not allow the retention of food residues on the surfaces and are thus easy to maintain.

Kuhinjsko profesionalno posuđe prikladno za sve vrste kuhanja uključujući indukciju:

Professional cookware suitable for any cooking method including induction:


- debljina materijala za veličine / *material thickness for: Ø 16-28 cm = 0,8 mm*

- debljina materijala za veličine / *material thickness for: Ø 30-40 cm = 1,0 mm*

- debljina materijala za veličine / *material thickness for: Ø 45-50 cm = 1,2 mm*

Sendvič dno aluminij / inox debljine 8 mm s rubom za izlivanje i cjevastom ručkom.

The aluminium / stainless steel sandwich base 8 mm thick with pouring rim and cool grip handles.



nehrđajući čelik
stainless steel

Lonac, inox 18/10
Stock pot, inox 18/10

Art.	Ø (cm)	h. (cm)	lit
2201	16	16	3
	20	20	6
	24	25	10
	28	27	16
	32	33	25
	36	37	36
	40	41	50
	45	46	70
	50	51	100



nehrđajući čelik
stainless steel

Rajngla visoka, inox 18/10
Deep casserole, inox 18/10

Art.	Ø (cm)	h. (cm)	lit
2207	16	13	2,5
	20	15	4
	24	17	7
	28	19	10
	32	21	15
	36	23	22
	40	26	28
	45	29	44
	50	33	60



nehrđajući čelik
stainless steel

Rajngla niska, inox 18/10
Casserole pot, inox 18/10

Art.	Ø (cm)	h. (cm)	lit
2209	16	8	1,5
	20	11	3,5
	24	12	5
	28	14	8
	32	17	12
	36	12	10
	40	14	15
	45	15	20
	50	20,5	38



nehrđajući čelik
stainless steel

Rajngla niska, 1 ručka, inox 18/10
Sauté pan, 1 handle, inox 18/10

Art.	Ø (cm)	h. (cm)	lit
2208	16	10	1,5
	18	10	2,5
	20	11	3
	24	12	5



Rajngla visoka, za umake, inox 18/10
Deep sauce pan, 18/10, stainless steel

Art.	Ø (cm)	h. (cm)	lit
2106/280	28	18	10



Rajngla za umake, 1 ručka, s dva izljeva, inox 18/10
Sauce pan, 1 handle, with two pouring lips, inox 18/10

Art.	Ø (cm)	h. (cm)	lit
2116	16	8	1,5
	20	9,5	2,5



Rajngla konusna, 1 ručka, inox 18/10
Conical casserole pan, 1 handle, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
2205	16	6	0,75
	20	7	1,5



Rajngla 1 ručka za pirjanje, inox 18/10
Sauteuse, 18/10 stainless steel

Art.	Ø (cm)	h. (cm)	lit
2005/160	16	6	1



Tava, inox 18/10,
Fryng pan, s/s 18/10

Art.	Ø (cm)	h. (cm)
2203	20	5
	24	5
	28	6
	32	6
	36	7,5



Poklopac, inox 18/10
Lid, inox 18/10

Art.	Ø (cm)
2261	16, 18, 20, 24, 28, 32, 36, 40, 45, 50



Nosač za poklopce, kromirana žica
Lid rack, for 8 lids, wall fitting

Art.	dim (cm)
7568/680	23 X 64

za 8 poklopaca različite veličine, montaža na zid
with different sizes, wall fitting chrome plates steel wire



Nosač za poklopce, aluminij
Lid rack, aluminium

Art.	dim (cm)
ALMA129BIS	50 x 110

aluminij
aluminium

Kuhinjsko profesionalno posuđe od bakra/kositra, prikladno za kuhanje na struju, plin i staklokeramiku.
debljina materijala 2 mm, ručka cjevasta, mjedena
*Professional cookware made of tinned copper, suitable for use on this heat sources: electric, gas and radiant.
material thickness: 2 mm, fused brass with stainless steel rivets*



bakar
copper

Rajngla visoka, 2 ručke
Saucepot, 2 handles

Art.	Ø (cm)	h. (cm)	lit
ALCU104	18	10	2,6
	20	11	3,3
	22	11	4,5
	24	14	5,6
	28	16	9
	32	18	12,5
	36	19,6	18
	40	22	26



bakar/kositar
copper/tinned

Rajngla niska, bakar/kositar
Casserole pot, tinned/copper

Art.	Ø (cm)	h. (cm)	lit
ALCU106	20	7	2,5
	24	8	4,1
	28	9	6
	32	10	8
	36	11,5	12
	40	14	16
	45	16,5	23



bakar
copper

Rajngla visoka, 1 ručka od lijevanog željeza
Saucepan, 1 cast iron handle

Art.	Ø (cm)	h. (cm)	lit
ALCU105G	18	10	2,6
	20	11	3,3
	24	14	5,6
	28	16	9



bakar
copper

Rajngla niska, 1 ručka od lijevanog željeza
Casserole pan, 1 cast iron handle

Art.	Ø (cm)	h. (cm)	lit
ALCU107G	20	7	2,5
	24	8	4,3
	28	9	6
	32	10	8



bakar
copper

Rajngla, 1 ručka
Casserole pan, 1 handle

Art.	Ø (cm)	h. (cm)	lit
ALCU107	20	7	2,5
	24	8	4,1
	28	9	6



bakar
copper

Rajngla visoka konus, 1 ručka, bez sjaja
Copper polenta pot, 1 handle, "without tinning"

Art.	Ø (cm)	h. (cm)
ALCU165	18	12
	20	13
	22	14
	24	14
	26	17



bakar/kositar
copper/tinned

Rajngla niska zaobljena 5,5 litara s poklopcem
Curved saucepot with lid, 5,5 liters

Art.	Ø (cm)	h. (cm)	lit
ALCU108C	24	9,5	5,5



bakar
copper

Tava, 2 ručke
Omelette pan, 2 handles

Art.	Ø (cm)	h. (cm)
ALCU110	20	5
	24	5,8
	28	5
	32	6,3
	36	7
	40	7,5
	45	8,5
	50	8,5
	60	10



bakar/kositar
copper/tinned

Poklopac, bakar/kositar
Lid tinned copper

Art.	Ø (cm)
ALCU129	16, 18, 20, 22, 24, 28, 32, 36, 40, 45, 50, 60



bakar
copper

Rajngla ovalna s poklopcem
Oval saucepot with lid

Art.	Ø (cm)	h. (cm)
ALCU126	30	12



bakar
copper

Posuda za ribu s poklopcem i rešetkom, bakar
Fish kettle with grid and lid, copper

Art.	Ø (cm)	h. (cm)
ALCU118	40x13	10



bakar
copper

Tava, 1 ručka
Frypan, 1 handle

Art.	Ø (cm)	h. (cm)
ALCU111	20	5
	24	5,8
	28	5
	32	6,3
	36	7
	40	7,5



bakar/kositar
copper/tinned

Tava za flambiranje
Frying pan

Art.	Ø (cm)	h. (cm)
ALCU111B	20	5,3
	24	6
	28	7
	32	7,8
	36	8



bakar
copper

Rajngla visoka, 1 ručka
Casserole pan, 1 cast iron handle

Art.	Ø (cm)	h. (cm)	lit
ALCU105	16	8	1,7
	18	10	2,6
	20	11	3,3
	22	11,2	4,5
	24	14	5,6
	28	16	9



bakar
copper

Pleh za pečenje s poklopcem
Rectangular pan with cover

Art.	Ø (cm)	h. (cm)
ALCU150C	32 x 23	6
	36 x 26	6



aluminij - teflon
aluminium-teflon
3 mm

Tava duboka alu 3 mm/teflon, zaobljena
Sauté pan, alu 3 mm/teflon

Art.	Ø (cm)	h. (cm)
ALSA111BS	24	6,5
	28	7

s cjevastom inox
ručkom
*with tubular s/s
handle*



aluminij - teflon
aluminium-teflon
3 mm

Tava plitka alu 3 mm/teflon, zaobljeno dno
Low sauté pan alu 3 mm/teflon

Art.	Ø (cm)	h. (cm)
ALSA111BBS	20	4,5
	24	5
	28	5
	32	5

s cjevastom inox
ručkom
*with tubular s/s
handle*



aluminij - teflon
aluminium-teflon
5 mm

Tava duboka alu 5 mm/teflon, ravna
Straight frying pan alu 5 mm/teflon

Art.	Ø (cm)	h. (cm)
ALSA2111S	20	5,5
	24	6
	28	6
	32	6,5
	36	7

s cjevastom inox
ručkom
*with tubular s/s
handle*



aluminij - teflon
aluminium-teflon
5 mm

Tava duboka alu 5 mm/teflon, zaobljeno dno
Sauté pan, alu 5 mm/teflon

Art.	Ø (cm)	h. (cm)
ALSA2111BS	24	6,5
	28	7
	32	7,5
	36	8

s cjevastom inox
ručkom
*with tubular s/s
handle*



Tava za palačinke, crni lim
Crêpes pan, blue steel

Ø (cm)	h. (cm)
21	2



Tava za palačinke, čelik 2 mm
Crêpes pan, steel 2 mm

Art.	Ø (cm)
5100/200	20/16
5100/240	24/19
5100/280	28/21

prikladno i za indukcijsko
kuhalo, s rupicom za vješanje,
duljina ručke: 17 cm
*method, including induction,
handle length: 17 cm*



aluminij - teflon
aluminium-teflon

Tava za palačinke, alu/teflon
Crêpes pan, alu/teflon

Art.	Ø (cm)
ALSA 111CR	24

cjevasta inox ručka 18/10
*tubular handle 18/10
stainless steel*



aluminij
aluminium
3 mm

Tava ovalna za ribu, aluminij 3 mm, ručke inox
Oval pan for fish, alu 3 mm, handle s/s

Art.	Ø (cm)
ALMA 12034	34



aluminij
aluminium
3 mm

Pleh za pečenje 60x40 cm
Rectangular roasting pan 60x40 cm

Art.	dim.(cm)	h.(cm)
ALMA17760	60x40	20

s poklopcem i unutarnjom rešetkom, aluminij 3 mm
with lid, inside grid and 2 folding handles, alu 3 mm



Cjedilo žičano, inox 18/10
Strainer, s/s 18/10

Art.	Ø (cm)	duž./Lcm	fina mrežica <i>fine mesh</i>
12622	14	17	
	16	17	



Cjedilo dvostruka mrežica, inox 18/10
Strainer, double mesh, s/s 18/10

Art.	Ø (cm)	duž./Lcm
12633	18	17
	23	27
	26	27



Cjedilo dvostruka mrežica, ojačano, inox 18/10
Strainer, reinforced, s/s 18/10

Art.	Ø (cm)	duž./Lcm
12635	23	27
	26	27
	30	44
	35	44



Cjedilo, ojačano, inox, mrežica 1 mm
Strainer, reinforced frame stainless steel, mesh size 1 mm

Art.	Ø (cm)	duž./Lcm
2060 300	30	29

plastična drška
plastic handle



Cjedilo za juhu, inox 18/10
Strainer, s/s 18/10

Art.	Ø (cm)	duž./Lcm
3190/200	20	16
3190/220	22	17
3190/240	24	17
3190/260	26	17

fina mrežica, 1,3 mm
fine mesh, 1,3mm



Cjedilo za juhu, ojačano, mrežica 1,5 mm, inox 18/10
Soup strainer, reinforced frame, mesh size 1,3 mm, 18/10 s/s

Art.	Ø (cm)	duž./Lcm
3160/220	22	3,5

ovalna ergonomska drška dužine 37,5 cm
oval ergonomic handle length 37,5 cm



Cjedilo fina mrežica, inox 18/10
Strainer fine mesh, s/s 18/10

Art.	Ø (cm)	duž./Lcm
3190/10	10	0,15
3190/16	16	0,7



Cjedilo s finom mrežicom, mrežica 0,6 mm
Strainer with fine mesh, mesh 0,6 mm

Art.	Ø (cm)	h.cm
3130/150	15,5	17



Cjedilo špic s finom mrežicom, inox 18/10
Chinois with extra fine mesh, s/s 18/10

Art.	Ø (cm)	h.cm
1250/240	23	19



Cjedilo špic, inox 18/10
Professional Chinese Colander s/s 18/10

Art.	Ø (cm)	duž./L.cm
COIX3232	18	17
	20	19
	24	23,5
1153/250	25	23
1153/260	27	25



Cjedilo špic, inox 18/10, cjevasta ručka
Conical strainer, 18/10 stainless steel, tubular handle

Art.	Ø (cm)	h. (cm)	pertlani rub with rolled edge
2660/240	23	24	



Cjedilo polukrug, inox 18/10
Strainer, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
124/280	28	14	5

promjer rupica / *hole diameter* 3 mm
duljina drške / *handle length* 26 cm



Cjedilo s rupama
Strainer with holes

Art.	Ø (cm)	h. (cm)
COLTUT16	16	9



Cjedilo s rupama 3 mm, inox 18/10
Strainer with 3 mm holes, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
1330/240	24	9	3



Cjedilo konusno, inox 18/10
Conical Colander, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
11930	28	14	5,5
6081/320	31,5	16	8
11930	32	16	8,8
6081/360	36	18,5	12
6081/400	40	20	16
6081/450	45	22,5	24

rupe 3,5 mm sa strane i na dnu
3,5 mm holes in sides and base



Cjedilo kuglasto na stalku, inox 18/10
Spherical Colander, s/s 18/10

Art.	Ø (cm)	h. (cm)
COIX3115	32	18



Cjedilo za tjesteninu 1 ručka, inox 18/10
Noodle strainer 1 handle, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
11924	28	15	9,3



Cjedilo 1/4 za tjesteninu, inox 18/10
Segment Colander 1/4 for pot, s/s 18/10

Art.	Ø (cm)	h. (cm)
Art. COIX3153BE	36	23
	40	26



Cjedilo kugla za kuhanje čaja, inox 18/10
Tea infuser, s/s 18/10

Art.	Ø (cm)	
3300/150	15	<i>stainless steel, 18/10 mirror polished finish</i>



Cjedilo kugla za kuhanje čaja, inox 18/10
Tea infuser, s/s 18/10

Art.	Ø (cm)	
3307/150	15	<i>fine mrežica, s lančićem 35 cm fine mesh, with 35 cm chain</i>



Cjedilo za čaj, inox
Tea infuser, stainless steel

Art.	Ø (cm)	duž./Lcm
3120/065	7,5	18



Lijevak za staklenke, inox 18/10
Preserving funnel, s/s 18/10

Art.	Ø (mm)
12452260	130/40



polipropilen
polypropylene

Lijevak za staklenke, polipropilen
Funnel, polypropylene

Art.	Ø (cm)	h (cm)
5427/100	10,5/4	5,5

za staklenke Ø 49, 66 i 82 mm, perivo u perilici posuda
for filling jars Ø 49, 66 i 82 mm, dishwasher-proof



Lijevak, inox 18/10
Funnel, stainless steel 18/10

Art.	Ø (cm)	h (cm)	lit.
5420/120	11	13,5	0,25
5420/150	14	16,5	0,40
5420/200	19	22	1



Lijevak za fondant sa stalkom, inox 18/10
Fondant funnel with holder, inox 18/10

Art.	dim. (cm)
77338	Ø 20 x 34

lijevak 1,5 litra s plastičnom drškom, 3 brizgalice od 2, 4, 6 mm, žičanim postoljem i posudicom za kapanje, perivo u perilici suda
s/s funnel 1,5 litres with plastic handle with 3 nozzles from 2, 4, 6 mm, incl. wire rack and dripping dash, dishwasher proof



Lijevak za fondant, inox 18/10
Fondant funnel, inox 18/10

Art.	dim. (cm)
458/180	Ø 18 x 18

lijevak 1,5 litra s inox drškom, 3 brizgalice od 4, 6, 8 mm, perivo u perilici posuda
s/s funnel 1,5 litres with s/s handle with 3 nozzles from 4, 6, 8 mm, dishwasher proof



Stalak lijevka za fondant, inox 18/10
Holder for fondant, s/s 18/10

Art.	dim. (cm)
459/001	Ø 15x 16,5

posuda graduirana do 1,5 litre
graduated 1,5 l



Posuda za miješanje, inox 18/10
Hemispheric mixing bowl, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
COIX3202	22	10,5	2,5
	26	14	4
	32	18	9,5
	36	20	14
	40	21	18

sa zaobljenim
dnom i s dvije
ručke
*rolled edge,
2 handles*



Stalak posude za miješanje
Stand for mixing bowl

Art.	Ø (cm)	h. (cm)
COIX3202B	16	22-26
	22	32, 36, 40



Set od 11 kuhinjskih posuda, inox
Set of 11 kitchenbowls, stainless steel

Art.	Ø (cm)
KBS11	21, 24, 26, 29.5, 33, 36.5, 39.5, 43, 48, 52.5, 58

složive jedna u drugu
stackable



Posuda kuhinjska s ručkama, inox 18/10
Kitchenbowl with handles, stainless steel 18/10

Art.	Ø (cm)	h. (cm)	lit
11955-32	32	16	8,8
11955-36	36	18,5	12,8
545/400	40	20	16
11955-40	40	20	17
11955-45	45	22,5	24,5
545/500	50	24	32



Posuda kuhinjska, inox 18/10
Kitchenbowl, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
2050/160	14	6,5	0,6
12582-17	16,5	7,5	1
2050/200	17,5	8	1,3
2050/220	20	8,5	1,75
2050/240	22	10	2,5
12582-24	24	9,5	3
2050/280	25	10	3,5
2050/320	29	12	5,5
2050/400	36	14	9,5



Posuda kuhinjska, inox 18/10, visoki sjaj
Kitchenbowl, s/s 18/10, mirror polished

Art.	Ø (cm)	lit.
500/200	20	1,5
500/280	28	4



Kanta, inox 18/10

Graduated bucket, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
415/010	30	25	10
415/012	31	27	12
415/015	32,5	31	15

baždarena po litri
*graduated
and numbered
every 1 l*



Kanta, inox 18/10

Graduated bucket, s/s 18/10

Art.	Ø (cm)	h. (cm)	lit
415/007	25,5	24	7

nije graduirana
not graduated



Kanta plastična 7 litara

Plastic bucket 7 litres

Art.	Ø (cm)	h. (cm)
3071/007	24	25,5

baždarena po litri
*graduated and
numbered every 1 l*



Kuhinjska šalica, inox

Scoop, s/s

Art.	lit
5454/100	1

baždarena svakih 0,25 l, s
rubom za izlivanje i drškom
*numbered every 0,25 l
with pouring edge and handle*



Šalica za juhu, inox 18/10

Soup bowl, s/s 18/10

Art.	Ø (cm)	lit
770/030	11,5	0,3

s rubom za izlivanje
with open and pouring edge



Zdjelica za prilog, inox, visoki sjaj

Vegetable dish, s/s, mirror polished finish

Art.	lit	Ø (cm)	h.cm
4640/150	0,4	14	3,5
4640/180	0,6	16	3,5
4640/200	1	18	4,5
4640/220	1,4	21	5



Zdjelica za prilog, inox, visoki sjaj

Vegetable dish, s/s, mirror polished finish

Art.	lit	Ø (cm)	h.cm
4650/125	0,3	11,5	5



Zdjelica za prilog, inox, visoki sjaj

Vegetable dish, s/s, mirror polished finish

Art.	lit	Ø (cm)	h.cm
6184/065	0,65	15	4,5



Zdjelica za marmeladu, inox, visoki sjaj, s jednom ručkom

Vegetable dish, s/s, mirror polished finish with one handle

Art.	lit	Ø (cm)	h.cm
4626/130	0,25	13	3



Košarica za kuhanje na pari, inox 18/10
Steamer Basket, s/s 18/10

Art.	Ø min./max. cm
1408-200	18 - 27

rupice promjera 3 mm
3 mm holes



Mužar s tučkom, prirodni granit/
Mortar, with pestle, natural granite

Art.	dim. cm
69602260	Ø 13 x 7 h

za usitnjavanje i mljevenje začinskog bilja
for crushing and grinding herbs and spices



Kantica za ulje, inox 18/10, visoki sjaj
Oil can, s/s 18/10, mirror polished finish

Art.	lit	h. cm
6070/050	0,5	15
6070/100	1	16,5



Čep za točenje ulja, nehrđajući čelik / silikon
Oil pourer, stainless steel / silicone

Art.	za boce 0,7 - 1 litre <i>for 0,7 - 1l bottles</i>
47832610	



Set sprej ulje ocat
Oil and vinegar spray set

Art.	inox/staklo <i>stainless steel/glass</i>
24362260	



Mlin za papar, drvo, oštrice inox
Pepper mill, wood, blades stainless steel

Art.	h. (cm)	6 nivoa mljevenja, boja prirodna bukva <i>6 levels of grind, color: natural, beech wood</i>
NA027	40	



Mlin za sol, akril, oštrice inox
Salt mill, acrylic, s/s, blades stainless steel

Art.	h. (cm)	6 nivoa mljevenja <i>6 levels of grind</i>
NA032	11	



Mlin za sol/papar, akril, oštrice inox,
Salt/pepper mill, acrylic, stainless steel blades

	Art.	h. (cm)	6 nivoa mljevenja <i>6 levels of grind</i>
papar/pepper	42727-18	18	
sol/salt	42728-18	18	



Set za začine, polikarbonat
Condiment dispenser, polycarbonate

Art.	dim. mm
1120/006	500 x 155 x 90

sa 6 spremnika od polipropilena od po 0,5 litre,
materijal kućišta i poklopca: polikarbonat
*six 0,5 l polypropylene containers, polycarbonate
frame and lid*



Lopatica za pečenje, inox
One piece spatula, s/s

Art.	duž./ Lcm
162/360	36
COIX3208EL54	40
PAPE46	46



Lopatica za wok, inox 18/10
Chinese spatula, s/s 18/10

Art.	duž./ Lcm
973/330	33



Lopatica za lasagne, inox
Lasagne spatula, s/s

Art.	cm	ručka polipropilen <i>polypropylene handle</i>
SPLA15	15 x 8,5	
18515-16	16,8 x 7,2	



Lopatica za hamburger, inox
Hamburger server, s/s

Art.	cm
SPFI19	19 x 19



Lopatica za hamburger, inox 18/10
Hamburger server, s/s 18/10

Art.	dim.cm
PHHO	Ø 10,5 x 27



Lopatica za teflon, poliamid, za neprijanjajuće tave
Cranked turner, polyamide, for non-stick pans

Art.	dim.cm
1972/320	12 x 9



Lopatica za pečenje, perforirana, inox 18/10
Perforated slice/lifter, s/s 18/10

Art.	duž./ Lcm
909/130	38



Lopatica rezač, perforirana, inox
Perforated slice, s/s

Art.	duž./ Lcm
11976	50



Lopatica za pečenje, perforirana, inox
Perforated slice, stainless steel

Art.	duž./ Lcm
160/100	47



Lopatica za ribu, inox 18/10
One piece fish spatula, s/s 18/10

Art.	duž./ Lcm
11985	34



Lopatica za pečenje, perforirana, inox 18/10
One piece perforated spatula, s/s 18/10

Art.	duž./ Lcm
167/110	36



Lopatica za pečenje, perforirana, inox 18/10, visoki sjaj
Perforated slice, 18/10 ss, mirror polished finish

Art.	dim.	duž./L cm
166/110	11 x 11	26



Lopatica za pečenje, perforirana, inox 18/10
Slotted slice, s/s 18/10

Art.	duž./ Lcm
975/320	29
COIX5208533	33



Lopatica za roštilj 13,5x11 cm, inox 18/10
Cranked turner 13,5x11 cm., s/s 18/10

Art.	duž./ Lcm	drvena ručka, vrlo kruti inox <i>wooden handle, very rigid stainless steel</i>
4173/135	13,5 x 11	



Lopatica za roštilj 12x7 cm,
Cranked turner 12x7 cm

Art.	duž./ Lcm	kruti nehrđajući čelik, drška polipropilene <i>stainless steel blade with polypropylene</i>
4066/300	12 x 7	



Lopatica za roštilj 20x7,5 cm
Cranked turner 20x7,5 cm

Art.	cm	kruti inox 18/0, ručka crna polipropilen <i>very rigid 18/0 stainless steel, black poly. handle</i>
4064/350	20 x 7,5	



Lopatica za roštilj, rupičasta
Cranked turner, perforated

Art.	cm	vrlo kruti inox 18/0, ručka polipropilen, rupice 7 mm <i>very rigid 18/0 s/s, polypropylene handle, 7 mm perforation</i>
4062/350	20 x 7,5	



Lopatica za čišćenje roštilja, inox
Grill scraper, s/s

Art.	Lcm	ručka polipropilen <i>polypropylene handle</i>
18520-08	8 x 12	
18520-12	12 x 12	



Lopatica za čišćenje roštilja, inox
Grill scraper, s/s

Art.	Lcm	ručka polipropilen <i>polypropylene handle</i>
4060/100	11,5 x 10	



Lopatica za čišćenje roštilja, inox
Grill scraper, s/s

Art.	Lcm	drvena ručka <i>wood handle</i>
3030/100	11,5x10	



Četka za čišćenje roštilja, inox
Brush for cleaning grill and plates, s/s bristles

Art.	duž./ Lcm	ručka plastična <i>plastic handle</i>
262	29	



Štapići za ražnjiće 45 cm, inox 18/10
Barbecue skewers 45 cm, s/s 18/10

Art.	duž./ Lcm	4 komada u paketu, šilo 32 cm <i>packed in 4's, skewer 32 cm</i>
455/450	45	



Pribor za roštilj, inox 18/10
Barbecue utensils set, s/s 18/10

Art.	duž./ Lcm
5669/004	42-45



Hvataljka za kobasice, inox
Sausage tongs, s/s

Art.	dim. cm
5666/350	1,5 x 35



Hvataljka za roštilj, inox 18/10
Barbecue tongs, s/s 18/10

Art.	duž./Lcm	visoki sjaj, ručka satinirana mirror polished finish, handle satin
5660/420	42	



Hvataljka za roštilj, inox 18/10
Sausage tongs, s/s 18/10

Art.	duž./Lcm	debljina materijala 1,5 mm, ručka satinirana material thickness 1,5 mm, handle satin
PT250/35	35	
PT400/35	40	



Hvataljka za steak, inox 18/10
Steak tongs, s/s 18/10

Art.	duž./Lcm	s cjevastom ručkom i jednom nazubljenom lopaticom, visoki sjaj with tubular handles and one blade serrated, mirror polished finish
5685/380	38	



Hvataljka heavy - duty, inox 18/10
Scalloped tongs, s/s 18/10

Art.	L (cm)	s oprugom i steznikom, with spring and retaining clip
1450-240	24	
1450-300	30	
1450/400	40	



Hvataljka za pečenje, inox 18/10, visoki sjaj
Scalloped tongs, 18/10 s/s, mirror polished finish

Art.	L (cm)	s oprugom i steznikom, crne lopatice od poliami- da otporne na temperaturu do +200°C, periva u perilici suđa with spring and retaining clip, black polyamid blades heat resistant up to +200°C, dishwasher proof
217-300	30	
217-400	40	



Hvataljka za sendviče perforirana, inox 18/10
Perforated sandwich tongs, s/s 18/10

Art.	duž./Lcm	visoki sjaj mirror polished finish
5625/22	22	



Hvataljka za ribu perforirana, inox 18/10
Perforated fish tongs, s/s 18/10

Art.	duž./Lcm	visoki sjaj mirror polished finish
5677-225	24	



Hvataljka za serviranje, inox 18/10
Buffet tongs, s/s 18/10

Art.	L (cm)	dim. 9 x 6 cm
MOLSEHO	26,5	



Hvataljka za serviranje, inox 18/10
Buffet tongs, s/s 18/10

Art.	L (cm)	dim. 9 x 6 cm
5632/230	23	



Hvataljka za serviranje, inox 18/10
Buffet tongs, s/s 18/10

Art.	duž./Lcm
221/210	21



Hvataljka za serviranje, inox 18/10
Buffet tongs, s/s 18/10

Art.	duž./Lcm
218/270	27
MOLINHO	26,5



Hvataljka za serviranje, inox 18/10
Buffet tongs, s/s 18/10

Art.	duž./Lcm
5631/270	27



Hvataljka 30 cm, polikarbonat
Polycarbonate utility tongs 30 cm

Art.	duž./ Lcm
44929-06	30



Hvataljka univerzalna, inox
Buffet tongs, s/s

Art.	duž./ Lcm
MOLUNHO/1,2	30



Pinceta kuharska, inox 18/10
Chef's pincers, s/s 18/10

Art.	duž./ Lcm
181/300	30

za okretanje i posluživanje
for turning and serving



Pinceta za riblje kosti 15 cm
Salmon tweezers 15 cm

Art.	duž./ Lcm
195/155	15

inox 18/0, perivo u perilici posuđa
stainless steel, dishwasher-proof



Pinceta za veće riblje kosti 11 cm
Salmon tweezers for thick bones 11 cm

Art.	duž./ Lcm
42592-02	11

inox 18/0, perivo u perilici
18/0 stainless steel, dishwasher proof



Pinceta za manje riblje kosti 11 cm
Salmon tweezers for fine-tip fish bones 11 cm

Art.	duž./ Lcm
42592-01	11

inox 18/0, perivo u perilici
18/0 stainless steel, dishwasher proof



Hvataljka za riblje kosti 15 cm, inox 18/10
Salmon tweezers, s/s 18/10

Art.	duž./ Lcm
196/150	15

perivo u perilici suđa
washing in the dishwasher



Kliješta za rakove, inox, s oprugom i steznikom
Lobster tongs, s/s, with inner spring and locking device

Art.	duž./ Lcm
277/185	18,5

prikladan za rakove i jastoge, lako otvara oklope i kliješta, periv u perilici posuđa
for lobsters and crayfishes; effortlessly opens lobster carapace and pincers; dishwasher - proof



Lonac za kuhanje školjki, emajl crni, inox obruč
Mussels pot, black enameled, s/s rings

Art.	lit.	dim. cm
488/200	3,5	20 x 20



Strugač ljuske ribe, inox
Fish scaler stainless steel

Art.	dužina oštrice 9 cm
48278-38	<i>blade length 9 cm</i>



Strugač ljuske ribe sa zaštitom, inox/poliamid
Fish scaler, s/s/polyamid

Art.	dim. cm
2227/230	30



Vilice za rakove, inox
Lobster forks, stainless steel

Art.	dim. cm
66162280	18,5 x 1,6 x 0,3

set od 2 vilice
set of 2 forks



Vilica za kamenice 12/1 inox 18/0
Oyster forks, 12/1 s/s 18/0

Art.	duž./ Lcm
2224/012	13,5



Nož za otvaranje kamenica, inox 18/10
Oyster knife, s/s 18/10

Art.	duž./ Lcm	debljina oštrice 1,8 mm, dužina oštrice 6 cm <i>blade thickness: 1,8 mm, length blade 6 cm</i>
956-180	18	



Francuska lopatica, inox 18/10
Skimmer, s/s 18/10

Art.	Ø (cm)	l cm.
969/350	11	35

s kukicom za vješanje
with hanging loop



Francuska lopatica, široka drška, inox 18/10
Skimmer, with extra wide handle, s/s 18/10

Art.	Ø (cm)	L cm.
70/120	12	38

debljina 3,5 mm, rupice 4 mm
thickness 3,5 mm, perforation 4 mm



Francuska lopatica, inox 18/10
Skimmer, s/s 18/10

Art.	Ø (cm)	L cm
11971-08	8	28
72/100	10	32
72/120	12	36
72/140	14	40
72/160	16	43
72/180	18	44
72/200	20	47



Francuska lopatica spiralna mreža, inox 18/10
Wire skimmer, s/s 18/10

Art.	Ø (cm)	l cm.
95/180	18	43



Francuska lopatica fina mreža, inox 18/10
Fine mesh skimmer, s/s 18/10

Art.	Ø (cm)	duž./ Lcm
78/150	16	40



Francuska lopatica šira mreža, inox 18/10
Mesh skimmer, s/s 18/10

Art.	Ø (cm)	L cm
11990	16	40
95/255	26	50
95/300	30	50



Grabilica kuhinjska kratka ručka, inox 18/10 visoki sjaj
Ladle short handle, s/s 18/10, mirror polished finish

Art.	Ø (cm)	lit.	L cm
81/080	8	0,125	22



Grabilica kuhinjska, inox 18/10
Ladle, s/s 18/10

Art.	Ø (cm)	lit.	L. cm
82/060	6	0,06	30
82/080	8	0,125	34
82/090	9	0,2	36
82/100	10	0,25	38
82/110	11	0,33	42
82/120	12	0,5	42
82/140	14	0,75	43
82/160	16	1	47



Grabilica kuhinjska, inox 18/10
Ladle, s/s 18/10

Art.	Ø (cm)	lit.	L. cm
11968	18	1,5	75
84/200	20	2	74
11968	24	4	75

cjevasta drška
tube handle



Grabilica za juhu, inox 18/10
Soup ladle, s/s 18/10

Art.	Ø (cm)	lit.	L. cm
960/300	6	0,06	28



Grabilica kuhinjska, inox 18/10, drška krom mesing
Scoop, s/s 18/10, handle solid brass chrom-plated

Art.	ml	Ø (mm)	za serviranje riže, pire krumpira itd. <i>for serving rice, mashed potatoes etc.</i>
CR 1/8	125	80	
CR 1/5	200	85	
CR 1/4	250	100	



Grabilica kuhinjska, inox 18/10, drška plastična u plavoj boji
Scoop, s/s 18/10, handle plastic blue colour

Art.	ml	Ø (mm)	za serviranje riže, pire krumpira itd. <i>for serving rice, mashed potatoes etc.</i>
K1/8	125	80	



Grabilica za fritule, inox 18/10, drška plastična u plavoj boji
Scoop, s/s 18/10, handle plastic blue

Art.	ml	Ø (mm)	za izradu fritula i mesnih okruglica <i>for making fritules and meat balls</i>
K1/100	10	30	



Žlica za serviranje, inox 18/10
Serving spoon, 18/10 stainless steel

Art.	Lcm
5606/305	20



Žlica za serviranje, nylon/inox
Serving spoon, nylon+s/s

Art.	duž / Lcm
910/310	31

otporna na temp. do 220°C
heat-resistant up to 220°C



Grabilica za umak, inox 18/10
Sauce/gravy ladle, s/s 18/10

Art.	L. cm	lit.
974/280	21	0,02

s kukicom za vješanje
with hanging loop



Grabilica za umak, inox 18/10
Sauce/gravy ladle, s/s 18/10

Art.	l. cm	lit.
1818/070	29	0,08
1818/090	32	0,20

s kukicom za vješanje
with hanging loop



Žlica kuhinjska za umak, inox
Gravy/sauce spoon, s/s

Art.	duž./ Lcm
COIX5217S29	29



Žlica kuhinjska za umak, inox
Gravy/sauce spoon, s/s

Art.	duž./ Lcm
902/310	31



Žlica kuhinjska za umak, inox
Gravy/sauce spoon, s/s

Art.	duž./ Lcm
35/110	38



Žlica kuhinjska perforirana, inox 18/0
Perforated spoon, stainless steel

Art.	duž./ Lcm
5608/305	20,5

visoki sjaj,
perforacija 5mm
*mirror polished,
perforated 5mm*



Žlica kuhinjska perforirana, polikarbonat
Perforated spoon, polycarbonate

Art.	duž./ Lcm
44953-00	35



Žlica za špagete, inox 18/10
Spaghetti server, s/s 18/10

Art.	dim.cm	l.cm
779/310	8 x 6,5	31



Žlica za špagete, inox 18/10
Spaghetti server, s/s 18/10

Art.	dim.cm	l.cm
41673-00	7,5 x 7,5	32



Žlica za špagete, inox 18/10
Spaghetti server, s/s 18/10

Art.	dim.cm	l.cm
1887/340	10 x 7	34



Hvataljka za špagete, inox 18/10
Spaghetti tongs, s/s 18/10

Art.	l.cm
173/200	20



Hvataljka za špagete, inox 18/10
Spaghetti tongs, s/s 18/10

Art.	l.cm
5633/270	27



Nož ovalni 2, oštrice 18/0 inox
Hachoir, 2 blades, s/s 18/0

Art.	dim. oštrice / blade dim
740/175	17,5 x 3,7

ručke polietilen, crne, za zelen (vlasac, peršin,
salate...)

*with black polyethylene handles for chive, parsley and
salads...*



SOLINGEN

Nož ovalni 2 oštrice, 18/10 inox
Hachoir, 2 blades, s/s

Art.	dim. oštrice / blade dim
744/220	22 x 5 cm

ručke polietilen, crne, za zelen (vlasac, peršin, salate...)
with black polyethylene handles for chive, parsley and salads...



Lopatica PA, polyamid
Cranked turner PA, polyamide

Art.	dim.	Lcm
1972/320	12 x 9	32

za teflonske tave, termootporna do +220°C
for non-stick pans, heat resistant up to +220°C



Lopatica PA plus, polyamid/fiberglas
Spatula PA plus, polyamide with fiberglass

Art.	dim.	Lcm
12920-10	9 x 10	35

perivo u perilici suda
dishwasher safe



Lopatica za jaja
Slotted egg lifter

Art.	dim.	Lcm
966/320	17 x 8	32

poliamid, ručka inox, s kukicom za vješanje, perivo u perilici, termootporna do +220°C
black polyamide blade, s/s handle, with hanging loop, dishwasher-proof, heat resistant up to +220°C



Francuska lopatica
Perforated scoop

Art.	dim.cm
926/180	Ø18 x 37

inox + poliamid, s kukicom za vješanje
inox + polyamide, with hanging loop



Lopatica za čips, inox 18/10, visoki sjaj
Chip bagger, 18/10 stainless steel, polished

Art.	dim.cm
5610/140	14 x 14 x 14
5610/170	17 x 17 x 14



Lopatica za čips polamid
Chip scoop polyamide

Art.	dim.cm
3470/120	33 x 12 x 14,5

termootporna do + 220°C
heat resistant up to +220 °C



Lopatica kuhinjska, polistiren
Scoop, polystyrene

Art.	lit.	dim.cm
1039/350	2,7	23,5 x 15



Vilice za meso, POM drška
Meat forks, POM handle

Art.	L (cm)
108 800 1161	16
1191	19
1231	23
1261	26
PAL118 802 1218	21



Vilica kuhinjska
Fork

Art.	L (cm)
137	33



Vilica kuhinjska s 3 šiljka, inox 18/10
Fork 3 prongs, s/s 18/10

Art.	L (cm)
COIX3369	50



Vilica kuhinjska s 2 šiljka, inox 18/10
Fork 2 prongs, s/s 18/10

Art.	L (cm)
COIX3369	50



Vilica kuhinjska, inox 18/10
Fork, stainless steel 18/10

Art.	duž. /Lcm	2 šiljka, s kukicom za vješanje <i>2 prongs, with hanging loop</i>
985/330	30	



Vilica kuhinjska, inox 18/10
Fork, stainless steel 18/10

Art.	duž. /Lcm	2 šiljka, s kukicom za vješanje <i>2 prongs, with hanging loop</i>
984/310	32	



Vilica kuhinjska s četiri šiljka, inox 18/10
Roasting/lifting fork, s/s 18/10

Art.	Lcm	dulj. šiljaka: 13 cm <i>prongs lenght: 13 cm</i>
959/100	30,5	



Vilica za meso, ručka inox 18/10
Fork, handle 18/10 s/s

Art.	duž. /Lcm	zupci inox 18/0 visoki sjaj <i>prongs 18/0 s/s mirror polished finish</i>
7781/320	32	



Mutilica tanja žica, inox 18/10
Whisk, 18/10, s/s

Art.	duž. /Lcm	24 žice Ø1,3 mm, drška Ø27 mm, kukica za vješanje <i>24 wires 1,3 mm thick, handle Ø27 mm, hanging loop</i>
830/250	28	
830/300	33	
830/350	38	
830/400	43	
Art.	duž. /Lcm	7 žica / 7 wires
835/250	25	



Mutilica deblja žica, inox 18/10
Heavy Whisk, 18/10, s/s

Art.	duž. /Lcm	16 žica debljine Ø2,2 mm, drška Ø27 mm <i>16 wires, 2,2 mm thick, handle Ø27 mm</i>
826/250	25	
826/300	30	
826/400	41	
826/450	45	
826/500	50	
826/600	60	



Mutilica deblja žica, inox 18/10
Heavy Whisk, 18/10, s/s

Art.	Lcm	žica debljine 2 mm, 8 žica s prstenima za veći učinak <i>wire 2 mm, 8 thick wires with rings to increase effectiveness</i>
827/280	28	



Mutilica deblja žica, inox 18/10
Large heavy Whisk, 18/10, s/s

Art.	Lcm	10 žica debljine Ø2,8 mm, drška Ø30mm <i>10 wires, 2,8 mm thick, handle Ø30 mm</i>
917/080	80	



Mutilica deblja žica, inox 18/10
Large Heavy Whisk, 18/10, s/s

Art.	duž. /Lcm	5 žica debljine Ø3,8 mm <i>8 wires, 3,8 mm thickness</i>
917/125	125	



Mutlica balon, inox 18/10

Baloon whisk, 18/10 s/s

Art.	duž. /Lcm
1575 120	120

16 žica debljine Ø 4 mm s ojačanjem

16 wires thickness Ø 4 mm with reinforcement



Kuhača poliamid, periva u perilici suđa

Spoon polyamide, dishwasher safe

Art.	duž. /Lcm
12903-30	30
12903-40	38
12903-45	45



Kuhača

Spoon

Art.	duž. /Lcm
833/030	30
833/040	40
833/050	50
833/060	60
833/080	80
833/100	100

nelakirana brezovina, nije periva u perilici
unlacquered beechwood, not dishwasher proof



Veslo kuharsko "Niko" 120 cm inox 18/10

Food Spatula "Niko" 120 cm, s/s 18/10

Art.	duž. /Lcm
NIKO	120

ručka cjevasta Ø 30 mm

lopatica 180 x 120 mm

tubular handle Ø 30 mm

spatula: 180 x 120 mm



Veslo kuharsko 117 cm, drška inox 18/10

Food Spatula 117 cm, handle stainless steel 18/10

Art.	dim. mm
	dužina / length 1170
44061-12	lopatica / spatula: 235 x 108

ručka i lopatica polipropilen

polypropylene handle and spatula



Bat za meso s drvenom drškom, aluminij

Steak hammer, aluminium, wooden handle

Art.	duž. /Lcm	kg
42508	32	0,6



Bat za meso, aluminij

Meat tenderiser, aluminium

Art.	L cm	kg
1092/255	25,5	0,4

s glatkom i grubom površinom; nije periv u perilici suđa
with plain and ridge surface; not dishwasher-proof
dim. 7 x 7 cm



Bat za meso robusto - spezial, aluminij

Meat hammer robusto - spezial, aluminium

Art.	2 strane bata; za grubo i fino omekšavanje odrezaka i mesa, perivo u perilici suđa
62002260	<i>2 surfaces for tenderising meat: coarse and fine, suitable for the dishwasher</i>



Bat za meso Steakmaster, aluminij

Steakhammer "Steakmaster", aluminium

Art.	2 strane bata, za omekšavanje i udaranje odrezaka i mesa, perivo u perilici suđa
62202260	<i>2 surfaces for tenderising and bashing meat, suitable for the dishwasher</i>



Bat za meso Dick
Meat tenderiser Dick

Art.	L cm	plastična drška u crnoj boji <i>black plastic handle</i>
90016-00	30	



Igla za nadijevanje (špikanje) mesa, inox 18/10
Larding needle, 18/10 stainless steel

Art.	L. cm.	Ø (cm)
150/200	19,5	0,54



Igla za vezivanje mesa, inox 18/10
Trussing needle, 18/10 stainless steel

Art.	Ø (cm)	duž./l cm
151/200	0,3	20



Konac kuharski 150 metara
String, natural material, 150 m

Art.	termootporan <i>heat resistant</i>
3880/150	



Silikonska vezica 6/1
Cook and roast string from silicone, 6/1

Art.	otporan na temp. do +260° C, duljina 38 cm; kod kuhanja i pečenja mesa, ribe i povrća; prikladno za mikrovalne pećnice i pećnice; za kuhanje u loncima/rajinlama <i>heat resistant up to +260° C, length 38 cm; for meat, fish and vegetables; for microwave, pots, pans and ovens</i>
15242280	



Rezač za jaja, aluminij, šnita 5 mm
Egg slicer, aluminium, 5 mm slice

Art.	dim. (cm)
4697/125	12,5 x 8

periv u perilici posuđa
dishwasher-proof



Gnječilo za krumpir, inox 18/10
Potato masher, s/s 18/10

Art.	cm	s kukicom za vješanje <i>with hanging loop</i>
981/235	23,5	



Gnječilo za krumpir, inox 18/10
Potato masher, s/s 18/10

Model	cm
980/250	29,5
918/500	50
918/800	80



Preša za krumpir s 3 diska, inox
Potato ricer with 3 disks, s/s

Art.	Ø (cm)	Ø 2,4 mm / 4,4 mm / 6,5 mm; za krumpir i ostalo povrće <i>used to copress potatoes and other peeled vegetables</i>
42566-03	8,5	



Preša za krumpir/čvarke, inox 18/10
Potato ricergreaves, stainless steel 18/10

Art.	dim. cm	lit
1380/330	10,5 x 10,5 x 33	0,65

rupice/ *perforated* 2,5 mm



Podloške za rezanje Koterm PE 500
Cutting board Koterm PE 500

boja/ colour	dim. cm
bijela/white	45 x 30 x 1,2
kruh i mliječni proizvodi/ bread and dairy products	50 x 30 x 3
	60 x 40 x 2
	GN 1/1
zeleni / green	45 x 30 x 1,2
povrće i voće / vegetables and fruits	60 x 40 x 2
	GN 1/1
žuta / yellow	40 x 40 x 2
perad / poultry	45 x 30 x 1,2
	60 x 40 x 2
	GN 1/1
	40 x 30 x 2
crvena / red	45 x 30 x 1,2
crveno meso / red meat	50 x 35 x 4
	60 x 40 x 2
	GN 1/1
plava / blue	40 x 30 x 2
riba / fish	45 x 30 x 1,2
	60 x 40 x 2
	GN 1/1
	40 x 30 x 2
smeđa / brown	45 x 30 x 1,2
kuhano ili pečeno meso / cooked or roasted meat	60 x 40 x 2
	GN 1/1



Strugač za podloške polietilenske
Board scraper

Art.	duž / Lcm
1508/200	20 x 7

poliamid sive boje; ručka od melamina; s nožem duljine 6,5 cm

for polyethylene boards only; reinforced grey polyamide, handles made of melamine; with 6,5 cm steel blade



Podloška za rezanje, fleksibilna 2/1
2 flexible cutting mats "gripp"

Art.	cm
11772250	38 x 30,5 x 01



Stalak za podloške za rezanje, inox
Cutting board rack, s/s

Art.	dim. cm
1505/550	43 x 32 x 28

za 6 podloški min. duljine 30 cm; za podloške do 5 cm debljine, žica debljine 6 mm

for 6 boards (each minimum 30 cm long), for board up to 50 mm thick, 6 mm wire



Timer "Futura", aluminij, podesiv do 60 min
Timer "Futura", aluminij, adjustable up to 60 min

Art.	dim. cm
10902260	6 x 3,5



Timer jaje, inox, max. vrijeme rada 60 min.
Timer, stainless steel, max. running time 60 minutes

Art.	dim. cm
1029000	Ø 6 x 7,5 cm



Zidni nosač kuhinjskog pribora 42 cm, inox, visoki sjaj
Hanging rack 42 cm, stainless steel, polished

Art.	dim. cm
155/420	1,5 x 42



Zidni nosač kuhinjskog pribora 70 cm, inox, visoki sjaj
Hanging rack 70 cm, stainless steel, polished

Art.	dim. cm	s 10 kliznih kukica, zidni with 10 sliding hooks, for wall mounting
995/700	70 x 2,3	



Držač cedulja, inox
Grip check holder, stainless steel

Art.	dim. cm
42509-50	50 x 8,5



Držač cedulja s 13 opruga, inox
Grip check holder with 13 springs st/st

Art.	dim. cm
N8031	100



Preša višenamjenska "Extracta", aluminij
All purpose press "Extracta", aluminium

Art.	za češnjak, crveni luk, uklanjanje koštica, drobljenje lješnjaka, uklanjanje riblje ljuske
30002260	<i>for garlic, onions, cherry and olive stoner, nutcracker, fish</i>



Preša za češnjak "Novapress", aluminij
Garlick press "Novapress", aluminium

Art.	dim. mm
30302260	165 x 40 x 32 mm



Čistač koštica za višnje i masline, aluminij
Olive/ cherry stoner, aluminium

Art.	dužina 18 cm
4687/180	<i>length 18 cm</i>



Čistač koštica Kirschomat, inox, aluminij, plastika
Cherry stoner Kirschomat, s/s, aluminium/plastic

Art.	kapacitet / capacity
40702260	15 kg/h



Pasirka 3 sita 31 cm, inox 18/10
Moulin/vegetable sieve 31 cm, s/s 18/10, 3 sieves

Art.	Ø cm
X3	31

za pripremu pirea, pasiranje voća, pripremu juha,
3 sita: Ø 1,5/2,5/4 mm, Ø sita: 14 cm, Ø pasirke: 31 cm
visina s ručkom 25 cm
*3 sieves: Ø1,5 / 2,5 / 4 mm, Ø sieve: 14 cm, Ø mill: 31 cm
production rate: 1,5 kg/min; height with handle: 25 cm*



Pasirka za rajčicu s potiskivačem, sito Ø 1 mm
Tomato juicer, Ø1 mm sieve

Art.
N3031



Set od 4 nastavka za pasirkuza rajčicu
Set of 4 sieves

Art.	sito Ø 1 mm - rajčica/šumsko voće/ tomato/berry fruit
N3032	Ø 3 mm - grejp/grapefruit Ø 6 mm - bundeva/ pumpkin puž 14 cm - grožđe/spiral shaft 14 cm, grapes



Pasirka 3 sita 20 cm
Moulin/ vegetable sieve 20 cm

Art.	Ø cm	prikladno za lonce Ø 14-16 cm; visina 11 cm
555/200	20	<i>suitable for pots with Ø 14-16 cm height 11 cm; with 3 sieves</i>



Rezač za saltu profesionalni CSA
Professional lettuce cutter

Art.	dim.cm	za rezanje salate na veličinu 23 x 23 mm; s inox oštricom permit to cut iceberg lettuce in squares of 23 x 23 mm; with stainless steel blade
CSA	42 x 30 x 120	



Dehidrator hrane, inox/čvrsta plastika
Dehydrator, stainless steel / reinforced nylon

Art.	težina/weight (kg)	dim. cm
ATACAMA PRO DELUXE 500W/220-240V/50Hz	5,5	27 x 26 x 50

sa 6 tava inox, digitalno upravljanje, 7 programa
with 6 trays stainless steel, digital control, 7 programmes



Sušilo za salatu
Salad spinner

vodonepropustan poklopac, 500 okr/min, antibakterijski
obrađen sa soli srebra, zupčanik s inox osovinom
*watertight lid, 500 rpm, antibacterial biocide treated with
silver salt, gear with stainlesssteel pin*

Art.	Opis / Description	dim.	neto težina / net weight
E007	5 litara/litres	Ø275 x 342 mm	1,6 kg

preporučeni kapacitet: 1 ili 2 glavice zelene salate
recommended capacity: 1 or 2 lettuce heads

Art.	Opis / Description	dim.	neto težina / net weight
E001	10 litara/litres	Ø330 x 420 mm	2,4 kg

preporučeni kapacitet: 2 ili 3 glavice zelene salate
recommended capacity: 2 or 3 lettuce heads

Art.	Opis / Description	dim.	neto težina / net weight
E002	20 litara/litres	Ø430 x 500 mm	3,6 kg

preporučeni kapacitet: 3 ili 5 glavica zelene salate
recommended capacity: 3 or 5 lettuce heads



Stabilizator za sušilo za salatu E002
Stabilising base for salad spinner E002

Art.	Ø cm
AC019	36



Ribež jednostruki srednje grubi, ručka polipropilen
Grater medium, polypropylene handle

Art.	dim. cm
14122270	32 x 6,5



Ribež jednostruki grubi, ručka polipropilen
Grater coarse, polypropylene handle

Art.	dim. cm
14142270	32 x 6,5



Ribež jednostruki fini, ručka polipropilen
Fine grater, polypropylene handle

Art.	dim. cm
14102270	32 x 6,5



Ribež za ploške, inox, ručka polipropilen
Grater slicing, s/s, polypropylene handle

Art.	dim. cm
GRAFF13	32 x 13 x 7



Ribež za jednosmjerno ribanje, inox, ručka polipropilen
Grater double direction, s/s, polypropylene handle

Art.	dim. cm
GRAFOR13	32 x 13 x 7



Ribež za dvosmjerno ribanje, inox, ručka polipropilen
Grater with big holes, s/s, polypropylene handle

Art.	dim. cm
GRADOP13	32 x 13 x 7



Ribež za fino ribanje, ručka polipropilen
Fine grater, polypropylene handle

Art.	dim. cm
GRAFIN20	37 x 20 x 4



Ribež za posebno fino ribanje, ručka polipropilen
Extra fine grater, polypropylene handle

Art.	dim. cm
GRAEXT20	37 x 20 x 4



Ribež za limun, inox, ručka polipropilen
Citrus grater, s/s, polypropylene handle

Art.	dim. cm
48280-07	24 x 8,5



Ribež za limun/parmezan, inox 18/10
Citrus/parmesan grater, s/s 18/10

Art.	dim. cm
947/235	23,5 x 6



Ribež četvrtasti, inox visoki sjaj
Heavy box grater, stainless steel, polished

Art.	dim. cm
89/240	11 x 8,5 x 24



Ribež četvrtasti veći
Heavy box grater bigger

Art.	dim. cm
N3751	11,7 x 10,6 x 25,5



Ribež šesterostrani, inox visoki sjaj
Heavy box grater, stainless steel, polished

Art.	dim. cm
88/190	Ø9,5 x 19



Ribež "Mandoline" s učvršćenjem za stol, inox
Gourmet and professional Mandoline, with fixation, s/s

Art.	dim. cm
CL 144	47 x 13 x 25,5

za rezanje povrća i voća na ploške, štapiće i vafel ploške, debljina rezanja 3 - 10 mm
cuts vegetables and fruits into slices, sticks and wafer-shaped slices, cutting thickness: 3 - 10 mm
težina/ weight: 5,5 kg



Ribež za zelje, drvo, s tri inox oštrice, širina rezanja 20 cm
Vegetable grater, wood, with three blades cutting width 20 cm

Art.	dim. cm
4470/003	60 x 40



Ribež za tijesto ("špecle"), tanjur inox 18/10
Spätzle plate, s/s 18/10

Art.	Ø
561/270	27

s perforacijama od 5 mm za izradu tijesta (ribanje špecli),
prikladan za lonce Ø 24 - 28 cm
with 5 mm perforations, suitable for pots Ø 24-28 cm



Ribež za tijesto ("špecle"), inox 18/10
Spätzle/pasta slicer, stainless steel 18/10

Art.	dim.cm
1095/330	33 x 11

s perforacijama za izradu tijesta (ribanje špecli),
prikladan za lonce Ø 20 - 28 cm
with perforations for short, Bavarian spetzle, suitable for pots Ø 20-28 cm



Ribež za tijesto ("špecle") veliki, inox 18/10
Large Spätzle slicer, s/s 18/10


Art.	dim. cm
1091/460	45,5 x 15,5

s perforacijama od 7 mm za izradu tijesta (ribanje špecli),
prikladan za lonce Ø 36 - 45 cm;
with 7 mm perforations, suitable for pots Ø 36 - 45 cm



Rezač za pommes frites (bez noževa)
French fry cutter (knives not included)

Art.	kapacitet/production rate
CS 00	4-5 kg/min



Noževi za pommes frites
Knives

Model	mm
CF 106	6 x 6
CF 108	8 x 8
CF 110	10 x 10
CF 120	10 x 20
CF 113	13 x 13



Potiskivači za pommes frites rezač
Pushers

Model	mm
CF 206	6
CF 208	8
CF 210	10
CF 213	13



Lampa kuharska plinska
Chef's blow torch head

Art.	Lcm.	Ø (cm)
7541/250	15	2

za karameliziranje, topljenje sira, skidanje kože s rajčice i paprike, s piezzo upaljačem, podešavanje temp, plamena do 1300°C, radi pod svim kutevima

ideal for caramelizing, melting cheese, skinning tomato and peppers, piezo trigger auto ignition, adjustable flame heats up to 1300°C, works at any angle



Boca Gourmet Whip 1 litra, inox
Cream Profi Whip, Gourmet, s/s

Art.
3111007

perivo u perilici / *dishwasher safe*
dvostruka stijenka, održava hladnoću do 8 sati, održava toplinu do 3 sata, za pripremu šlaga, laganih pjena zalagajčića, desertu, toplih juha

1 liter, double walled, keeps contents cold up to 8 h, keeps contents warm up to 3 h



Pumpica za umak, inox 18/10, 0,05 litara
Baster, 18/10 stainless steel, 0,05 liter

Art.	cm
149/320	32

s četkicom za čišćenje
with cleaning brush



Otvarač za konzerve "Titan"
Profi can opener, "Titan"

Art.
12243360

prikladan za velike konzerve u ugostiteljstvu, nož i zupčasti kotačić napravljeni od pocinčanog čelika
for opening can, jars and tubes, knife and wheel made of galvanized steel



Otvarač za konzerve stolni
Can opener

Art. 03V40
duljina štapa / <i>stick length</i> 40 cm
dim.postolja / <i>stand dim.</i> 18 x 8 cm
visina / <i>height</i> 61 cm

za okrugle i četvrtaste konzerve, oštrica inox
čelični štap, postolja čelik, epoksi premaz
for round and quadriatic cans, stainless steel knives nickel-steel stem, base of epoxy-coated steel



Otvarač za konzerve stolni
Can opener

Art. 05V55
duljina štapa / <i>stick length</i> 55 cm
dim.postolja / <i>stand dim.</i> 22 x 12 cm
visina / <i>height</i> 78 cm

za okrugle i četvrtaste konzerve, oštrica inox
čelični štap, postolja čelik, epoksi premaz
for round and quadriatic cans, stainless steel knives nickel-steel stem, base of epoxy-coated steel



Otvarač za konzerve stolni, inox
Can opener, s/s

Art.	0X5V55
duljina štapa / <i>stick length</i>	55 cm
dim.postolja / <i>stand dim.</i>	22 x 12 cm
visina / <i>height</i>	78 cm

za okrugle i četvrtaste konzerve, oštrica inox
inox štap i postolja, otvarač inox
*for round and quadriatic cans, stainless steel knives
stainless steel stem and base, blade inox*



Otvarač za konzerve električni
Electric can opener

Art.	0EXTC
------	-------

za okrugle, četvrtaste i ovalne konzerve visine
50-270 mm, 2 brzine, 75W/230V/50Hz
for round, quadriatic and oval cans, dim. 50-270 mm
težina: 13,2 kg / *weight*: 13,2 kg
dim. 250 x 450 x 670/750 mm



Poslužavnik
Tray

Art.	dim. cm
3501/460	46 x 35 x 1,8

prešano drvo obloženo melaminom, protkuklizni
figerglass, perivo u perilici suda, termootporan od
-10°C do +100°C, otporan na hranu, kiseline, alkohol i
UV zrake, boja: mahagonij
*melamine coated wood, non-slip fiberglass, dish-
washer-proof, temperature resistant from -10° C to
+100 °C, resistant to food, acids, alcohol and UV light,
colour: mahogany*



Poslužavnik
Tray

Art.	dim. cm
5354/005	46 x 36 x 2,5

protkuklizni fiberglass, ojačan poliesterom, perivo u perilici
suda, termootporan od -50°C do +140°C, otporan na
hranu, kiseline, alkohol i UV zrake, boja: granit
*fiberglass reinforced black polyester, dishwasher-proof,
temperature resistant from -50° C to +140° C, resistant to
food, acids, alcohol and UV light, colour: gray*



Poslužavnik
Tray

Art.	dim. cm
VTC3646TF88750	46 x 36

poliester, imitacija drveta, otporan na ogrebotine, mrlje,
lomljenje, kem.spojeve, periv u perilici, termootporan od
-40°C do +90°C, boja: svijetla maslina
*polyester, textured wood, scratch, stain, chemical and
break-resistant, dishwasher safe, temperature resistance
from -40° C to +90° C, color: light olive*



Poslužavnik, laminat
Tray, laminate

Art.	dim. cm
CA3646E8	46 x 36

otporan na ogrebotine, mrlje, lomljenje, kem.spojeve,
periv u perilici suda, termootporan od -10°C do
+100°C, nije za upotrebu u grijanim kolicima, boja:
ugljen granit
*scratch, stain, chemical and break-resistant, dish-
washer safe, temp. resistance from -10° C to +100° C,
not for user in heated carts, color: charcoal granite*



Poslužavnik
Tray

Art.	dim. cm
4411/005	53 x 37 x 1,6 cm

protuklni fiberglas, ojačan poliesterom, rubovi ojačani, perivo u perilici suda, termootporan od -50°C do +140°C, otporan na hranu, kiseline, alkohol i UV zrake, boja: granit
fiberglass reinforced black polyester, dishwasher-proof, with reinforced edges, temperature resistant from -50°C to +140°C, resistant to food, acids, alcohol and UV light, colour: gray



Kolica za brašno/ šećer, inox
Flour/sugar cart, stainless steel

Art.	dim. (cm)
IP0007	39,5 x 61 x 72,5

volumen: 115 litara, kotači Ø100 mm
volume: 115 liters, castors Ø100 mm



Posude za prijenos, bijeli polipropilen
Transport containers, white polypropylene

Art.	lit.	dim. (cm)
2552/030	30	53 x 40 x 16
2552/040	40	53 x 40 x 22,5
2552/060*	60	53 x 40 x 37,9

* na kotačićima / *with wheels*

s poklopcem, s ručkama koje zaključavaju poklopac, slažu se jedna na drugu, s HACCP okvirom u boji i poljem za pisanje, sigurno za čuvanje hrane
with handles which lock the lid, stackable, with HACCP colour clip and area to write on, food safe



Posuda za prijenos hrane / napitaka
Food / Drinks Carrier

Art.	lit.	Ø (cm)	h.cm
3011/007	6,5	24	16

inox 18/10 visoki sjaj, poklopac sa silikonskom brtvom i tri kopče, s odzračnikom, za intenzivnu upotrebu
18/10 stainless steel, mirror polished finish, lid with silicone gasket and three latches, vented, heavy gauge



Kutija za prijenos jaja, polietilen, HACCP
Egg carrier, polyethylene, HACCP

Art.	dim. cm
8033/023	35,4 x 32,5 x 20

s 8 uložaka 29x29 cm, u kutiju stanu 4 uložka; u jedan uložak stane 30 jaja; perivo u perilici posuda; otporno na temp. od -40°C do +90°C

supplied with eight 29x29 cm trays, 4 layers each with 30 eggs can be stored inside the box; withstands temperatures from -40°C to +90°C



Posuda za hranu, polietilen
Food container, polyethylene

Art.	opis / description
44624-03	22 x 21 x 17,6h; 5 l
44624-04	22 x 21 x 22h; 7,6 l

graduuirana
with gradations



Košara GN crvena, polipropilen
Gastronorm basket, polypropylene, red

Art.	dim.cm
44034-11	59 x 39 x 19,5h

težina 1,5 kg
weight 1,5 kg



Kanta za otpatke s pedalom, inox 18/10
Waste bin with pedal, s/s 18/10

Art.	dim. (cm)	lit.
IP0004	Ø 38 x 61,5	50
IP0006	Ø 45 x 68,5	90

na kotačićima s
poklopcem
with castors, lid



Kanta za otpatke na kotačićima, inox 18/10
Waste bin with castors, s/s 18/10

Art.	dim. (cm)	lit.
IP0001	Ø 38 x 60,5	50
IP0003	Ø 45 x 68,5	90

s poklopcem
with lid



Nosač vreće s pedalom i poklopcem, inox
Refuse bag holder, with pedal and lid, s/s

Art.	dim. (cm)
IP0049	Ø 45 x 85

na kotačićima/*with castors*
težina/ *weight* 7,45 kg



Termos lonac 4 lit, Cr/Ni, s ručkom
Thermo container 4 lt, Cr/Ni, with handle

Art.	Ø (cm)	h.cm	lit.
4621400	23	25	4

poklopac sa silikonskom brtvom, opremljen sa
3 kopče i ručkom za nošenje, dvostruke stijenke.
održava hranu toplom do 8 sati

*lid with silicone seal, with 3 latches, double walls,
retaining heat for 8 hours*



Termo lonac s gumenom zaštitom, krom/nikal
Thermo container 6 lt, Cr/Ni

Art.	Ø (cm)	h.cm	lit.
4615600	22	25	6
4615100	28	25	10
4615150	31	27	15
4615250	37	32	25
4615350	42	35	35

poklopac sa silikonskom brtvom i odzračnikom
opremljen s kopčama i dvije padajuće ručke,
dvostruke stijenke, složivo jedno na drugo, održava
hranu toplom do 8 sati

*lid with silicone seal, with latches, double walls,
retaining heat for 8 hours*



Termos lonac, inox
Thermo container, inox

Art.	Ø (cm)	h.cm	lit.
51101	36	21	10
51151	36	27	15
51201	36	33	20
51301	36	45	30
51351	36	51	35

poklopac sa silikonskom brtvom, opremljen sa 6 kopči, dvostruke stijenke, održava hranu toplom do 8 sati

lid with silicone seal, fitted with 6 latches, double walls, retaining heat for 8 hours



Termos lonac sa slavinom i grijačem, inox 18/10
Thermo container with tap and electric heater, s/s 18/10

Art.	Ø (cm)	h.cm	lit.
EWB 16	33	42	16



Jelonoša s termo izoliranim posudama, inox 18/10
Food carrier with thermal containers, s/s 18/10

Art.	Ø (cm)	h.cm	ml
9544	15	28	3 x 650
9745	15	35	4 x 650



Termometar ubodni digitalni
Digital thermometer (-50°C/+300°C)

Art.	cm	inox ubodna sonda; automatsko isključivanje nakon 15 minuta <i>stainless steel probe; automatic switch-off after 15 minutes</i>
1030 005	17,5	



Termometar infracrveni s ubodnom sondom
Infrared and thermocouple thermometer

Art.	(infracrveno: -55°C/+250°C, ubodna sonda; -55°C/+330°C); s dvije AAA baterije <i>(IR: -55°C/+250°C, probe -55°C/+330°C); with two AAA batteries HACCP</i>
TCT303F	



Termometar infracrveni (-55°C/+350°C)
Compact IR laser thermometer (-55°C/+350°C)

Art.	HACCP s dvije AAA baterije <i>with two AAA batteries</i>
TN253LF	



Termometar ubodni, AquaTuff351
Thermometer with probe, waterproof

Art.	(-73°C/+260°C) isključuje se nakon 10 minuta nekorištenja <i>turns off after 10minutes of inactivity</i>
AQUA TUFF 351	



Termometar za pečenje, inox 18/10
Roasting thermometer, 18/10 stainless steel

Art.	simboli životinja pomažu odrediti ispravnu temperaturu <i>animal symbols help indicate the correct temperature</i>
7876/050	(0°C/+120 °C)



Termometar za hladnjake/zamrzivače bimetalni
Fridge / freezer thermometer

Art.	cm
7875/070	7

mijemo područje -50°C/+50°C
plastično kućište/ plastic frame



Termometar za hladnjake digitalni
Digital / refrigerator thermometer

Art.	(-20°C/+50°C) za mjerenje u radnim prostorijama i hladnjacima s klipsom i magnetom za vješanje; temp. u hladnjaku od +4°C do +8°C prikazuje simbol mraz
52152280	<i>for measuring room or refrigerator temperature clip for hanging or standing upright, additional magnet temp. +4°C to +8°C is displayed via frost symbol</i>

dim. 65x25x45 mm



Termometar za šećer
Sugar thermometer

Art.	sa žičanom zaštitom; materijal: staklo/metal
44320	<i>with wire protection; material: glass/metal (+70°/+180°C)</i>



Vaga elektronska 4 kg
Kitchen scale, 4 kg

Art.	podjeljak/weight capacity: 1 g
JKH-4000	napajanje: adapter 220V ili standardne baterije 6V za 800 sati rada

220 V or standard 6V batteries for 800 work hours
težina/weight: 550g
mjerna ploča/plate: 140 x 140mm
dim. 170 x 220 x 50 mm



Vaga stolna - 15/30 kg
Table-top scale - 15/30 kg

Art.	bez izračuna / <i>without calculation</i>
S300P	ovjerena vaga / <i>certified scale</i>

brzo vaganje / *fast weighing*
podjeljak 1 g / *weight capacity 1g*
pokazivač LCD prednji i stražnji / *LCD display on front and back;*
napajanje: adapter AC 5V/500mA / 220V or standard 6V batteries
trajanje baterije do 1 mjeseca s 1 punjenjem / *battery life up to 1 month on a single charge*
mjerna ploča inox / *stainless steel work plate*
radna temperatura / *working temp.* -10°C/+40°C
dim. 305 x 264 x 118 mm



Platformska vaga E
Platform scale E

Art.	nosivost capacity (kg)	podjeljak weight capacity (g)	dim. platforme (mm)
Si10 E	150	50	400 x 500
			450 x 600
	300	100	450 x 600
			700 x 800

odvojivi stup za pokazivač od inoxa, poklopac platforme inox, kućište vage bojano, pokazivač Si10, tvornička ovjera
detachable indicator column made of stainless steel, platform cover made of stainless steel, body of the scales painted, pointer Si10, factory certification

PROFESIONALNI NOŽEVI *PROFESSIONAL KNIVES*

PRIBOR ZA OBLIKOVANJE *GARNISHING TOOLS*

Kuharski noževi
Mesarski noževi
Mesarska sjekirica
Nož za kruh
Noževi za sir
Nož ovalni za burek
Nož za povrće
Gulilica povrća / krumpira / rajčice
Oštrač noževa
Magnetni držač noževa
Škare za perad
Kuhinjske škare
Pribor za oblikovanje

*Chef Knives
Butcher Knives
Cleaver
Bread Knife
Cheese Knife
Mincing Knife
Vegetable Knife
Peeler/Vegetable/Potato/ Tomato
Knife Sharpener
Magnetic Knife Rack
Poultry Shears
Kitchen Scissors
Garnishing Tools*

Linija profesionalnih kuharskih i mesarskih noževa osmišljena je kako bi olakšala posao profesionalcima koji ih svakodnevno koriste. Oštrica je visoke tvrdoće, dobre elastičnosti, dugog vijeka, a konveksni oblik oštrice jamči učinkovitost kada je potrebno uložiti više napora u radu s nožem. Ergonomska drška smanjuje zamor ruke i pruža sigurnost, materijal drške je netoksičan, otporan na nagle promjene temperature, na deterdžente i korozivna sredstva.

A line of professional chefs and butchers knives is designed to facilitate everyday usage by business professionals. Owing to high hardness and good elasticity, the long life and convex shape, the blade ensures high-quality performance, especially when more effort is to be put in operation with the knife. The ergonomic handle reduces hand fatigue and provides safety; the handle material is non-toxic and resistant to sudden changes in temperature as well as to detergents and corrosive agents.



Nož šefa kuhinje, POM drška
Chef's Knives, POM handle

Model	Opis / Description
POM 800	l = 18 cm
POM 800	l = 21 cm
POM 800	l = 27 cm
POM 800	l = 30 cm



Noževi šefa kuhinje, crna plastična drška
Chef's Knives, black plastic handle

Model	Opis / Description
DICK 85447	l = 16 cm



Noževi šefa kuhinje, crna plastična drška
Chef's Knives, black plastic handle

Model	Opis / Description
DICK 84447	l = 21 cm
DICK 84447	l = 23 cm



Noževi šefa kuhinje, POM drška
Chef's Knives, POM handle

Model	Opis / Description
POM 810 FLEXI	l = 18 cm
POM 810 FLEXI	l = 21 cm



Nož santoku 18 cm
Santoku knife 18 cm

Model	Opis / Description
DICK 85442	l = 18 cm



klasični japanski kuhinjski nož za pripremu
plodova mora, mesa i povrća
Japanese kitchen knife for meat, fish and vegetables



Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP 803	l = 30 cm



Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP 804	l = 16 cm
MEP 804	l = 18 cm
MEP 804	l = 20 cm
MEP 804	l = 22 cm
MEP 804	l = 24 cm
MEP 804	l = 26 cm
MEP 804	l = 28 cm
MEP 804	l = 30 cm



Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
DICK 82006 ERGOGrip	l = 18 cm



Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
DICK 82348	l = 18 cm
DICK 82348	l = 21 cm
DICK 82348	l = 23 cm
DICK 82348	l = 26 cm
DICK 82348	l = 30 cm



Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
DICK 82348/02	l = 26 cm



Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
DICK 82348/03	l = 26 cm



Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP LTT804	l = 22 cm





Noževi mesarski, drška polipropilen, ergonomska
Butcher's knife, polypropylene handle, ergonomic grip

Model	Opis / Description
DICK 82007	l = 18 cm
DICK 82007	l = 21 cm



Nož za odvajanje od kosti, drška polipropilen, ergonomska
Boning knife, polypropylene handle, ergonomic grip

Model	Opis / Description
DICK 82368	l=10 cm
DICK 82368	l = 13 cm
DICK 82368	l = 15 cm
DICK 82368	l = 18 cm
DICK 82368	l = 21 cm



Nož za odvajanje od kosti, drška polipropilen, ovalna oštrica
Gauge, polypropylene ergonomic handle, oval blade

Model	Opis / Description
MEP810	l = 35 cm



Nož za filetiranje, drška polipropilen, ergonomska
Fish knife, polypropylene handle, ergonomic grip

Model	Opis / Description
DICK 82417	l = 18 cm



Nož s nazubljenim vrhom oštrice, drška polipropilen, ergonomska
Carving knife with serrated point, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP 801	l= 22,5 cm



Set od 3 mesarska noža, polipropilen drška, ergogrip
Knife set 3/1, polypropylene handle, ergogrip

Model	Opis / Description
82553-00 - DICK	nož za odvajanje od kosti / <i>boning knife</i> l=13 cm mesarski nož / <i>butcher's knife</i> l = 18 cm mesarski nož / <i>butcher's knife</i> l = 21 cm



Izvlakač rebara
Bacon ripper

Model	Opis / Description
90410-00 - DICK	duljina petlje 22 cm / <i>loop's length</i> 22 cm



Izvlakač rebara
Bacon ripper

Model	Opis / Description
90420-00 - DICK	oštrica 1,4 cm, duljina 22 cm



Mesarska sjekirica, polipropilen, ergonomska drška
Cleaver heavytype, polypropylene handle, ergonomic grip

Model	Opis / Description
DB866	l = 21 cm
MEP/21	0,92 kg



Mesarska sjekirica, polipropilen, ergonomska drška
Chopper, wood handle

Model	Opis / Description
IB11082	l = 24 cm, 2 kg



Mesarska sjekirica, POM drška
Chopper, POM handle

Model	Opis / Description
DB872	l = 20 cm
POM/20	1,00 kg



Mesarska sjekirica, polipropilen, ergonomska drška
Cleaver, polypropylene handle, ergonomic grip

Model	Opis / Description
92023-23	l=22 cm, 1,5 kg
92022-25	l=25 cm, 1,9 kg



specijalna oštrica izrađena od krom-molibdena
resistant large tempered blade



Nož za pršut, polipropilen, ergonomska drška
Ham knife, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP812	l = 28 cm
MEP812	l = 30 cm



Nož za šunku, ergonomska drška polipropilen
Ham slicer, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP811	l = 28 cm
MEP811	l = 30 cm



Nož za losos, POM drška
Salomon knife, POM handle

Model	Opis / Description
POM	l = 30 cm



Nož za tjesteninu, drška polipropilen, ergonomska
Pasta knife, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP808	l = 24 cm



Nož za kruh, POM drška
Bread knife, POM handle

Model	Opis / Description
8812	l = 28 cm



Nož za kruh, drška polipropilen, ergonomska
Bread knife, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP818	l = 24 cm



Nož za kruh, drška polipropilen, ergonomska
Bread knife, polypropylene handle, ergonomic grip

Model	Opis / Description
MEP818	l = 30 cm



Nož za kruh, drška polipropilen, ergonomska
Bread knife, polypropylene handle, ergonomic grip

Model	Opis / Description
85151-26 2	l = 26 cm



Oštrač noževa, okrugli, polipropilen drška
Knife sharpener, round, polypropylene handle

Model	Opis / Description
672	Okrugli/Round l = 27,5 cm



Oštrač noževa, okrugli, polipropilen drška
Knife sharpener, round, polypropylene handle

Model	Opis / Description
7654130 - DICK	Okrugli/Round l = 30 cm



Oštrač noževa, ovalni, polipropilen drška
Knife sharpener ovale, polypropylene handle

Model	Opis / Description
673	Ovalni / oval l = 27,5 cm
674	Ravni/flat l = 27,5 cm



Oštrač noževa, ovalni, polipropilen drška
Knife sharpener ovale, polypropylene handle

Model	Opis / Description
765430 - DICK	Ovalni/ Oval l = 30 cm



Oštrač noževa, diamant, polipropilen drška
Knife sharpener, diamond, polypropylene handle

Model	Opis / Description
73203 25 - DICK	Ovalni/ Oval l = 25 cm



Oštrač noževa, plosnati, polipropilen drška
Knife sharpener, polypropylene handle

Model	Opis / Description
7200028 - DICK	Plosnati/flat l = 28 cm



Oštrač noževa, inox, plastična bijela drška
Knife sharpener, s/s, plastic white handle

Model	Opis / Description
GHIDINI 112	l = 18 cm



Oštrač noževa, rapid steel action, šipke s posebnim premazom
Knife sharpener, rapid steel action, rods with special coating

Model
DICK 9 0091 00



Magnetni držač noževa, ABS plastika, 2 magnetne trake
Magnetic knife rack, ABS plastic, with 2 powerful magnetic bands

Model	Opis / Description
7987/033	dim. 330 x 40 mm / težina/weight 435 g

montiranje na zid/ *for wall mounting*



Magnetni držač noževa, ABS plastika, 2 magnetne trake
Magnetic knife rack, ABS plastic, with 2 powerful magnetic bands

Model	Opis / Description
7987/045	dim. 470 x 40 mm / težina/weight 617 g

montiranje na zid/ *for wall mounting*



Magnetni držač noževa, ABS plastika, 2 magnetne trake
Magnetic knife rack, ABS plastic, with 2 powerful magnetic bands

Model	Opis / Description
7987/060	dim. 620 x 40 mm / težina/weight 829 g

montiranje na zid/ *for wall mounting*



Magnetni držač noževa, inox, montiranje na zid
Magnetic knife rack, CrNi, wall mounting

Model	Opis / Description
1668 360	l = 36 / težina/weight 440 g
1668 450	l = 45 / težina/weight 550 g



Škare za perad, inox
Poultry Shears, stainless steel

Model	Opis / Description
14/240	l = 24 cm

dužina oštrice/blade length = 10,5 cm



Škare za perad, inox
Poultry Shears, stainless steel

Model	Opis / Description
16/240	l = 24 cm

dužina oštrice/blade length = 9 cm



Škare kuhinjske, inox
Kitchen scissors, stainless steel

Model	Opis / Description
54/210	l = 22 cm

dužina oštrice/blade length = 10 cm



Škare kuhinjske, inox
Kitchen scissors, stainless steel

Model	Opis / Description
FORCUC	l = 25 cm

Za čišćenje ribe, guljenje krumpira, drobljenje oraaha,
otvaranje konzervi i boca
*For scaling fish, potato peeler, nutcracker,
can opener and bottle opener*



Nož za tvrdi sir, inox, polipropilen drška
Cheese knife, stainless steel, polypropylene handle

Model	dužina / length (cm)	težina / weight (g)
1178431161	24	260

oštrica/blade dim. 10 x 15 x 0,2 cm



Nož za tvrdi sir, inox, polipropilen drška
Cheese knife, stainless steel, polypropylene handle

Model	dužina / length (cm)	težina / weight (g)
1178571101	19	160

oštrica/blade dim. 4,8 x 11 x 0,34 cm



Lopatica/rezač za sir, inox, drška od plastike
Cheese slicer, stainless steel, plastic handle

Model	Opis / Description
336	l = 11,5 cm





Nož za mekani sir, 15 cm, plastična drška, nazubljena oštrica
Soft cheese knife 15 cm, plastic handle, serrated blade

Model	Opis / Description
81052 15	l = 13 cm



Set od 5 noževa za sir, inox, drvene drške
Cheese knife set 5/1, stainless steel, wood handles

Model	Opis / Description
3787/005	l = 13 cm

dužina oštrice/
blade lenght 10 cm



Nož ovalni za sjeckanje, inox, dvije ručke, polipropilen
Mincing knife, stainless steel, two handles, polypropylene

Model	Opis / Description
70925	l = 26 cm

debljina oštrice/*blade thickness 1,8 mm*



Nož za povrće, zakrivljena oštrica, plastična drška
Vegetable/Utility Knife, curved blade, plastic handle

Model	Opis / Description
CSCBI	l = 6,1 cm



Nož za povrće, plastična drška
Vegetable/Utility Knife, plastic handle

Model	Opis / Description
6038/100	l = 10 cm



Nož za povrće, plastična drška
Vegetable/Utility Knife, plastic handle

Model	Opis / Description
82620-11-14	l = 11 cm



Nož za povrće/steak, nazubljena oštrica, plastična drška
Steak knife, serrated stainless steel blade, plastic handle

Model	Opis / Description
48280-51	l = 12 cm



Gulilica povrća, inox
Vegetable peeler, stainless steel

Model	Opis / Description
60915660	dužina noža/ <i>blade lenght = 5 cm</i>



Gulilica rajčice/kiwija, inox, nazubljena oštrica
Tomato/kiwi peeler, stainless steel, serrated blade

Model	Opis / Description
60935660	dužina noža/ <i>blade lenght = 5 cm</i>



Gulilica okretna, keramička oštrica
Swivel peeler, ceramic blade

Model	Opis / Description
6250001	dužina noža/ <i>blade lenght = 13,5 cm</i>

sa štitnikom za prste / *with finger guard*



Gulilica okretna, inox
Swivel peeler, stainless steel

Model	Opis / Description
961/200	l = 20 cm

dužina oštrice / *blade lenght = 4 cm*



Gulilica okretna, inox
Swivel peeler, stainless steel

Model	Opis / Description
GHIDINI 132 DAILY	dim. 57 x 175 x 19 mm



Gulilica krumpira, inox, plastična drška
Potato peeler, stainless steel, plastic handle

Model	Opis / Description
2246/165	l = 16,5 cm

dužina oštrice/ *blade length* = 3,5 cm



Gulilica krumpira, inox, plastična drška
Potato peeler, stainless steel, plastic handle

Model	Opis / Description
GHIDINI 106 DAILY	dim. 280 x 200 x 16 mm



Rezač povrća na rezance "Julienne"
Julienne cutter

Model	Opis / Description
29052270	grubo nazubljena inox oštrica <i>with coarsely serrated stainless steel blade</i>



Škare za zelen s pet inox oštrica
Herb Scissors, 5 layers scissors

Model	Opis / Description
11752611	dim. 200 x 80 x 20 mm



Šiljilo za povrće
Spiral cutter

Model	Opis / Description
2271/077	dim. 8,5 x 5 cm

crna ABS plastika, perivo u perilici, inox oštrica
black ABS plastic, dishwasher safe, stainless steel blade



Nož za guljenje naranči, inox
Orange caneler, stainless steel

Model	Opis / Description
2238/165	l = 16,5 cm

dužina oštrice / *blade length* 6 cm



Nožić za uklanjanje jezgre, inox 18/0
Apple corer, stainless steel

Model	Opis / Description
2248/200	l = 20 cm



Nožić za grejp, zaobljena, nazubljena inox oštrica
Grapefruit knife, rounded, serrated stainless steel blade

Model	Opis / Description
48260-00	l = 21 cm



Oblikovač za loptice/ melon baller, inox
Melon baller, stainless steel

Model	Opis / Description
2249/018	l = 14,5 cm Ø18mm



Oblikovač za loptice/ melon baller, inox
Melon baller, stainless steel

Model	Opis / Description
48280-36	l = 19,5 cm Ø30mm



Oblikovač za loptice/ melon baller, inox
Melon baller, stainless steel

Model	Opis / Description
GHIDINI 103 DAILY	28 x 178 x 16 mm



Nož za maslac, inox, zakrivljena oštrica
Butter curler, stainless steel, curved blade

Model	Opis / Description
338	l = 21,5 cm

dužina oštrice/*blade length* 10 cm





Nož za maslac, inox, zakrivljena oštrica
Butter curler, stainless steel, curved blade

Model	Opis / Description
GHIDINI 110 DAILY	dim. 28 x 210 x 32 mm



Ukrasni rezač, inox 18/10
Garnisher, stainless steel 18/10 with lacquered wooden handle

Model	Opis / Description
1072/185	18,5 x 12,5 cm

širina oštrice / *blade width 5 cm*



Rezač za krumpir spiralni
Potato spiral cutter

Model	Opis / Description
1164/240	l = 24 cm

debljina žice / *wire width* Ø 3,5 mm
prsten / *ring* Ø 10 mm



Rezač spiralni za rotkvicu, inox 18/10
Radish spiral cutter, stainless steel 18/10

Model	Opis / Description
1167/001	l = 12 cm

spirala i ručka od polipropilena, vrlo oštar
spiral and handle of polypropylene, very sharp



Set za dekoriranje 7 dlijeta, inox, ručka ABS
Mini decoration kit 7 tools, stainless steel, ABS handle

Model	Opis / Description
ID2480	13,5x13,5 cm



Nož za dekoriranje / nož za rajčicu
Garnishing / tomato knife

Model	Opis / Description
2289/185	13,5x13,5 cm

inox 18/10 oštrica čvrsta i oštra, ručka poliamid, crna
ojačana
*hardened, sharp 18/10 stainless steel blade; black
fiberglass reinforced polyamide handle*
dužina oštrice / *blade length* 8,5 cm
ukupna dužina / *total length* 18,5 cm



Rezač jabuka na kriške, inox 18/10
Apple divider, 18/10 stainless steel

Model	dim.
2272/200	19,5 x 5h cm

za voće do 10 cm promjera, vrlo oštre inox oštrice
debljine 1,2 mm; za intenzivnu upotrebu;
perivo u perilici suđa
*for fruits up to 10 mm diameter, extra sharpened steel
blades 1,2 mm thick; heavy gauge,
dishwasher proof*



GASTRO GN TAVE/POSUDE GN CONTAINERS

GN inox 18/10
GN emajl
GN polikarbonat
GN polipropilen

*GN Stainless Steel 18/10
GN Enamelled
GN Polycarbonate
GN Polypropylene*






Sve zahtjevnije današnje tržište u stalnoj je potrazi za novim prijedlozima, proizvodima posebnog dizajna i jednostavnosti u primjeni. Robusne, čvrste i gotovo neuništive GN GASTRO POSUDE služe za termičku obradu hrane, posluživanje ili čuvanje namirnica u hladnjaku. GN GASTRO POSUDE izrađene su od nehrđajućeg čelika 18/10, emajla, polikarbonata i polipropilena. Posude se mogu slagati u bezbroj kombinacija.

Today's increasingly demanding market is in constant search for new concepts and products characterized by special design and simple usage. Robust, solid and almost indestructible GN containers are intended for thermal processing of food, serving or storing foodstuffs in the refrigerator.

GN containers are made of 18/10 stainless steel, enamel, polycarbonate and polypropylene. Containers can be stacked in endless combinations.





GASTRO POSUDE, INOX / GASTRO CONTAINERS, STAINLESS STEEL

Inox AISI 304 18/10 nehrđajući čelik prikladan za prehrambenu industriju, složive jedna u drugu
 AISI 304 18/10 stainless steel for food industry, stackable

	Art. / Opis / Description	Model	Visina/ Height	Debljina/ Thickness	Litara/ Litres
	GN 2/1 inox, dim. vanjska outside 650 x 530 mm	BA21020	20 mm	1 mm	6,2
		BA21040	40 mm	1 mm	12,4
		BA21065	65 mm	1 mm	18
		BA21100	100 mm	1 mm	30
		BA21150	150 mm	1 mm	42,8
		BA21200	200 mm	1 mm	58
	GN 1/1 inox, dim. vanjska outside 530 x 325 mm	BA11020	20 mm	0,8 mm	3
		BA11040	40 mm	0,8 mm	6
		BA11065	65 mm	0,8 mm	8,8
		BA11100	100 mm	0,8 mm	13,7
		BA11150	150 mm	0,8 mm	20
		BA11200	200 mm	0,8 mm	27,8
	GN 2/3 inox, dim. vanjska outside 355 x 325 mm	BA23020	20 mm	0,8 mm	2
		BA23040	40 mm	0,7 mm	3,9
		BA23065	65 mm	0,7 mm	5,8
		BA23100	100 mm	0,7 mm	9
		BA23150	150 mm	0,8 mm	13
		BA23200	200 mm	0,8 mm	17
	GN 2/4 inox, dim. vanjska outside 530 x 162 mm	BA24065	65 mm	0,7 mm	4
		BA24100	100 mm	0,7 mm	5,8
		BA24150	150 mm	0,8 mm	8,6
	GN 1/2 inox, dim. vanjska outside 325 x 265 mm	BA12020	20 mm	0,7 mm	1,4
		BA12040	40 mm	0,7 mm	2,9
		BA12065	65 mm	0,7 mm	4
		BA12100	100 mm	0,7 mm	6,1
		BA12150	150 mm	0,7 mm	9,2
		BA12200	200 mm	0,8 mm	12

GASTRO POSUDE, INOX / GASTRO CONTAINERS, STAINLESS STEEL

Inox AISI 304 18/10 nehrđajući čelik prikladan za prehrambenu industriju, složive jedna u drugu
 AISI 304 18/10 stainless steel for food industry, stackable

	Art. / Opis / Description	Model	Visina/ Height	Debljina/ Thickness	Litara/ Litres
	GN 1/3 inox, dim. vanjska <i>outside 325 x 175 mm</i>	BA13065	65 mm	0,7 mm	2,4
		BA13100	100 mm	0,7 mm	3,5
		BA13150	150 mm	0,7 mm	5,4
		BA13200	200 mm	0,8 mm	7,2
	GN 1/4 inox, dim. vanjska <i>outside 264 x 162 mm</i>	BA14040	40 mm	0,7 mm	1,3
		BA14065	65 mm	0,7 mm	1,7
		BA14100	100 mm	0,7 mm	2,5
		BA14150	150 mm	0,7 mm	3,8
		BA14200	200 mm	0,8 mm	4,8
	GN 1/6, inox, dim. vanjska <i>outside 176 x 162 mm</i>	BA16065	65 mm	0,7 mm	1
		BA16100	100 mm	0,7 mm	1,5
		BA16150	150 mm	0,8 mm	2,3
		BA16200	200 mm	1 mm	4,3
	GN 1/9, inox dim. vanjska <i>outside 176 x 108 mm</i>	BA19100	100 mm	0,7 mm	0,8

GASTRO POSUDE PERFORIRANE, inox / *PERFORATED GASTRO CONTAINERS, stainless steel*

Inox AISI 304 18/10 nehrđajući čelik prikladan za prehrambenu industriju, složive jedna u drugu
AISI 304 18/10 stainless steel for food industry, stackable

	Art. / Opis / Description	Model	Visina/ Height	Debljina/ Thickness
	GN 2/1 inox, perforirane sve stranice i dno <i>perforation bottom and walls</i> dim. vanjska/ <i>outside</i> 650 x 530 mm	BFL21100	100 mm	1 mm
	GN 1/1 inox, perforirane sve stranice i dno <i>perforation bottom and walls</i> dim. vanjska / <i>outside</i> 530 x 325 mm	BFL11100 BFL11150	100 mm 150 mm	0,8 mm 0,8 mm
	GN 2/1 inox, perforirano dno / <i>perforation on the bottom</i> dim. vanjska / <i>outside</i> 650 x 530 mm	BF21065	65 mm	1 mm
	GN 2/3 inox, perforirano dno / <i>perforation on the bottom</i> dim. vanjska / <i>outside</i> 354 x 325 mm	BF23065	65 mm	0,7 mm
	GN 1/2 inox, perforirano dno / <i>perforation on the bottom</i> dim. vanjska / <i>outside</i> 325 x 265 mm	BF12065	65 mm	0,7 mm

DODACI / ACCESSORIES

Opis / Description		Model	
	Nosač jaja za toplu kupku / <i>Grid for eggs</i>	GU13	mod.1/3
	Perforirani umetak za gastro posudu <i>Insert grid</i>	FFF11	mod.1/1
		FFF23	mod.2/3
		FFF12	mod.1/2
		FFF13	mod.1/3
	Nosači posuda / <i>Supports</i>	SEP325	mod.1/2
		SEP530	mod.1/1
	Ručka za gastro posudu / <i>GN handles</i>	MARI	pomična <i>recessed</i>
			1 kom 1 pc
	Rešetke žičane / <i>Grids</i>	APS81198	1/1, inox
		GOC003	2/1, kromirana / <i>chromed</i>
		101G11	2/1, kromirana / <i>chromed</i>
		GG2124MM	2 uzdužne prečke / <i>wires</i> 2/1 inox, 3 mm

POKLOPCI / LIDS

Opis / Description		Model	
	Poklopac standardni, inox <i>Stainless steel lids</i>	C011000	mod.1/1
		C023000	mod.2/3
		C024000	mod.2/4
		C012000	mod.1/2
		C013000	mod.1/3
		C014000	mod.1/4
		C016000	mod.1/6
		C019000	mod.1/9

- Alergeni / *allergens*
- Bijelo meso / *white meat*
- Riba / *fish*
- Voće i povrće / *fruit and vegetables*
- Svježe meso / *red meat*

Poklopac s HACCP pločicom u boji
 Stainless steel lids with HACCP knob
 pločica u boji s ručicom napravljena je od
 tehnopolimera i otporna je na visoke
 temperature (do +200°C)
*technopolymer knob with handle
 resistant to high temperatures (up to 200°C)*

C011000HACCP	mod.1/1
C023000HACCP	mod.2/3
C024000HACCP	mod.2/4
C012000HACCP	mod.1/2
C013000HACCP	mod.1/3
C014000HACCP	mod.1/4
C016000HACCP	mod.1/6

	Poklopac s otvorom za grabilicu <i>Slot-lids for spoon</i>	C11ME	mod.1/1
		C23ME	mod.2/3
		C12ME	mod.1/2
		C13ME	mod.1/3
		C14ME	mod.1/4
		C16ME	mod.1/6
		C19ME	mod.1/9

	Poklopac s izrezom za ručke <i>Slot-lids for handles</i>	C11MA	mod.1/1
		C23MA	mod.2/3
		C12MA	mod.1/2
		C13MA	mod.1/3
		C14MA	mod.1/4
		C16MA	mod.1/6

	Poklopac s izrezom za ručke i grabilicu <i>Slot-lids for handles and spoon</i>	C11MM	mod.1/1
		C23MM	mod.2/3
		C12MM	mod.1/2
		C13MM	mod.1/3
		C14MM	mod.1/4
		C16MM	mod.1/6

GASTRO POSUDE EMAJLIRANE / *ENAMELLED GASTRO CONTAINERS*

Za profesionalnu upotrebu / *for professional use*
 prikladan za korištenje u parno konvekcijskim pećnicama / *for use in professional convection ovens*
 za posluživanje (na buffet stolovima) / *for serving*
 otporan na temperature promjene / *resistent to temperature changes*

	Art. / Opis / Description	Model	Visina / Height	Litara / Litres
	GN 2/1 dim.vanjska / <i>outside</i> 650 x 530 mm	TP21020	20 mm	5,6
		PT21040	40 mm	11
		TP21065	65 mm	19

	GN 1/1 dim.vanjska / <i>outside</i> 530 x 325 mm	30.20.03.1100.0200	20 mm	2,8
		30.20.03.1100.0400	40 mm	11
		30.20.03.1100.0600	65 mm	21

	GN 2/3 dim. vanjska / <i>outside</i> 354 x 325 mm	TP23040	40 mm	3,9
---	--	---------	-------	-----

GASTRO POSUDE POLIKARBONAT / *POLYCARBONATE CONTAINERS*

idealne za čuvanje tople ili hladne hrane / *perfect for storage hot and cold food*
 složive jedna u drugu / *stackable*
 termootporne -40°C/+110°C / *termoresistent -40°C/+110°C*
 perive u perilici suđa / *dishwasher proof*
 prozirne / *transparent*
 ne zadržavaju mirise / *no retain odours*



Art. / Opis / Description	Model	Visina / Height	Litara / Litres
GN 2/1	BP21200	200	62


Art. / Opis / Description		Model	Visina / Height	Litara / Litres
 	GN 1/1	BP11065	65	9,8
		BP11100	100	15
		BP11150	150	22,5
		BP11200	200	30
 	GN 1/2	BP12065	65	21
		BP12100	100	4
		BP12150	150	6
		BP12200	200	8
 	GN 1/3	BP13065	65	2,9
		BP13100	100	4,5
		BP13150	150	6,8
		BP13200	200	9
 	GN 1/4	BP13200	65	21
		BP14100	100	3,2
		BP14150	150	4,9
		BP14200	200	6,5
 	GN 1/6	BP16065	65	1,4
		BP16100	100	2,1
		BP16150	150	3,2
		BP16200	200	4,3
 	GN 1/9	BP19065	65	0,8
		BP19100	100	1,3
	POKLOPCI, polikarbonat / blago prijanjajući <i>Polycarbonate lids / just-to place over</i>	CP21000	2/1	
		CP11000	1/1	
		CP12000	1/2	
		CP13000	1/3	
		CP14000	1/4	
		CP16000	1/6	
		CP19000	1/9	
	OCJEDNO DNO, polikarbonat <i>DRAINER PLATES, polycarbonate</i>	FFP21000	2/1	
		FFP11000	1/1	
		FFP12000	1/2	
		FFP13000	1/3	
		FFP16000	1/6	


GASTRO POSUDE POLIPROPILEN / POLYPROPYLENE CONTAINERS


idealne za pripremu, izlaganje i čuvanje hrane / *excellent for the preparation, display and storage of food*
 složive jedna u drugu / *stackable*


termootporne -40°C/+80°C / *withstand temperature -40°C / +80°C*

s mjernom skalom na posudi, s prozirnim, hermetičkim poklopcima ili poklopcima u boji / *with graded scale, with transparent or coloured hermetic lids*


	Opis / Description	Model	Visina / Height	Debljina / Thickness	Litara / Litres
	GN 1/1	BPP11065	65	2,5 mm	9,0
		BPP11100	100	2,6 mm	13,3
		BPP11150	150	2,8 mm	20,0
		BPP11200	200	2,9 mm	26,4

	GN 1/2	BPP12065	65	2,5 mm	4,0
		BPP12100	100	2,5 mm	6,1
		BPP12150	150	2,5 mm	9,0
		BPP12200	200	2,5 mm	11,9

	GN 1/3	BPP13065	65	2,5 mm	2,5
		BPP13100	100	2,5 mm	3,8
		BPP13150	150	2,6 mm	5,5
		BPP13200	200	2,6 mm	7,1

	GN 1/4	BPP14065	65	2,3 mm	1,7
		BPP14100	100	2,3 mm	2,6
		BPP14150	150	2,5 mm	3,8
		BPP14200	200	2,6 mm	4,8

	GN 1/6	BPP16065	65	2,3 mm	1,0
		BPP16100	100	2,4 mm	1,6
		BPP16150	150	2,5 mm	2,3
		BPP16200	200	2,6 mm	2,8

	GN 1/9	BPP19065	65	1,9 mm	0,6
		BPP19100	100	1,9 mm	0,9

	POKLOPAC, polipropilen proziran, čvrsto prijanja uz posudu <i>Polypropylene lid transparent fixed lids</i>	CPP11000	mod.1/1
		CPP12000	mod.1/2
		CPP13000	mod.1/3
		CPP14000	mod.1/4
		CPP16000	mod.1/6
		CPP19000	mod.1/9

- Alergeni / *allergens*
- Bijelo meso / *white meat*
- Riba / *fish*
- Voće i povrće / *fruit and vegetables*
- Svježe meso / *red meat*

POKLOPAC, polipropilen, u boji, čvrsto prijanja uz posudu <i>COLOURED LIDS, polypropylene, fixed lids</i>	CPP11000COLOR	mod.1/1
	CPP12000COLOR	mod.1/2
	CPP13000COLOR	mod.1/3
	CPP14000COLOR	mod.1/4
	CPP16000COLOR	mod.1/6
	CPP19000COLOR	mod.1/9



PEKARSKI / SLASTIČARSKI INVENTAR BAKERY / PASTRY INVENTORY

Vrećice za ukrašavanje
Nastavci za ukrašavanje
Stalak za tortu
Papir i folije za pečenje
Pekarski pribor
Tave pekarske
Kalupi za kolače i torte
Slastičarski noževi
Dispenceri za čokoladu,
preljeve, umake

*Pastry Bags
Piping Tips
Cake Stand
Baking Paper/ Foils
Utensils
Pans
Moulds
Pastry Knives
Lever-action dispensers*

Da bi se zadovoljili zahtjevi kupaca i postigla visoka kvaliteta u vizualnoj prezentaciji raznih poslastica, neprestano nastaju novi proizvodi za rad u pekarstvu i slastičarstvu. Napravljen od kvalitetnih materijala za prehrambenu industriju, pojavljuje se uvijek drugačiji pribor, zanimljivih oblika i dimenzija, kako bi potakao maštu i kreativnost.

In order to meet the customers' requirements and achieve high quality visual presentation of various desserts, new products for operation in the bakery and pastry trade have been continually developed. Always new accessories of interesting shapes and sizes, made of high quality materials for the food industry, have been launched in order to boost imagination and creativity.



Vrećica za ukrašavanje,
Pastry bags

Art.	duž./L. cm	vel./size
13020	34	2
13030	40	3
13040	46	4
13050	50	5
13060	55	6
13070	60	7
13080	65	8
13090	70	9
13100	75	10

za višekratnu upotrebu, pamučna s plastičnim pokrovom, prikladna za sve vrste smjese, zadržava elastičnost i nakon čestog pranja, vrećice imaju šav i petlju za vješanje s ojačanim vrhom

re-usable bags, cotton fabric with multiple plastic coating, suitable for all mixtures, flexible with good haptics, even after frequent washing, all bags with seam and hanger



Vrećice za ukrašavanje One Day 100/1
Disposable pastry bag One Day 100/1

Art.	duž./L. cm	šir./w. cm
47340	40	22
47330	46	23

materijal PE, higijenska, sigurna u radu s hranom, izvana hrapava, iznutra glatka, može se koristiti sa i bez nastavaka, sa zatvorenim vrhom, debljina 70 µ, boja prozirnica, 100 vrećica na perforiranom privjesku

material PE foil, hygienic and food-safe, coarse exterior, smooth interior, can be used with or without tips, with closed tip, thickness 70 µ, colour transparent, 100 disposable bags packed with perforation line



Vrećice za ukrašavanje "Maximum grip"
Pastry bag "Maximum grip"

Art.	duž./L. cm	šir./w. cm
17030	46	23

46 cm, prozirnica, u kolutu; debljina 75 µ, prozirnica, u kolutu 100 komada, svaki kolut pakiran je u praktičnim dispenser kutijama, čvrsto prijanja uz ruku, protuklizna

46 cm, transparent, in roll thickness 75 µ, transparent, 100 bags in roll, each roll packed in an attractive dispenser box, with maximum outside grip, non-slip



Vrećice za ukrašavanje "Maximum grip"
Pastry bag "Maximum bag"

Art.	duž./L. cm	šir./w. cm
17032	46	23

46 cm, plava u kolutu; debljina 75 µ, u kolutu 100 kom., svaki kolut pakiran je u praktičnim dispenser kutijama, čvrsto prijanja uz ruku, protuklizna

46 cm, blues, in roll thickness 75 µ, blue, 100 bags in roll, each roll packed in an attractive dispenser box, with maximum outside grip, non-slip



Vrećice za ukrašavanje "Maximum grip"
Pastry bag "Maximum grip"

Art.	duž./L. cm	šir./w. cm
17645	46	23
17646	53	28
17647	59	28

46 cm, zelena u kolutu; debljina 75 µ, zelena, u kolutu 100 kom., svaki kolut pakiran je u praktičnim dispenser kutijama, čvrsto prijanja uz ruku, protuklizna

46 cm. green, in one roll thickness 75 µ, green, 100 bags in roll, each roll packed in an attractive dispenser box, with maximum outside grip, non-slip



Set za ukrašavanje od 12 komada
Pastry bag set of 12 pcs

Art.	duž./L. cm
31806	34

1 adapter, 10 nastavaka za ukrašavanje inox
material: polyester, re-usable, 1 adapter, 10 piping tips, material piping tips: stainless steel



Vrećica za ukrašavanje mini - set
Pastry bag mini set

Art.	duž./l. cm
18701	12

idealna za precizno pisanje i ukrašavanje, 4 sintetičke vrećice s 8 nastavaka, (4 svijetla nastavka od Ø 0,8 mm i 4 narančasta nastavka od Ø 0,5 mm)

perfect for high filigree working, set consist of 4 pastry bags and 8 tips, (4 tips ivory 0,8 mm and 4 tips orange 0,5 mm)



Vrećica za ukrašavanje mini 21 cm
Pastry bag mini 21 cm

Art.	duž./l. cm
18801	21

idealna za pisanje, sintetička, bez šava i bez petlje, sa zatvorenim vrhom

perfect for lettering, synthetic without seam and hanger, with closed tip



Stalak za dresir vrećice
Supporting stand for pastry bags

Art.	vis. cm	težina g
34013	23	125

postolje Ø 19 cm, gornji Ø 10 cm, materijal: PP, boja: slonovača

base diam. 19,0 cm, top diam. 10,0 cm, mat. PP



Set za ukrašavanje, ruža, 6 kom., inox
Star piping tip set, 6 PCS, stainless steel

Art.	Ø mm	duž./l. cm
62845	4, 6, 8, 10, 13, 15	50



Set za ukrašavanje, krug, inox, 6 kom., inox
Hole piping tips set, 6 PCS, stainless steel

Art.	duž./l. cm
62835	50



Nastavak za ukrašavanje, ruža, inox
Star piping tip closed, stainless steel

Art.	Ø mm	Br. Zubaca
62541	8	7



Nastavak za ukrašavanje francuski, inox
Star piping tip french style, stainless steel

Art.	Ø mm	Br. Zubaca
62631	9	12



Nastavak za ukrašavanje ravni, inox, matirani
Plain piping tip, stainless steel 18/10, satin polished

Art.	Ø mm	duž./l. cm
710-004	4	5
62301	12	4,7
62341	16	5
62371	20	5



Nastavak za punjenje krema, inox
Fritter piping tips, stainless steel

Art.	Ø mm	duž./l. cm
687-090	4	9



Adapter za nastavak za ukrašavanje, polietilen
Piping tip adapter, polyethylene

Art.	prikladan za sve vrste nastavaka veličine S
19418	<i>suitable for all piping tips size S</i>



Set za ukrašavanje u plastičnoj kutiji 26+3 kom
Piping tip magazine 26+3 pieces

Art.	kom./pcs.	26 nastavka, dužine: 33 mm, inox, 1 adapter, 2 postolja za ukrašavanje
62912	26 + 3	
62922	52 + 3	26 piping tips, length 33 mm, stainless steel, 1 adapter, 2 flower nails



Set za ukrašavanje 36+3 komada, inox
Piping tip magazine 36+3 pieces

Art.	36 nastavaka za ukrašavanje duljine 50 mm, inox; 2 adaptera, 1 zamijenski za adapter L
62932	<i>36 different piping tips length 50 mm, stainless steel; 2 adapter, 1 replacement for piping tip adapter L</i>



Set za ukrašavanje od 12 komada XXL
Piping tip magazine of 12 pieces XXL

Art.	duž./L. cm
31893	60

boja slonovače, 4 nastavka oblika ruže (Ø10, 13, 15, 17 mm)
4 okrugla (Ø13, 15, 17, 19 mm), 4 razna ukrasna nastavka
*colour ivory, 4 star piping tips (dia. 10, 13, 15, 17 mm),
4 hole piping tips (13, 15, 17, 19 mm), 4 decoration piping tips*



Šprica za izradu keksa /inox
Biscuit press, stainless steel

Art.	Ø mm	h. cm
32332260	5,8	22

s plastičnom ručkom, 8 različitih ukrasnih oblika umetaka
i 8 nastavaka za ukrašavanje
*white plastic handle,
8 different designs and 8 pastry tubes*



Stalak za tortu 31x31x8 cm
Cake plate 31x31x8 cm

Art.	dim cm	h. cm
83892	31 x 31	8

melamin, bijeli, složiv jedan na drugi, periv u perilici
melamin, stackable, dishwasher-proof



Stalak za tortu 31x31x16 cm
Cake plate 31x31x16 cm

Art.	dim cm	h. cm
83893	31 x 31	16

melamin bijeli, složiv jedan na drugi, periv u perilici
melamin, stackable, dishwasher-proof



Stalak za tortu Ø 31x8 cm
Cake plate dia. 31x8 cm

Art.	dim. cm
83890	Ø 31 x 8 cm

melamin bijeli, složiv jedan na drugi, periv u perilici
melamine white, stackable, dishwasher-proof



Stalak za tortu Ø 31x16 cm, melamin
Cake plate dia. 31x16 cm, melamine

Art.	dim. cm
83891	Ø 31 x 16 cm

bijeli, složiv jedan na drugi, periv u perilici
white stackable, dishwasher-proof



Stalak za tortu Ø 32x10 cm
Revolving cake plate dia. Ø 32x10 cm

Art.	dim. cm
47103-32	Ø 32 x 10 cm

melamin bijeli, složiv jedan na drugi
melamine white, stackable



Stalak za tortu okretni Ø 30cm
Revolving cake stand Ø 30 cm

Art.	vis. cm
787/300	Ø 30 x 7 cm

stakleni, postolje je rotirajuće, inox
glass rotating stainless steel foot



Stalak za tortu okretni Ø 30x7,5 cm, inox
Revolving cake stand, dia. 30cm, s/s

Art.	Ø cm	vis./h. cm
773/320	30	7,5



Stalak za tortu okretni, Ø 30x13,5 cm, inox
Revolving cake stand, Ø 30x13,5 cm, stainless steel

Art.	Ø cm	vis./h. cm
788/300	30	13,5



Stalak za tortu okretni, Ø 20x11 cm inox
Revolving cake stand, dia. 20x11 cm, s/s

Art.	Ø cm	vis./h. cm
775/200	20	11



Podložak za tortu Ø 32 cm
Cake plate Ø 32 cm

Art.	dim. cm
33022	Ø 32 x 2,5


bijeli, periv u perilici posuđa, otporan na udarce,
materijal stirol-akrilnitril
white, dishwasher proof, shock resistant, material: SAN



Podložak za tortu Ø 30, inox, visoki sjaj
Cake tray, Ø 30 stainless steel, mirror polished

Art.	Ø mm
633/330	33
633/300	30

za poklopce/ *plastic cover* 650/300, 644/330



Poklopac za tortu Ø 32 cm, polistirol
Cake cover, Ø 32 cm, polystyrol

Art.	Ø	vis./h. cm
33040	32	10

periv u perilici, prozimi
dishwasher proof, translucent



Poklopac za tortu Ø 33 cm, polistiren
High cake cover Ø 33 cm, polystyrene

Art.	Ø mm	vis./h. cm
644/300 za tanjur / <i>for plate</i> 30 cm	29,5	9,5
644/330 za tanjur / <i>for plate</i> 33 cm	33	12,5

visoki, proziran, periv u perilici posuđa, može se
koristiti u mikrovalnim pećnicama i zamrzivačima (od
-40°C do +95°C)

*clear, dishwasher proof, suitable for microwave ovens
and freezers (from -40°C to +95°C)*



Poklopac za tortu Ø 30 cm, polipropilen
Cake cover Ø 30 cm, polypropylene

Art.	Ø cm	vis./h. cm
650/300	30	11

periv u perilici, prikladan za mikrovalne pećnice i i zamrzivače (od -20°C do +120°C), složiv jedan na drugi, otporan na udarce

dishwasher proof, suitable for microwave, ovens and freezers (from -20°C to +120°C) stackable, virtually unbreakable



Taca s poklopcem dim. 25x19 cm
Tray with cover dim. 25x19 cm

Art.	dim. cm
067	25 x 19 x 7

inox 18/10 visoki sjaj, poklopac polistirol, periv u perilici suđa

tray stainless steel 18/0 mirror polished finish, cover polystyrol, dishwasher proof



Taca s poklopcem, dim. 34x16,5 cm
Tray with cover, dim. 34x16,5 cm

Art.	dim. cm
064	34 x 16,5 x 10

taca inox 18/0 visoki sjaj, poklopac polistirol, perivo u perilici suđa

tray, stainless steel 18/0 mirror polished finish, cover polystyrol, dishwasher proof



Acetatna traka u kolutu
ACETATE ROLL


Art.	dim.
NSAH60	305 m x 6 cm

PVC/acetat, prozirna, debljina 80 µ
PVC/acetate, clear, thickness 80 µ



Stalak za tortu, 5 etaža, aluminij
Layered cake stand, 5 levels, aluminium

Art.	Opis / Description
63935	Ø 20/26/32/40 /45 cm visina/height 72 cm



Rešetka za hlađenje kolača, Ø30 cm inox
Round cooling rack, dia 30 cm, stainless steel

Art.	Ø cm	vis./h. cm
3400/300	30	2

okvira žica Ø3 mm, žice Ø1,5 mm
wire frame dia 3 mm, wire dia 1,5 mm



Podlošci za slastice
Doilies

Art.	dim. cm	bijeli, uzorak čipke, materijal: upijajući papir, 100 kom./pak.
12275	34 x 26	
12298	40 x 30	<i>white colour, lace decor, material: absorbent paper, 100 pcs.</i>
12274	46 x 36	



Podlošci za slastice Ø20-46 cm, papir, (25 kom)
Doilies Ø 20-46 cm, paper (25 pieces)

Art.	
54733	3 stalka
54755	5 stalka



Podlošci za slastice
Doilies

Art.	Ø mm
54141	30
54181	36

Ø 30 cm (unutarnji Ø 19 cm), 250 kom. u pakiranju, boja bijela, uzorak ruže, materijal: upijajući papir
dia. 30 cm (inside dia. 19 cm), 250 pieces in the packaging, white colour, rose decor, material: absorbent paper



Papir za pečenje 500 kom
Baking paper in a dispenser pack

Art.	dim. cm
53202	60 x 40

izbijeljeni, umjetni pergament, silikoniziran s obje strane, za višekratnu upotrebu, 41 g/m²

artificial parchment, bleached, siliconized on both sides reusable, 41 g/m²



Papir za pečenje u kolutu
Baking paper on rolls

Art.	dim. cm
53022	200 x 40

izbijeljeni umjetni pergament, silikoniziran s obje strane, za višekratnu upotrebu, 200 m, 41 g/m²

artificial parchment, siliconized on both sides reusable, roll length: 200 m, 41 g/m²



Zidni držač koluta papira za pečenje ili dresir vrećica
Wall dispenser

Art.	dim. cm
44825	69 x 30

metalna konstrukcija, učvršćenje na zid, s ravnom oštricom prikladno za kolutove do širine 60 cm i Ø25 cm

solid metal construction, wall fastening, plain blade suited for rolls up to 60 cm width and Ø25 cm



Podloga za pečenje silikonska
Silicone baking mats

Art.	dim. cm
03389	58,5 x 38,5

čvrsta, s ugrađenom mrežicom, otporna na temp. do +230°C, za višekratnu upotrebu do 3000 puta

extra sturdy, inside mesh provides additional stability, heat resistant up to 3.000 times



Folija za pečenje teflonska
Backing foil

Art.	dim. cm
44145	40 x 60

neprijanjajuća, čvrsta, otporna na vlagu, otporna na temp. od -70°C do +260°C, za višekratnu upotrebu

PTFE coated, non-stick surface, robust, tear proof heat resistant approx. -70°C to +260°C, reusable



Rezač za tijesto
Dough cutters

Art.	dim. cm	debljina / thickness mm
68605	12 x 12	0,5
68615	13,5x13,5	0,5
68625	16 x 16	0,5
68635	14,5x19,5	0,9
47031	12x11,5	0,3

inox, drška PP, plava
stainless steel, handle: PP, blue



Lopatica za tijesto
Spatula

Art.	dim. cm	debljina / thickness mm
68655	24,5 x 4	0,9
68665	24,5 x 6	0,9
68675	24,5 x 8	0,9

inox debljine 0,9 mm, drška: PP, plava
stainless steel thickness 0,9 mm, handle: PP, blue



Lopatica za tijesto
Spatula

Art.	dim. cm	debljina / thickness mm
68685	24,5 x 10	0,9
68695	24,5 x 12	0,9

inox debljine 0,9 mm, drška: PP, plava
stainless steel thickness 0,9 mm, handle: PP, blue



Lopatica za tijesto
Spatula

Art.	dim. cm	debljina / thickness mm
SPPI10	10	1

inox debljine 1 mm, drška: PP, crna
stainless steel thickness 1 mm, handle: PP, black



Lopatica za tijesto 15 cm
Dough spatula 15 cm

Art.	dim. cm	debljina / thickness mm
68705	24,5 x 15	0,3

inox debljine 0,3 mm, drška: PP, plava
stainless steel thickness 0,3 mm, handle: PP, blue



Rezač za tijesto 13x11 cm
Dough cutter with round handle 13x11 cm

Art.	dim. cm
31952	13 x 11

otvor sa silikonskom zaštitom, inox debljine 0,9 mm
hole with silicon protection, stainless steel thickness 0,9 mm



Strugalica 12x9,7 cm, bijela
Raclette scraper, 12x9,7 cm, white

Art.	dim. cm
37381	12 x 9,7

materijal: ABS
material: ABS



Strugalica za zdjele, PP
Dough / bowl scraper

Art.	dim. cm
37193	19,8 x 14,9

slonovača/*ivory*

za struganje zdjela, termootporna do +105°C,
materijal: PP

heat resistant up to 105°C, material: PP



Strugalica s ojačanjem
Dough cutter with reinforced grip

Art.	dim. cm
37363	13,5 x 10
37073	21,6 x 12,8

otporna na temperaturu do +105°C, u obliku trapeza boja
slonovače, materijal: PP

heat resistant up to +105°C, trapezoid, colour: ivory, material: PP



Set od tri strugalice, PP
Scraper set, 3 PCS

Art.		dim. cm
37827	nazubljena	11 x 7,5
	zaobljena	11,3 x 7,5
	zaobljena	12 x 8,6

za struganje tijesta na zdjeli i dekoriranje krema,
otporne na temp. do +105°C, materijal: PP, boja
slonovače nazubljena, 11x7,5 cm, zaobljena 11,3x7,5
cm / 12x8,6 cm

for dough/cream scrapes and decorated cream, heat resistant up to +105°C, material: PP, ivory, double sided/pointed teeth 11x7,5 cm / 12x8,6 cm



Strugalica, plastična, za kreme i zamijese, kruta
Plastic scraper for creams and other doughs, rigid

Art.	dim. cm
50RTT1	21,5 x 13



Strugalica, plastična, za kreme i zamijese, kruta
Plastic scraper for creams and other doughs, rigid

Art.	dim. cm
50RTD1	14,5 x 9,5



Strugalica, plastična, za kreme i zamijese, kruta
Plastic scraper for creams and other doughs, rigid

Art.	dim. cm
50RTP1	12 x 9



Strugalica za tijesto, bijela, kosi rub
Dough scraper, white, bevelled edge

Art.	dim. cm
37651	16 x 12

otporna na toplinu do +70°C materijal: PE (mekani)
heat resistant up to +70°C, material: PE (soft)



Strugalica tijesta / krema otporna na toplinu do +105°C
Dough / cream scraper heat resistant up to +105°C

Art.	dim. cm
37093	12 x 8,6

materijal: PP
material: PP



Ravnalo pekarsko
Dough ruler

Art.	dim. cm
44061	64,5 x 5

3 podjele ravnala: 7 odjeljaka od 8 cm, 5 odjeljaka od 12 cm, materijal: resopal 2 mm, boja: bijela s crnom i crvenom skalom

3 divisions: 7 pieces with 8 cm, 5 pieces with 12 cm and normal metric scale, material: resopal 2 mm, colour: with black / red scale



Set žličica za mjerenje
Measuring spoon set

Art.	jušna žlica, čajna žlica, 1/2 čajne žlice, 1/4 čajne žlice, inox 18/10 visoki sjaj, duljina: 13 cm
1566/004	

Measures Spoon Set, Tea Spoon, 1/2 Tea Spoon, 1/4 Tea Spoon, 18/10 stainless steel mirror polished, length: 13 cm



Set šalice za mjerenje, inox
Measuring cup set, stainless steel

Art.	ml
1107 004	60 / 80 / 125 / 250



Vrč menzura
Graduated measure

Art.	lit.	polipropilen, nelomljiv, s plavom skalom, otporan na temperaturu do +125°C, gradacija svakih 10 ml, numerirano svakih 100 ml, može biti steriliziran
3078/025	0,25	
3078/050	0,50	
3078/100	1	
3078/300	3	<i>polypropylene, unbreakable, with blue graduations, heat resistant up to +125°C, graduated every 10ml, numbered every 100 ml, can be sterilised</i>



Vrč menzura
Graduated measure

Art.	lit.
48162	1
48172	2
48046	5
3078/500	5

polipropilen, s plavom skalom u litrama/mililitrama složiv jedan u drugi, termootporno do +125°C, može se sterilizirati, perivo u perilici suđa

polypropylene, with blue graduations: litre and mililitre, stackable, heat resistant up to +125°C, can be sterilised, dishwasher proof



Lopatica za mjerenje
Measuring scoops

Art.	vol. ml	duž./l. cm
48052	25	13,5
48062	50	16
48112	100	20
48072	250	26
48082	500	31,5
48132	1000	38,5

polipropilen, bijela boja podignut prednji dio, posebno prikladna za tekućine
PP, colour: white raised front, particularly suitable for liquids



Lopatica za brašno
Flour scoop

Art.	vol. ml	duž./l. cm
38093	350/PP	31
48102	750/PE	35
48092	1250/PE	40

bijela boja
colour: white



Lopatica za brašno 0,075 litara, aluminij
Flour scoop 0,075 liters aluminium

Art.	duž./l. cm	ml
91212291	16	75
92012291	43	2580



Lopatica za brašno, 0,5 litara, aluminij
Flour scoop, 0,5 liter, aluminium

Art.	duž./l. cm
180340	27



Lopatica za brašno, inox
Flour scoop, stainless steel

Art.	dim. cm	ml
1035/110	21	100
1035/155	24,5	250
1035/180	29	350
1035/220	35	500



Lopatica za brašno, inox
Flour scoop, stainless steel

Art.	dim. cm	ml
42609-10	10	100
42609-15	15	400
42609-20	20	1000
42609-23	23	1700



Lopatica za brašno, inox
Flour scoop, stainless steel

Art.	dim. cm	ml
1037/100	33	850
1037/110	36	1450
1037/155	39	2300



Lopatica za brašno, aluminij
Inside handle scoop, aluminium

Art.	dim. cm	ml
90212291	23	1050
90312291	32	2600



Lopatica za brašno s ručkom unutra, 1 litra, inox
Inside handle scoop, 1 liter, stainless steel

Art.	duž. cm	ml
1038/110	18	1000



Šablona mreža
Lattice matrix

Art.	Ø cm
44265	30

sastoji se od 2 dijela, materijal: polistiren, bijeli
consisting of 2 parts, material: PS, white



Šablona za tortu
Cake marker

Art.	br. šnita / No. slices	Ø cm
35125	14/16	26,5
35135	12/18	26,5

dvostrana šablona za tortu, dvije ručkice, materijal: PP, boja: tamnosmeđa
with 2 handles, double - sided, material: PP, colour: dark brown



Niko

Obruč za tortu, aluminij
Dessert ring, aluminium

Art.	Ø cm	Vis. cm
PT aluminij	18	6
PT aluminij	20	6
PT aluminij	22	6
PT aluminij	24	6
PT aluminij	26	6
77385	28	6
inox PT	28	8

nije periv u perilici suđa
not dishwasher-proof



Obruč za tortu podesivi
Adjustable mousse ring

Art.	Ø cm	vis./h. cm
690/060	16,5 - 32	6
690/085	16,5 - 32	8,5

inox 18/0, visoki sjaj, perivo u perilici suđa
18/0 stainless steel, mirror polished finish, dishwasher proof



Niko

Okvir/kalup "srce", inox
Heart-shaped baking mould, stainless steel

Art.	dim. cm
PT	Ø 160 x 40h mm
PT	Ø 180 x 40h mm
PT	Ø 200 x 40h mm
PT	Ø 220 x 40h mm
PT	Ø 240 x 40h mm
PT	Ø 260 x 40h mm



Okvir za kolače podesivi, srce
Adjustable heart-shaped cake ring/frame

Art.	dim. cm
31342270	120-260 x 5

podesiva dužina: 12-26 cm, visina 5 cm, inox
adjustable dimensions 12-26 cm, height 5 cm, stainless steel



Kalup za kolač, inox 18/10
Mousse ring, stainless steel

Art.	dim. cm
698/080	Ø 8 x 6
698/100	Ø 10 x 5
307620	Ø 7 x 4,5



Okvir za kolače podesivi, s razdjelnikom
Dessert frame with separator bar

Art.	dim. cm
699/050	27,5-52,5 x 18,5 - 34 x 5h

podesive dužine (27,5-52,5 cm) i širine (18,5-34 cm) visina 5 cm, inox 18/0
adjustable length (27,5-52,5 cm) and width (od 18,5-34cm), height 5 cm, 18/0 stainless steel



Kalup za kuglof
Cake mould "Gugelhupf"

Art.	Ø cm	vis./h. cm
COAL3518	18	9
COAL3522	22	11

aluminij
aluminium



Kalup "smeći hrbat"
Fluted loaf pan

Art.	dim. cm
47753-31	31x12x5

čelik s teflonskim neljepljivim premazom, s ojačanim rubovima, nije periv u perilici suđa
steel with teflon non-stick coating, with reinforced edge, not dishwasher safe



Kalup za tortu skidljivo dno
Round mould loose bottom

Art.	Ø cm	vis./h. cm
47712-20	20	2,5
47712-24	24	2,5
47712-28	28	2,5

plisirani, sa skidljivim dnom, čelik s PTFE neljepljivim premazom
fluted with loose bottom, non-stick coated steel



Kalup za tortu s kopčom
Springform tin

Art.	dim. cm
47754-20	Ø20,5 x 6,5
6301/240	Ø22,5 x 6,5
6301/280	Ø26,5 x 6,5
47754-28	Ø28 x 6,7

pleh debljine 0,38 mm, PTFE neljepljivi premaz, nije perivo u perilici suda
steel 0,38 mm, PTFE non-stick coating, not dishwasher proof



Kalup za tortice glatki
Non-stick tartlet mould, plain

Art.	Ø cm	vis./h. cm
6378/100	10	2

exoglass, rubovi pertlani, periv u perilici suda
exoglass, rolled edge, dishwasher safe



Kalup za kruh/kolač ovalni, podesivi, inox
Oval baking tin, adjustable, stainless steel

Art.	dim. cm
31352260	27-40 x 10 x 7



Kalup za krostatu
Non-stick tartlet mould, fluted

Art.	Ø cm	vis./h. cm
6316/120	12	2

4/1, čelik debljine 0,6 mm, s teflonskim neljepljivim premazom, nije perivo u perilici
4/1 steel 0,6 mm thick with PTFE non-stick coating, not dishwasher proof



Kalup za karamel kremu, 4 komada
Cream caramel, set 4 pcs

Art.	Ø cm	vis./h. cm
CRECAR	8 x 12	6

inox
stainless steel



Kalup za pudung, 4 komada, inox
Pudding bowl set 4 pcs, stainless steel

Art.	Ø cm	vis./h. cm
BUDIN04	3,5 - 9,5	4,5



Šablona za pecivo kajzerica
"Kaiser roll" stencil

Art.	Ø cm	vis./h. cm
43791	6,7	6,3

PP, neproziran, prikladno za označavanje tijesta u tipu peciva kajzerica
material: PP, opaque, perfect to mark the dough with the typical Kaiser roll style



Podloška za pečenje polukugle, 5 kalupa
Non-stick hemispherical moulds, 5 moulds

Art.	Ø cm	vis./h. cm
6630/085	8	4

veličina podloške 30x17,5 cm, savitljivi silikon, prikladan za temperaturu -60°C/+230°C, periv u perilici suda
size: 30x17,5 cm, flexible silicone, suitable for -60°C / +230°C, dishwasher safe



Podloška za pečenje polukugle, 15 kalupa
Non - stick hemispherical moulds, 15 moulds

Art.	Ø cm	vis./h. cm
6630/415	4	2

veličina podloške 30x17,5 cm, prikladan za temp.
- 60°C/ +230°C, savitljivi silikon, periv u perilici suda

*size: 30x17,5 cm, flexible silicone
suitable for -60°C to +230°C, dishwasher safe*



Pleh za muffine
Muffin tin

Art.	dim. cm
6313/012	35x26,5

pleh sa PTFE neljepljivim premazom, 12 čašica 7x3 cm,
pleh debljine 0,38 mm, nije perivo u perilici

*with PTFE non-stick coating, steel 0,38 mm thick
12 moulds dim. 7x3 cm, not dishwasher proof*



Kalup za šaumrole
Cream tube mould

Art.	dim cm
682/027	Ø 2,7 x 14

inox 18/10
stainless steel 18/10



Rezač za božićne kekse
Christmas cutters

Art.	dim cm
634/005	5-8 x 2,5

set od 5 rezača u metalnoj kutijici, lim/kositar, motivi:
anđeo, srce božićno drveće, zvijezda, zvono

*set of 5 cutters in small metal box, tin plated
shapes: angel, heart, christmas tree, star, bell*



Rezač za kekse - "Božićna jelka"
Christmas tree cutters

Art.	dim duž./šir. cm/vis.
635/003	6/8,5/9 x 3,5 / 4,5 / 6,5 x 2

set od 3 rezača u metalnoj kutijici, metal / kositar
set of 3 cutters in small metal box, tin plated



Rezač za kekse "Gingerbread man"
Cutter, "Gingerbread man"

Art.	dim cm
47370-08	6 x 8 x 3



Rezač za kekse "Slova"
Letter shaped cutters

Art.	set od 26 rezača u metalnoj kutijici, veličina rezača 2,7 cm, visina rezača 2 cm, inox
48,105	<i>set of 26 cutters in small metal box, size 2,7 cm; height 2 cm, stainless steel</i>



Rezač za kekse "Brojevi"
Numbers shaped cutters

Art.	set od 9 rezača u metalnoj kutijici, veličina rezača 4 cm, visina rezača 2 cm, inox
48,086	<i>set of 9 cutters in small metal box, size 4 cm, height 2 cm, stainless steel</i>



Rezači za kekse dvostrani
Cutter set, double sided

Art.	Ø cm	vis./h. cm
17937	3,8/4,8/5,8/ 6,8/7,8/8,8/ 9,8	5

set od 7 komada, plisirana i glatka strana, bijela, PA
set of 7 cutters, double sided, fluted and plain, white, PA

Šablona za kekse, bijela, PVC
Cutting sheets for cookies, white, PVC

Art.	Model	Ø cm
PF13-47671	zec / pile rabbit / chick	6,3/5,5
PF2/A - 47521	rozeta/rosette	3,5
PF2 - 47511	rozeta/rosette	4,5
PF1 - 47501	rozeta/ rosette	9
PF3A-47541	krug/circle	3,5
PF3 - 47531	krug/circle	5,3
PF4A-47561	zvijezda/star	3,5
PF4 - 47551	zvijezda/star	4,5
PF5A-47581	djetelina/cloverleaf	3,5
PF5 - 47571	djetelina/cloverleaf	5

Art.	Model	Ø cm
PF6A-47601	srce/heart	3,5
PF6 - 47591	srce/heart	4,5
PF7A-47621	polumjesec/crescent	3,5
PF7 - 47611	polumjesec/crescent	4,8
PF8A-47641	cvijet/flower	3
PF11-47681		
PF14-47841		
PF16-47864		
PF17-47871		
PF18-47675		

dimenzije/dimensions 57,5x39 cm



Rezač za tortu 1 žica
Horizontal cake cutter 1 wire

Art.	dim. mm.
71202270	320 x 135 x 5

zupčasta žica dužine 31 cm, jednostavno podešavanje
visine žice, inox, perivo u perilici posuđa
one serrated wire length of 31 cm, easy height
adjustment, stainless steel, suitable for the
dishwasher



Rezač za tortu 2 žice
Horizontal cake cutter 2 wires

Art.	dim. mm.
71602270	320 x 135 x 5

zupčasta žica dužine 31 cm, jednostavno podešavanje
visine žice, inox, perivo u perilici posuđa
one serrated wire length of 31 cm, easy height
adjustment, stainless steel, suitable for the dishwasher



Hvataljka za muffine
Muffin tongs

Art.	za muffine 4-8 cm
5627/230	dužina (length): 23 cm

inox 18/10
stainless steel 18/10



Hvataljka za peciva / kolače, inox, visoki sjaj
Pastery tongs, stainless steel, mirror polished finish

Art.	duž./l. cm
187/175	17,5



Kalup pergament bijeli, 1000/1
Baking cups white, 1000 pcs

Art.	vis./h.cm	Ø cm
55021	1,6	2,6
55031	2	3,5
55041	2,4	4
55051	2,5	4,5
55061	3,2	5
55111	2	7
55121	3,5	8



Kalup pergament pastel Ø 3,5 cm
Baking cups Ø 3,5 cm, parchment

Art.	Ø cm	vis./h. cm
21535	3,5	2

100 kom., zamjenski pergament, otporan na masnoću i
visoke temperature, pastel
100 pcs, parchment substitute, grease proof, bake pastel
colour, pastel colour



Kist silikonski, plavi
Silicone brush, blue

Art.	Širina / width cm
10765	4
10768	6
27230	7,5

otporan na temperaturu do +220°C, periv u perilici
plastična drška
heat resistant up to +220°C, dishwasher safe handle
material: PA / reinforced fiberglass



Kist silikonski, sivi
Silicone brush

Art.	Širina / width cm	L. cm
10765	4	21

otporan na temperaturu do +260°C, periv u perilici inox drška

heat resistant up to +260°C, dishwasher safe handle stainless steel



Kist prirodna vlakna, plastična drška
Brushes natural bristles, plastic handle

Art.	Širina / width cm	L. cm
34063	4	19,5
43753	6	19,5
43763	7,5	19,5

otporan do +120°C, bez naftalina

heat resistant up to +120°C, naphtaline-free



Kist s vlaknima od poliestera 7,5 cm
Brush with polyester bristles 7,5 cm

Art.	dim. četke/ brush cm	L. cm
18481	7,5 x 4	19,5

otporan do +230°C, bez naftalina, ručka plastična dužine 19,5 cm

heat resistant up to +230°C, naphtaline-free, plastic handle 19,5 cm



Četka za brašno prirodna vlakna
Flour brush natural bristle

Art.	duž. /L. cm	Boja / Colour
44375	30	Crna / Black
44381	30	Bež / Beige

drvena drška, dim. 30x3 cm
wooden grip, dim. 30x3 cm



Četka za brašno s ručkom prirodna vlakna
Flour brush with handle, natural bristle

Art.	dim. četke/ brush cm	duž./L. cm
241	5,5 x 15	39

ručka drvena, konjska dlaka crne boje, dužina vlakna 5,5 cm

wooden handle, black horse hair, bristle length: 5,5 cm



Četka za brašno s ručkom umjetna vlakna
Flour brush with handle

Art.	četka / brush cm	duž./L. cm
240	5,5 x 15	39

vlakna poliester u plavoj boji, ručka drvena, dužina vlakna 5,5 cm

bristle material: polyester blue, wooden handle bristle length: 5,5 cm



Posipač
Shaker

Art.	lit.	vis./h. cm
1430/001 - rupa/hole 1 mm	0,15	7,5
1424/001 - rupa/hole 1 mm s plastičnim poklopcem/with plastic cover	0,3	9,5
1430/002 - rupa/hole 2 mm	0,15	7,5
1430/004 - mreža/mesh	0,15	7,5

inox 18/10 visoki sjaj
18/10 stainless steel mirror polished finish



Posipač mreža, 8 cm
Shaker mesh, 8 cm

Art.	duž./L. cm	Model
69185	8	Mrežica

za šećer, začine ili parmezan, inox 18/10 visoki sjaj
ideal for sugar, herbs or parmesan cheese, 18/10 stainless steel mirror polished finish



Posipač mreža, 8 cm
Shaker mesh, 8 cm

Art.	duž./L. cm	Model
69135	13	Mrežica

za šećer, začine ili parmezan, inox 18/10 visoki sjaj
ideal for sugar, herbs or parmesan cheese, 18/10 stainless steel mirror polished finish



Sito za brašno/štaub
Flour sifter

Art.	dim. cm	Volum. ml
2603/100	Ø 10 x 13	500

ručka s oprugom, s tri mrežice, inox 18/10
handle with spring, three mesh, 18/10 stainless steel



Sito za šećer u prahu
Powdered sugar sieve

Art.	Širina oka/mesh mm	dim. cm
39161	0,5	Ø 18,5 x 10,5

mrežica od nehrdajućeg čelika, ABS, bijeli
stainless steel mesh, ABS, white



Karamelizator s postoljem
Caramelising rod with stand

Art.	Ø cm	Snaga
47847-12	12	1kW/230V/50Hz



Ribež profesionalni C/E GFX
Professional grater C/E GFX

Opis / Description
1,1kW/400V/50Hz kapacitet: 130 kg/sat, 2,7 kg/min <i>output: 130kg/h, 2,7 kg/min</i>
kućište inox, valjak igličasti inox; s plastičnom posudom i mikroprekidačem
<i>stainless steel casing, punched stainless steel roller receiving pan fitted with sensor and shield</i>
ulaz otvora 145x80 mm
1400 okr/min ; rpm
1,1kW/400V/50Hz
težina/weight: 26 kg
dim. 475 x 225 x 440/650 mm

za ribanje badema, oraha, lješnjaka, čokolade, tvrdog sira, suhog kruha... prikladan za rad u slastičarnama, malim pekarama, restoranima, profesionalnim kuhinjama
for grating almonds, chocolate, parmesan, hard cheeses, bread... suitable for pastry shop, restaurants, canteens, professional kitchens etc...



Drobilica oraha - orašar, aluminij
Nutcracker

Art.	opis/descrip	dim. cm
1071/185	aluminij <i>aluminium</i>	18,5 x 4

legure aluminija, s gumenim umetkom u ručki, mehanizam s oprugom, za orašaste plodove, nije perivo u perilici suđa, težina: 305 gr
cast aluminium, rubber inlay in handle, spring mechanism, not dishwasher safe, for cracking, walnuts, hazelnuts as well as other nuts, weight: 305 gr



Mlin za oraha "Ekclusive"
Almond grater Ekclusive

Art.	dim.
97172260	110 x 110 x 195 mm

za ribanje oraha, badema, čokolade, tvrdih sireva i sl., s dva ribeža, s vakumskim jastučićem, inox, ABS
for almonds, nuts, chocolate, hard cheese etc. with two cutting drums, strong suction pad stainless steel, plastic



Kuhača poliamid bijela
Stirring ladle PA

Art.	duž./l. cm
47413	25
47423	30
47433	35
47443	40
47463	50

poliamid, fibreglas, čvrsta, kratkoročno otporna na temperature do +280°C

white, PA, fibreglass, robust, short-time heat resistant up to +280°C



Kuhača, poliamid
Spoon, polyamide

Art.	duž./l. cm
12903-30	30
12903-40	38
12903-45	45

otporna na temperaturu do +220°C, perivo u perilici suđa
heat resistant up to +220°C, dishwasher safe



Lopatica, gumena
Rubber spatula

Art.	duž./l. cm	šir./w. cm
38233	26,5	5,5
47108	33	7
47148	50	7

materijal lopatice: TPE, bijeli, materijal ručke: ABS, bijeli, širina lopatice: 5,5 cm, kratkoročno termootporna do +100°C

spatula material: TPE, white, handle material: ABS, white, spatula width: 5,5 cm
spatula short-time heat resistant up to +100°C



Lopatica 29 cm bijeli silikon
Rubber spatula 29 cm

Art.	duž./l. cm	šir./w. cm
976/290	29	9 x 5

lopatica 9x5 cm, bijeli silikon, ručka inox 18/10
silicone blade 9x5 cm, 18/10 stainless steel handle



Lopatica plavi silikon
Rubber spatula

Art.	duž./l. cm	šir./w. cm
47473	25	7
47483	35	7
47493	45	7

materijal lopatice: silikon, plavi, materijal ručke: fibreglas, bijeli, kratkoročno otporna na temp. do +230°C

spatula material: silicone, blue, handle material: reinforced fibreglass, white short time heat resistant up to +230°C



Mutlica za jaja
Egg whisk

Art.	duž./l. cm
900/250	29

inox 18/10
18/10 stainless steel



Mješač za tijesto, ručni
Pastry mixer, handle

Art.	dim.
3066/001	4 x 10

inox, idealno za mješanje sastojaka tijesta ili dodavanje maslaca tijestu, dim. 4x10 cm

stainless steel, ideal for mixing dough ingredients or incorporating of butter in the dough, dim. 4x10 cm



Roler za mlince, 11,5 cm
Roller docker, 11,5 cm

Art.	šir./w. cm
34093	11,5

idealno za izradu tijesta bez pojave mjehurića, polipropilen, slonovača, udaljenost između iglica: 1,5 cm
perfect to avoid the formation of bubbles in the dough PP, ivory, distance between the blades: 1,5 cm



Roler za lisnata/dizana tijesta
Bear claw cutting roller

Art.	šir./w. cm
34073	6

idealno za izradu prhkog/dizanog tijesta, polipropilen, slonovača, udaljenost između oštrica: 1,2 cm
perfect to prepare short-crust / yeast dough, PP, ivory, distance between the blades: 1,2 cm



Roler za lisnata/dizana tijesta
Bear claw cutting roller

Art.	šir./w. cm
RPS6	6

idealno za izradu prhkog/dizanog tijesta, polipropilen, slonovača, udaljenost između oštrica: 1,2 cm

perfect to prepare short-crust / yeast dough, PP, ivory, distance between the blades: 1,2 cm



Roler za mlince, 10 cm, inox
Pastry piercer roller

Art.	šir./w. cm
170	24,5 x 10x8

idealno kod izrade tijesta bez pojave mjehurića, aluminij, inox, drška polipropilen, razmak između iglica: 1,5 cm

perfect to avoid the formation of bubbles in the dough, aluminium, handle PP, distance between the blades: 1,5 cm



Roler za tijesto / mrežicu, 11,5 cm
Lattice cutting roller, 11,5 cm

Art.	šir./w. cm
34253	11,5

polipropilen, boja: slonovača, udaljenost između oštrica: 0,7 cm, širina rolera: 11,5 cm

perfect to prepare strudel dough, PP, colour: ivory, distance between the blades: 0,7 cm, roller width: 11,5 cm



Roler za tijesto 16,5 cm
Rolling pin 16,5 cm

Art.	Duž.valjka / L. roller	duž./L. cm
1726/160	7,5 cm	16,5 cm

inox 18/10

stainless steel 18/10



Rezač za tijesto s kotačićima podesivi
Expandable dough wheels

Art.	br. kotačića /No. wheels
1032/005	5
1032/007	7

inox, glatki kotačići, podesiva širina rezanja: 1 cm do 12 cm, duljina rezača: 24,5 cm, max. širina rastegnutog rezača: 70 cm, dim.kotačića: Ø 5,4 cm
stainless steel, plain wheels, cutting width adjustable: from 1 cm to 12 cm, between 10 and 120 mm, max. width: 70 cm, wheel: dia. 5,4 cm



Rezač za tijesto sa 7 kotačića, dvostrani
Expandable dough 7+7 wheels

Art.	br. kotačića /No. wheels	Ø kotačića/wheels
68855	7	5,5 cm

inox, 7 glatkih kotačića + 7 zupčastih kotačića, maksimalno podesiva širina rezanja do 12 cm, dim. kotačića: Ø 5,5 cm
stainless steel, 7 plain wheels + 7 serrated wheels, maximum cutting width to 12 cm, wheel: dia. 5,5 cm



Rezač za tijesto okrugli
Dough / pizza wheel

	Art.	Ø cm
zupčasti/ serrated	68565	5,7
ravni/plain	68555	5,7

inox, Ø 5,7 cm

stainless steel, Ø 5,7 cm



Valjak za kroasane
Croissant cutter

Art.	Dio	Dio cm
44775	1	15 x 10
44785	1	14 x 18
44795	1	20 x 18
44765	2	20 x 18
44365	3	14 x 18
44075	1	20 x 12

oštrica inox, drške: PE, bijela

stainless steel, handle material: PE, white



Valjak za tijesto drveni
Rolling pin

Art.	L. cm	Ø/L. cm
823/250	44	Ø 6 x 25

nelakirano drvo, bukva, nije perivo u perilici
unlacquered hard beech wood, not dishwasher proof



Valjak za tijesto drveni s kugličnim ležajem
Rolling pin with roller spins

Art.	L. cm	Ø/L. cm
823/450	64	Ø 8,3 x 45

od nelakiranog drva kaučuka, nije perivo u perilici za posude, dužina svake ručke 9,5 cm/Ø 2,5
made from rubberwood, with roller spins, not dishwasher proof, handle length each 9,5 cm/Ø 2,5



Valjak za tijesto inox s kugličnim ležajem
Rolling pin with roller spins

Art.	L. cm	Ø/L. cm
1717/490	47	Ø 6,5 x 25,5

inox 18/10 visoki sjaj, dim. Ø 6,5x25,5 cm
18/10 stainless steel, mirror polished finish, dia 6,5x25,5 cm



Valjak za tijesto, inox
Rolling pin, stainless steel

Art.	Duž.valjka / L. roller	Ø cm
1725/500	50 cm	5



Valjak za tijesto, polietilen
Rolling pin, polyethylene

Art.	Duž.valjka / L. roller	dim. cm
171/1	50 cm	Ø 5 x 45



Nož pekarski dvostrana oštrica 31 cm
Baker's knife double sided 31 cm

Art.	dim. oštrice/dim. blade
66115	3,4 x 31 cm

čelik, dvostrana oštrica pilasta i ravna 3,4x31cm, plastična drška plave boje 13,5 cm
cutlery steel, double sided blade plain / saw 3,4x31 cm handle: plastic, blue, length 13,5 cm



Nož pekarski dvostrana oštrica 36 cm
Baker's knife double sided 36 cm

Art.	dim. oštrice/dim. blade
66183	3,4 x 36 cm

dvostrana oštrica pilasta i valovita 3,4x36 cm čelik, plastična drška plave boje 13,5 cm
double sided blade saw / wawe 3,4x36 cm cutlery steel, handle: plastic, blue, length 13,5 cm



Nož pekarski ravna oštrica 31 cm
Baker's knife single sided 31 cm

Art.	dim. oštrice/dim. blade
66020	3,4x31 cm

jednostrana ravna oštrica 3,4x31 cm, čelik, plastična drška plave boje 13,5 cm
single sided plain blade dim. 3,4x31 cm, cutlery steel, handle: plastic, blue, length 13,5 cm



Nož pekarski valovita oštrica 36 cm
Baker's knife single sided 36 cm

Art.	dim. oštrice/dim. blade
66091	3,4 x 36 cm

jednostrana valovita oštrica 3,4x36 cm, čelik, plastična drška plave boje 13,5 cm
wawe single sided blade dim. 3,4x36 cm, cutlery steel handle: plastic, blue, length 13,5 cm



Nož slastičarski špic 31 cm
Cake and pastry knife, single sided blade 31 cm

Art.	dim. oštrice/dim. blade
66510	3,4 x 31 cm

jednostrana oštrica 3,4x31 cm, špica za precizno rezanje, čelik, plastična drška plave boje 13,5 cm
cutlery steel, single sided blade dim. 3,4x31 cm, pointed for the, precise first cut, handle: plastic, blue, length 13,5 cm



Nož slastičarski špic pilasta oštrica 31 cm
Cake/pastry knife single sided saw blade 31 cm

Art.	dim. oštrice/dim. blade
66532	3,4x31 cm

jednostrana pilasta oštrica 3,4x31 cm, špica za precizno rezanje, čelik, plastična drška plave boje 13,5 cm
single sided saw blade dim. 3,4x31 cm, pointed for the precise first cut, cutlery steel, handle: plastic, blue, length 13,5 cm



Nož slastičarski jednostrana oštrica 31 cm
Confectioner's knife, single sided 31 cm

Art.	dim. oštrice/dim. blade
66330	2,2 x 31cm

jednostrana oštrica 2,2x31 cm, savitljiv, čelik, plastična drška plave boje 13,5 cm
single sided blade dim. 2,2x31 cm, flexible blade cutlery steel, handle: plastic, blue, length 13,5 cm



Nož slastičarski jednostrana pilasta oštrica 36 cm
Confectioner's knife single sided 36 cm

Art.	dim. oštrice/dim. blade
66372	2,7 x 36 cm

jednostrana pilasta oštrica 2,7x36 cm savitljiv, čelik, plastična drška plave boje 13,5 cm
saw single sided blade dim. 2,7x36 cm, flexible blade cutlery steel, handle: plastic, blue, length 13,5 cm



Nož slastičarski valovita oštrica 18 cm
Cake and pastry knife, wave blade 18 cm

Art.	dim. oštrice/dim. blade
66821	3 x 18 cm

jednostrana valovita oštrica 3x18 cm, čelik, plastična drška plave boje 13,5 cm
single sided wave blade dim. 3x18 cm, cutlery steel handle: plastic, blue, length 13,5 cm



Nož za pecivo
Roll knife

Art.	dim. oštrice/dim. blade
66601	1,5 x 8,7 cm

valovita čelična oštrica 1,5x8,7 cm, ručka plastična, plave boje 10 cm
single sided steel wave blade 1,5x8,7 cm., handle plastic blue 10 cm



Nož za tortu 17 cm
Pie knife 17 cm

Art.	dim. oštrice/dim. blade
66743	4,8 x 17 cm

dvostrana oštrica pilasta i valovita 4,8x17 cm čelik, špica za precizno rezanje, plastična drška plave boje 13,5 cm
double sided blade saw / wave 4,8x17 cm, cutlery steel, pointed for the precise first cut, handle: plastic, blue, length 13,5 cm



Posuda noža za tortu
Knife cleaner

Art.	Opis
305/100	dim. Ø 11 x 20h cm

1,5 lita, inox 18/10 visoki sjaj, s plastičnim umetkom za zaštitu oštrice noža
1,5 l, stainless steel 18/10 mirror polished finish with POM insert to protect the knife blades



Paleta plava drška
Spatula blue handle

Art.	dim. oštrice/dim. blade
66646	3,4x 26 cm
66666	3,4 x 36 cm

inox lopatica, plastična drška 13 cm
cutlery steel blade, plastic handle 13 cm



Paleta crna drška
Spatula

Art.	cm
18519-26	26 x 3,7
18519-30	31 x 4,3
18519-35	36 x 5

inox lopatica, plastična ručka crne boje
stainless steel blade, plastic handle



Paleta 25 cm savitljiva oštrica
Spatula 25 cm flexible blade

Art.	cm
88922	25 x 4

inox, plastična ručka
stainless steel, plastic handle



Paleta 13 cm plava drška
Spatula 13 cm

Art.	dim. oštrice/dim. blade
66856	6,5 x 13 cm

inox lopatica, plastična drška plave boje 13 cm
cutlery steel blade, blue plastic handle 13 cm



Paleta kutna
Spatula, angular blade

Art.	dim. oštrice/dim. blade
66677	3,4 x 10 cm

čelična oštrica, drška plastična, plave boje 13 cm
cutlery steel blade, handle: plastic, blue 13 cm

66687 3,4 x 15 cm

66697 3,4 x 20 cm

66707 3,4 x 25 cm



Paleta kutna
Spatula angular blade

Art.	dim. oštrice/dim. blade
21228	2 x 9,5 cm

čelična oštrica 2x9,5 cm, drška plastična, plave boje 13 cm
cutlery steel blade 2x9,5 cm, handle: plastic, blue 13 cm



Vilica za praline
Dipping spiral fork, stainless steel

Art.	dim. cm
499/001	2,4 x 21

18/10 inox visoki sjaj
18/10 stainless steel mirror polished finish



Paleta kutna 90°
Spatula, angular blade 90°

Art.	dim. oštrice/dim. blade
66867	3,4 x 17 cm

čelična oštrica, drška plastična, plave boje 13 cm
cutlery steel blade, handle: plastic, blue 13 cm



Paleta slastičarska, kutna, valovita oštrica
Cake spatula, angular blade

Art.	dim. oštrice/dim. blade
66841	4/5,3 x 15cm

valovita čelična oštrica, drška plastična plave boje 13 cm
cutlery steel angular blade, handle: plastic, blue 13 cm



Paleta slastičarska bijela
Angular spatula

Art.	L cm
38248	11,5

38258 23

PA, fiberglas, bijela
PA, fiberglass, white colour



Lopatica za tortu široka
Cake server

Art.	L cm
68975	27

inox, dužina 27 cm
stainless steel, wide shape, length: 27 cm



Lopatica za tortu 30 cm
Cake server 30 cm

Art.	L cm
68965	30

inox
stainless steel



Lopatica za poslastice, bijela ručka
Cake/pie lifter, handle white

Art.	dim. cm	L
4068/275	14 x 6	27,5

inox mat polirana oštrica, drška od polipropilena, *stainless steel blade, mat polished finish, polypropylene handle*



Lopatica za poslastice, inox
Cake/pie lifter, stainless steel


Art.	dim. cm	L
996/270	12 x 6	27

inox mat polirana oštrica
stainless steel blade, mat polished finish

KUPKA ELEKTRIČNA ZA ČOKOLADU I UMAKE / *BAIN-MARIE ELECTRIC (DESIGNED TO MELT AND HOLD CHOCLOATE, FONDUE)*


temperatura +25°C/+ 50°C, digitalno upravljanje

temperature range +25°C/+ 50°C, thermostatically controlled

Art.	Opis / Description
	CHBM-1/6 <i>Niko</i> 2,5 litre, sa GN1/6 h= 150 mm 230V/200W dim. 208 x 194 x 260 mm

	CHBM-2x1/6 <i>Niko</i> 2 x 2 litre, sa 2 x GN1/6 h= 100 mm, 230V/800W dim. 411 x 212 x 220 mm
---	--

	CHBM-1/3 <i>Niko</i> 4 litre, sa GN1/3 h= 100 mm, 230V/800W dim. 411 x 212 x 220 mm
--	--

	CHBM-G36/12 <i>Niko</i> 4,5 litre, sa slastičarskom posudom G36/12 230V/800W dim. 467 x 197 x 220 mm
---	---



Zdjela za kuhanje na pari, inox
Bain marie bailing bowl

Art.	dim. cm	vol. Lit.
2060/180	Ø18 x 9	1,5

1,5 l, s ručkom 20 cm i kukicom za držanje na loncu, za lonce Ø 20-26 cm, inox 18/8, visoki sjaj, periva perilici
1,5 l, with hook and handle of 20 cm, for pots dia. 20-26 cm, stainless steel 18/8, mirror polished finish dishwasher proof



Pumpica/dispenser za umake "Special"
Dispenser "Special"

Art.	Vol.
CON-SP-W	20 ml

dugme za pritiskanje u crvenoj, žutoj i bijeloj boji
push buttons come in red, yellow and white



Dispenser za umake
Lever action dispenser

Art.
EDU GN1/6

za gastro posudu GN 1/6, dubine 150/200 mm, jednostavno podešavanje doziranja do 40 g
for gastro container GN1/6, depth 150/200 mm, the dosage can easily be adjusted up to max. 40 g



Punilica za krafne
Lever-action dispenser

Art.	Vol. lit
EDU-1KB-3	3

EDU-1KB-5 5

za umake, dresinge, marmelade, kreme, sirupe, doziranje podesivo do 40 grama, s plastičnom posudom
for dispensing sauces, dressings, syrups, custard for donuts or croissants, the dosage adjustable up to 40 g, include plastic bucket



Punilica za krafne
Lever-action dispenser

Art.	Vol. lit
EDU 2KB-10	10

za umake, dresinge, marmelade, kreme, sirupe, doziranje podesivo do 40 grama, s plastičnom posudom
for dispensing sauces, dressings, syrups, custard for donuts or croissants, the dosage adjustable up to 40 g, include plastic bucket



Punilica za krafne
Lever-action dispenser

Art.	Vol. lit
CRS-DU-2KB-10	10

za umake, dresinge, marmelade, kreme, sirupe, doziranje podesivo do 40 grama, s INOX posudom
for dispensing sauces, dressings, syrups, custard for donuts or croissants, the dosage adjustable up to 40g., include stainless steel bucket



Kanta za punilicu krafni, plastična
Bucket for lever-action dispenser, plastic

Art.	Vol. lit
EM-3	3
EM-5	5
EM-10	10



Dispenzer za Nutellu i čokoladne preljeve
Nutella Hazelnut Chocolate Spread Dispenser

Art.	Vol. lit
EDU-1KB-3-V-SPEC	3

za punjenje kroasana, krafni itd., komplet s dugačkom ručkom i čvrstim inox držačem, doziranje od 12 do 20 g prikladan za kantu nutelle od 3 litre

suitable for filling croissants, donuts etc. complete with extended lever and stable stainlesssteel holder, dosage can be set from 12 to 20 gr; suitable for 3-liter bucket



Dispenzer grijani za Nutellu i čokoladne preljeve
Heated Nutella Hazelnut Chocolate Spread Dispenser

Art.	Vol. lit
EDU-SRW-1KB	3
3-V	150W/230V/50Hz

za punjenje kroasana, krafni itd., komplet s dugačkom ručkom i čvrstim inox držačem, doziranje od 12 do 20 g, temperatura na dnu kante 53°C, prikladan za kantu nutelle od 3 litre


suitable for filling croissants, donuts etc. complete with extended lever and stable stainlesssteel holder, dosage can be set from 12 to 20 gr; suitable for 3-liter bucket Temperature on the bottom 53°C



Dispenzer grijani za umake i preljeve, inox
Hot-pot with lever-action dispenser

Art.	Opis / Description
HP-DU-4	4 litre 200W/230V/50Hz

podesivo doziranje do 40 g, termootporan do +120°C
stainless steel hot-pot with stainless steel container, dosage adjustable up to 40 gr



Dispenzer grijani za umake i preljeve, inox
Hot-pot with lever-action dispenser

Art.	Opis / Description
CHBM-2x1/6	2 x GN 1/6, 200 mm, dim. 411x212x320h mm

podesivo doziranje do 40 g, temperatura od +30°C do +70°C

stainless steel hot-pot with stainless steel container dosage adjustable up to 40 gr; temperature from +30°C to +70°C



Tava pekarska, crni lim
Rectangular pan blue steel

Art.	dim. mm
COFE149B40	400 x 300 x 30
COFE149B50	500 x 350 x 30
COFE149B60	600 x 400 x 20
COFE149B60	600 x 400 x 30

Tava za pečenje raznih pekarskih i slastičarskih, proizvoda, crni lim
Baking pan for various pastry and bakery products, blue steel



Niko

Tava pekarska, aluminij
Rectangular pan, aluminium

dim. mm	dim. mm
400 x 300 x 20	600 x 400 x 20
400 x 300 x 30	600 x 400 x 30
433 x 333 x 80	600 x 400 x 40
460 x 330 x 20	600 x 400 x 65

Tava za pečenje raznih pekarskih i slastičarskih proizvoda, aluminij 1,5 mm

Baking pan for various pastry and bakery products, aluminium 1,5



Niko

Tava pekarska 600x400x20 perforirana s 3/4 rubom
Perforated rectangular pan with 3/4 edge

Art.	dim. mm
PT	600 x 400 x 20

aluminij za pečenje raznih pekarskih i slastičarskih proizvoda, aluminij 1,5 mm

Baking pan for various pastry and bakery products, alumin. 1,5 mm




Niko

Lim za pečenje, 2 mm, aluminij
Baking sheet, 2 mm, aluminium

materijal/ material	dim. mm
alum.	600 x 600 x 2
alum.	430 x 400 x 2
alum.	530 x 325 x 2
alum.	600 x 400 x 2
alum.	650 x 530 x 1,5
inox 18/10	500 x 300 x 1,5

kvaliteta ALMg 3 - za prehranu
quality ALMg 3 - for nutrition



Niko

Okvir za kolač, 2 mm
Frame for cake, 2 mm

materijal/ material	dim. mm
alum.	500 x 295 x 60
alum.	400 x 200 x 60
alum.	400 x 300 x 60
alum.	580 x 380 x 40
alum.	400 x 400 x 50
alum.	600 x 400 x 60
inox 18/10	470 x 270 x 50
inox 18/10	500 x 400 x 50
inox 18/10	560 x 360 x 50
inox 18/10	580 x 385 x 30



Kalup za kolače cilindrični, aluminij 3 mm
Cylindrical pie pan with ring, aluminium 3 mm

Art.	Ø cm	vis/cm
ALMA 16626	26	6,5
ALMA 16630	30	6,5
ALMA 16636	36	6,5
ALMA 16640	40	6,5



Kalup za kolače konusni, aluminij 3 mm
Conical cake mould with ring, aluminium 3 mm

Art.	Ø cm	vis/cm
ALMA 14326	26	6,5
ALMA 14330	30	6,5
ALMA 14336	36	6,5
ALMA 14340	40	6,5



Tava za burek, crni lim
Pan, blue steel

Art.	Ø cm	h. cm
COFE43BB18	18	4
COFE43BB24	24	4
COFE43BB26	26	4
COFE43BB28	28	4
COFE43BB30	30	4
COFE43BB36	36	4

crni lim 1 mm
blue steel 1 mm



Tava za burek, aluminij 1 mm
Pan aluminium 1 mm

Ø cm	Ø cm	vis/cm
FAMA 43/628	26/28	6
FAMA 43/630	27,5/30	6
FAMA 43/632	28/32	6



Sito za brašno
Flour sieve

Art.	Širina oka/mesh	Ø cm
39171	0,5	30,5
39221	0,85	30,5
39211	1,2	30,5

mrežica od nehrđajućeg čelika, ABS, bijeli
stainless steel mesh, ABS, white



Sito za brašno fino
Flour sieve fine

Art.	dim. mm	Širina oka/mesh mm
1080/300	300 x 75h	0,125
1080/400	400 x 80h	0,125
12605-22	220 x 80h	0,125

fina mrežica 1 mm, inox
fine-meshed 1 mm, stainless steel



Sito za brašno krupno
Flour sieve coarse

Art.	h. mm	Širina oka/mesh mm
2606/300	300x10	2,5 x 3

mrežica 2,5x3 mm, inox
mesh 2,5x3 mm, stainless steel



Rezač za burek
Burek cutter

Art.	L. cm
149	20

oštrica inox 11 cm, ručka polipropilen
stainless steel blade 11 cm, polypropylene handle



Because professionals deserve nothing less than the best!



Stalak za kornete Tube, prozirni pleksiglas
Ice cream cone holder tubes, material: transparent plexiglass

Art.	Ø cm
FAG 1	2x6,5
FAG 2	2x6,5 / 2x7,5



Stalak za kornete Pleksi, prozirni pleksiglas
Ice cream cone holder, material: plexiglass

Art.	Ø cm
NIKO PLEXI	4 x Ø 26 mm 2 x Ø 30 mm

dim. 200 x 135 x 500 mm



Stalak za 4 korneta sladoleda, inox
Ice-cream cone stand, s/s

Opis / Description
rupe / holes: 2 x Ø 26 mm; 2 x Ø 31 mm dim. 270 x 95 x 85 mm



Stalak za 3 velika korneta sladoleda, inox
Ice-cream cone stand for 3 large cones, s/s

Opis / Description
rupe / holes: 3 x Ø 46 mm; dim. 240 x 120 x 110 mm



Art. 327 - Stalak za 4 korneta sladoleda, inox
Art. 327 - *Ice cream cone stand, stainless steel*

4 rupe / holes Ø 31 mm
dim. Ø 175 x 125 mm



Stalak pleksi za tri korneta sladoleda, prozirni pleksiglas
Ice-cream cone stand plexiglass 3/1, transparent plexiglass

Opis / Description
rupe/holes: 2 x Ø 26 mm; 1 x Ø 30 mm dim. 200 x 90 x 85 mm



Grabilica za sladoled, inox 18/10,
Ice cream scoop, s/s 18/10,

Model CR	ml	Ø mm
CR 1/40	25	45
CR 1/36	29	47
CR 1/30	33	49
CR 1/24	42	51
CR 1/20	50	56
CR 1/16	63	59
CR 1/10	100	70

držka mesing krom/ *handle solid brass chrom-plated*



Grabilica za sladoled plastična drška, inox 18/10
Ice cream scoop, s/s 18/10

Model K	ml	Ø mm
K 1/40	25	45
K 1/36	29	47
K 1/24	42	51
K 1/20	50	56

držka plastična u plavoj boji / *handle plastic blue colour*



Grabilica za sladoled, plastična drška, grabilica sa keramičkim slojem, inox 18/10
Ice cream scoop, s/s 18/10

Model E	ml	Ø mm
E 1/24	42	51
E 1/40	25	45
E 1/36	29	47
E 1/30	33	49

držka ergonomska, plastična u crvenoj boji, grabilica s neljepljivim keramičkim slojem u sivoj boji

ergonomic red plastic handle, bowl with non-stick ceramic coating



Lopatica za sladoled 26 cm, inox 18/10
Ice-cream pallet, 26 cm, stainless steel, 18/10

Art.
GESPATR26

ručka tritan, plastična prozima
transparent tritan plastic handle



Grabilica za sladoled Dipper, 33 ml, aluminij
Ice cream dipper, 33 ml, food safe aluminium

Model	Ø mm
A 1/30	49
A 1/20	56

tekućina u dršci koja provodi toplinu
heat conductive fluid in the handle



Grabilica za sladoled Dipper, 33 ml, aluminij
Ice cream dipper, 33 ml, food safe aluminium

Model	Ø mm
B 1/30	49

tekućina u dršci koja provodi toplinu
grabilica s neljepljivim keramičkim premazom
*heat conductive fluid in the handle
scoop with non-stick ceramic coating*



Posuda protočna za grabilicu za sladoled, inox
Cleaning sink, built in/wall mounting, s/s 18/10

Art.	dim. cm
GELAVCU	27 x 11 x 16

ugradbena / zidna, inox 18/10



Posuda protočna zidna za grabilicu za sladoled
Cleaning sink, for wall mounting, with scoop shower, s/s 18/10

Art.	dim. cm
15/16	22 x 12 x 9

zidna s tušem za pranje klijesta, inox 18/10
with scoop shower



Posuda za sladoled, inox 18/10
Ice cream basin, stainless steel 18/10

Art.	dim. cm	litara
GE361608	36x16,5x8	3,4
GE361612EX	36x16,5x12	5
G3615	36x16,5x15	7



Posuda za sladoled, inox
Ice cream basin, stainless steel

Art.	dim. cm	litara
GE362508	36 x 25 x 8	5
GE362512	36 x 25 x 12	8



Poklopac posude za sladoled 36X25 cm, polikarbonat
Transparent polycarbonate lid 36 x 25 cm

Art.	dim. cm
GEPC3625	36 x 25

kupolasti poklopac, prozirni polikarbonat,
temperatura -40°C/+99°C, za prehrambenu industriju
*dome cover, transparent polycarbonate,
temperature -40°C/+99°C, food safe*



Termičke posude za sladoled, 50/1
Ice-cream thermoboxes, 50/1

Art.	ml	gr
POLO 0	500	350
POLO 1	650	500
POLO 3	1350	1000
POLO 4	1950	1500



Čašice za sladoled, papir
Papir ice cream cups, paper

Art.	Volum. ml	pak.
TADDIA 23	150	250/1
TADDIA 20	190	200/1
TADDIA 22M	230	180/1



Žličice za sladoled, drvene
Wooden ice cream spoons

Art.	dim. mm	pak.
25163	95	100 kom

TERMO KUTIJA ZA PRIJENOS SLADOLEDA (STANDARDNA)
BOX ICE CREAM (STANDARD)

Art. 49438

s poklopcem, za posude za sladoled
dim. 36 x 16 cm, s ugrađenim razdjelnicama
za lakše punjenje

for ice cream containers 36 x 16 cm
integrated separation parts to ease loading

dim. unutrašnje / inside:
57 x 36,5 x 20 cm

dim. vanjske / outside:
59,5 x 39,5 x 26 cm

neto težina / net weight: 1000 g

TERMO KUTIJA ZA PRIJENOS SLADOLEDA (VISOKI POKLOPAC)
BOX ICE CREAM (HIGH LID)

Art. 06617

s posebno visokim poklopcem, za posude za
sladoled dim. 33/36 x 16/25 cm
s ugrađenim okvirima za učvršćenje posuda,
ugrađen termometar za kontrolu vanjske
temperature

special high lid version,
for ice cream containers dim. 33/36x16/25
cm integrated inside frames to fix containers
in the box integrated thermometer for
temperature
control from outside

dim. unutrašnje / inside:
56,5 x 34 x 35 cm

dim. vanjske / outside:
63,5 x 42 x 45 cm

neto težina / net weight: 2300 g

TERMO KUTIJA ZA PRIJENOS SLADOLEDA (VISOKI POKLOPAC)
BOX ICE CREAM (HIGH LID)

CAMBRO



Art. EPP180XL110

s poklopcem
za transport sladoleda

box incl. Lid
for transportation ice cream

dim. unutrašnje / inside:
54,8 x 36,8 x 25 cm

dim. vanjske / outside:
61 x 43 x 32 cm

Art. EPP180XLT110

s poklopcem
za transport sladoleda

box incl. Lid
for transportation ice cream

dim. unutrašnje / inside:
54,8 x 36,8 x 32 cm

dim. vanjske / outside:
61 x 43 x 39 cm

PREŠA ZA SLADOLED
ICE-CREAM PRESS

Art. QS1

s kalupom za špagete sladoled
*ice cream press with mould for spaghetti ice-cream*težina / *weight*: 2,5 kg

dim. 180 x 390 x 545 h mm

BLENDER ŠTAPNI ZA IZRADU SLADOLEDA
ICE-CREAM POWER MIXERArt. BM DYNAMIC 160
Ref. MX100homogenizator, idealan za izradu sladoleda, umaka, juha
*homogenizer, perfect for design to make ice cream, sauces, soups*lagan, brz, učinkovit i snažan
*lightweight, quick, efficient and powerful*dužina štap / *tube length* 160 mmodvojiv štap/ *detachable tube*brzina/ *speed*: 3000-13000 okr/min/rpm1 - 4 litre/ *liters*

230V/50/1;220W

neto težina / *net weight*: 1 kg

dim. Ø 55 x 395h mm

BLENDER ŠTAPNI ZA IZRADU SLADOLEDA
ICE-CREAM POWER MIXERArt. BM DYNAMIC 190
Ref. AC514
+ Ref. AC560homogenizator, idealan za izradu sladoleda, umaka, juha
*homogenizer, perfect for design to make ice cream, sauces, soups*lagan, brz, učinkovit i snažan
*lightweight, quick, efficient and powerful*dužina štap / *tube length* 160 mmodvojiv štap/ *detachable tube*brzina/ *speed*: 3000-13000 okr/min/rpm1 - 4 litre/ *liters*

230V/50/1;250W

neto težina / *net weight*: 1,4 kg

dim. Ø 70 x 385h mm

BLENDER ŠTAPNI ZA IZRADU SLADOLEDA
ICE-CREAM POWER MIXERArt. JUNIOR DMX
225 BLENDER
Ref. MX110homogenizator, idealan za izradu sladoleda, umaka, juha
*homogenizer, perfect for design to make ice cream, sauces, soups*lagan, brz, učinkovit i snažan
*lightweight, quick, efficient and powerful*dužina štap / *tube length* 225 mmodvojiv štap/ *detachable tube*brzina/ *speed*: 3000-12000 okr/min/rpm1 - 25 litre/ *liters*

230V/50/1;270W

neto težina / *net weight*: 1,9 kg

dim. Ø 94 x 505h mm

APARATI ZA SLADOLED / **ICE CREAM MAKERS**poluprofesionalni aparat za proizvodnju sladoleda i sorbeta / *semi-professional ice-cream & sorbeto makers*

Model	Gelato CHEF 3 L Automatic
inox kućište, zračno hlađenje, posuda se vadi, s plastičnim lopaticama; <i>stainless steel case, air cooling, removable bowl, plastic mixing paddles</i>	
vrijeme ciklusa / <i>cycle time (min)</i>	25 - 30
proizvodi u ciklusu / <i>prod. per cycle (kg)</i>	0,85
proizvodi u ciklusu / <i>prod. per cycle (l)</i>	1,5
proizvodi u satu / <i>prod. per hour (kg)</i>	1,7
proizvodi u satu / <i>prod. per hour (l)</i>	3
kapacitet posude / <i>bowl capacity (l)</i>	2
broj okretaja/min / <i>rpm</i>	30
160W/220-240V/50Hz/1	
neto težina / <i>net weight (kg)</i>	15,6
dim.	400 x 345 x 310 mm

**DODATAK / ACCESSORIES:**

Dodatna inox posuda 2 litre
s lopaticama, mjernim oznakama i
ručkama

*Additional 2,0 l removable stainless
steel bowl with paddle, measure and
handle*



Model	Gelato CHEF 5 L Automatic
inox kućište, zračno hlađenje, posuda se vadi, s plastičnim lopaticama; <i>stainless steel case, air cooling, removable bowl, plastic mixing paddles</i>	
vrijeme ciklusa / <i>cycle time (min)</i>	20 - 25
proizvodi u ciklusu / <i>prod. per cycle (kg)</i>	1,00
proizvodi u ciklusu / <i>prod. per cycle (l)</i>	1,5
proizvodi u satu / <i>prod. per hour (kg)</i>	3
proizvodi u satu / <i>prod. per hour (l)</i>	4,5
kapacitet posude / <i>bowl capacity (l)</i>	2,5
broj okretaja/min / <i>rpm</i>	65
250W/220-240V/50Hz/1	
neto težina / <i>net weight (kg)</i>	22
dim.	450 x 345 x 340 mm

**DODATAK / ACCESSORIES:**

Dodatna inox posuda 2,5 litre
sa silikonskom ručkom

*Additional 2,5 l removable stainless
steel bowl with silicon handle*

APARATI ZA SLADOLED / ICE CREAM MAKERSpoluprofesionalni aparat za proizvodnju sladoleda i sorbeta / *semi-professional ice-cream & sorbeto makers*

Model	Gelato 4K TOUCH
inox kućište, zračno hlađenje, potpuno automatska obrada i čuvanje, posuda se vadi, s inox lopaticama <i>stainless steel case, air cooling, fully automatic processing and storage, removable bowl, stainless steel mixing paddles</i>	
vrijeme ciklusa / <i>cycle time (min)</i>	12 do 15
proizvodi u ciklusu / <i>prod. per cycle (kg)</i>	1
proizvodi u ciklusu / <i>prod. per cycle (l)</i>	1,40
proizvodi u satu / <i>prod. per hour (kg)</i>	4
proizvodi u satu / <i>prod. per hour (l)</i>	5,60
kapacitet posude / <i>bowl capacity (l)</i>	2,50
broj okretaja/min / <i>rpm</i>	65
320W/220-240V/50Hz/1	
neto težina / <i>net weight (kg)</i>	26,2
dim.	415 x 430 x 350 mm

**DODATAK / ACCESSORIES:**

Dodatna inox posuda 2,5 litre, inox osovina, plastične ručke

Additional 2,5 l removable stainless steel bowl. Stainless steel central shaft. Plastic handle

Model	Gelato 5K SC CREA
inox kućište, zračno hlađenje, ručni način i potpuno automatska obrada i čuvanje, 4+4 programa, drenaža, s inox lopaticama <i>stainless steel case, air cooling, manual mode fully automatic processing and storage, 4+4 programs, gravity drain, stainless steel mixing paddles</i>	
vrijeme ciklusa / <i>cycle time (min)</i>	12 do 15
proizvodi u ciklusu / <i>prod. per cycle (kg)</i>	1,25
proizvodi u ciklusu / <i>prod. per cycle (l)</i>	1,75
proizvodi u satu / <i>prod. per hour (kg)</i>	5
proizvodi u satu / <i>prod. per hour (l)</i>	7
kapacitet posude / <i>bowl capacity (l)</i>	3,20
broj okretaja/min / <i>rpm</i>	65
500W/220-240V/50Hz/1	
neto težina / <i>net weight (kg)</i>	35,3
dim.	465 x 480 x 395 mm

**DODATAK / ACCESSORIES:**

Set od 1 inox držača s magnetima,

1 posude, 1 lopatice, 1 inox cjedila

*1 steel support with magnets, 1 bowl,**1 spatula, 1 spatula steel drainer*

APARATI ZA SLADOLED / ICE CREAM MAKERS

poluprofesionalni aparat za proizvodnju sladoleda i sorbeta / semi-professional ice-cream & sorbeto makers



Model	Gelato 12K ST
Opremljen s podesivim termostatom. Održava sladoled na temperaturi sve do trenutka vađenja. Stroj za intenzivnu upotrebu s prednjim pražnjenjem. Visoke performance. Zračno hlađenje, elektronsko upravljanje, inox kućište i inox lopatice. <i>Equipped with adjustable temperature thermostat. It holds gelato at the set temperature waiting to be extracted. Heavy duty machine with frontal extraction. High performance.</i> <i>Air cooling. Electronic Speed Control. S/s case and mixing paddle.</i>	
vrijeme ciklusa / cycle time (min)	10 - 15
proizvodi u ciklusu / prod. per cycle (kg)	3
proizvodi u ciklusu / prod. per cycle (l)	4
proizvodi u satu / prod. per hour (kg)	12
proizvodi u satu / prod. per hour (l)	16
kapacitet posude / bowl capacity (l)	6
broj okretaja/min / rpm	60 do 120
1300W/220-240V/50Hz/1	
neto težina / net weight (kg)	77
dim.	660 x 435 x 1050 mm



DODATAK / ACCESSORIES:

Set od 1 inox držača s magnetima,
1 posude, 1 lopatice, 1 inox cjedila
*1 steel support with magnets, 1 bowl,
1 spatula, 1 spatula steel drainer*

PRENOSIVA VITRINA ZA SLADOLED / PORTABLE GELATO SHOWCASE



Model	4 MAGIC PRO 100
Ventilirano hlađenje, čuva do 13 litara sladoleda (3 posude x 3,4 litre + 1 posuda x 2,5 litre). Kućište inox. Isporučuje se sa 4 posude od 2,5 litre. <i>Ventilated cooling system, stores up to 13 l of gelato (3x3,4 l + 1x2,5 l tub). Stainless steel case.</i> <i>Included 4x2,5 l gelato tubs.</i>	
kapacitet posude / bowl capacity (l)	10 do 13
radna temperatura / operating temp. (°C)	-10°/-16°
200W/220-240V/50Hz/1	
neto težina / net weight (kg)	35,6
dim.	1000 x 450 x 380 mm



PIZZA

Peći za pizzu
 Preša za pizzu
 Lopate za pizzu
 Pribor za pizzu
 Četke za peći za pizzu
 Tave za pizzu
 Tanjuri za pizzu
 Pizza pultovi
 Hladene vitrine za pizza pultove

*Pizza Ovens
 Pizza Shaping Machine
 Pizza Shovel
 Pizza Equipment
 Pizza Oven Brushes
 Pizza Pans
 Pizza Platters
 Pizza Tables
 Pizza Displays*

Inovativni ili tradicionalni proizvodi za svakodnevnu upotrebu u pripremi, pečenju i serviranju te prijevozu pizze. Male i velike stvari koje svaki pizza majstor mora imati.

Innovative or traditional products intended for everyday use when preparing, cooking, serving, and/or transporting pizzas. Small or large products that every pizza master has to have at his disposal.

	Art.	Model	Opis / Description
	PEĆ ZA PIZZU ELEKTRIČNA JEDNOETAŽNA <i>Pizza oven, single chamber</i>	CUPPONE TZ430/1M	4 pizze Ø 30 cm, 4,6kW/400V/50Hz dim. pećnice / <i>oven</i> : 620 x 620 x 144h mm neto težina / <i>net weight</i> : 75 kg dim. 902 x 764 x 385h mm
	NAPA (BEZ MOTORA) <i>Hood (without extractor)</i>	KTZ430NT	neto težina / <i>net weigh</i> : 17,5 kg dim. 905 x 915 x 170 mm
	PEĆ ZA PIZZU ELEKTRIČNA JEDNOETAŽNA <i>Pizza oven, single chamber</i>	CUPPONE TZ435/1M	4 pizze Ø 35 cm, 5,2kW/400V/50Hz dim. pećnice / <i>oven</i> : 720 x 720 x 144h mm neto težina / <i>net weight</i> : 95 kg dim. 1002 x 864 x 385h mm
	NAPA (BEZ MOTORA) <i>Hood (without extractor)</i>	KTZ435NT	neto težina / <i>net weigh</i> : 18,5 kg dim. 1005 x 1015 x 170 mm
	PEĆ ZA PIZZU ELEKTRIČNA JEDNOETAŽNA <i>Pizza oven, single chamber</i>	CUPPONE Donatello CD DN435/1CD	4 pizze Ø 35 cm, digitalno upravljanje / <i>digital control</i> mogućnost podešavanja različitih temperatura gornjih i donjih grijača / <i>independent modulation of oven top and bed plate power</i> 5,1kW/400V/50Hz dim. pećnice / <i>oven</i> : 720 x 720 x 140h mm neto težina / <i>net weight</i> : 106 kg dim. 1155 x 1060 x 430 mm
	NAPA (BEZ MOTORA) <i>Hood (without extractor)</i>	KDN435NT	neto težina / <i>net weigh</i> : 57 kg dim. 1146 x 1110 x 410 mm

	Art.	Model	Opis / Description
	PEĆ ZA PIZZU ELEKTRIČNA DVOETAŽNA <i>Pizza oven, double chamber</i>	CUPPONE TZ430/2M	4 + 4 pizze Ø 30 cm, 9,2kW/400V/50Hz dim. pećnice / <i>oven</i> : 620 x 620 x 144h mm neto težina / <i>net weight</i> : 126 kg dim. 902 x 764 x 700h mm
	PEĆ ZA PIZZU ELEKTRIČNA DVOETAŽNA <i>Pizza oven, double chamber</i>	CUPPONE TZ435/2M	4 + 4 pizze Ø 35 cm, 10,4kW/400V/50Hz dim. pećnice / <i>oven</i> : 720 x 720 x 144h mm neto težina / <i>net weight</i> : 158kg dim. 1002 x 864 x 700h mm
	PEĆ ZA PIZZU ELEKTRIČNA DVOETAŽNA <i>Pizza oven, double chamber</i>	CUPPONE Donatello CD DN435/2CD	4 + 4 pizze Ø35 cm, Digitalna, mogućnost podešavanja različite temp. gornjih i donjih grijača / <i>Digital control of temp. and independent modulation of oven top and bed plate power</i> 10,2kW/400V/50Hz dim. pećnice / <i>oven</i> : 720 x 720 x 150h mm neto težina / <i>net weight</i> : 171kg dim. 1155 x 1000 x 784 mm
	PEĆ ZA PIZZU PLINSKA <i>Gas pizza oven</i>	CUPPONE Giorgione GR435/1	4 pizze Ø35 cm, 15 kW dim. pećnice / <i>oven</i> : 720 x 720 x 150 mm neto / bruto težina / <i>net / gross weight</i> : 176 kg / 204 kg dim. 1230 X 1120 X 760 mm
	PEĆ ZA PIZZU PLINSKA <i>Gas pizza oven</i>	CUPPONE Giorgione GR635/1	6 pizza Ø 35 cm, 18,5 kW dim. pećnice / <i>oven</i> : 720 x 1080 x 150 mm neto / bruto težina / <i>net / gross weight</i> : 219 kg / 254 kg dim. 1230 x 1480 x 760 mm
	PEĆ ZA PIZZU PLINSKA <i>Gas pizza oven</i>	CUPPONE Giorgione GR635L/1	6 pizza Ø 35 cm, 18,5 kW dim. pećnice / <i>oven</i> : 1080 x 720 x 150 mm neto / bruto težina / <i>net / gross weight</i> : 210 kg / 241 kg dim. 1590 x 1120 x 760 mm
	PEĆ ZA PIZZU PLINSKA <i>Gas pizza oven</i>	CUPPONE Giorgione GR935/1	9 pizza Ø 35 cm, 24,5 kW dim. pećnice / <i>oven</i> : 1080 x 1080 x 150 mm neto / bruto težina / <i>net / gross weight</i> : 271 kg / 311 kg dim. 1590 x 1480 x 760 mm

Art.	Model	Opis / Description
 POSTOLJA ZA PEĆI ZA PIZZU, inox <i>Base for pizza ovens, stainless steel</i>	Tiziano PTSTZ 430/1 PTSTZ 430/2 PTSTZ 435/1 PTSTZ 435/2	900 x 740 x 1170 mm 901 x 740 x 970 mm 1000 x 840 x 1170 mm 1001 x 840 x 970 mm
 POSTOLJA ZA PEĆI ZA PIZZU, inox <i>Base for pizza ovens, stainless steel</i>	Donatello PTSDN 435/2	1140 x 960 x 900 mm
 POSTOLJA ZA PEĆI ZA PIZZU, inox <i>Base for pizza ovens, stainless steel</i>	Gas PTSGS 433/1 PTSGS 633/1	1060 x 800 x 1000 mm 1061 x 1130 x 1000 mm

Art.	Model	Opis / Description
	CUPPONE	6 pizza Ø 350 mm
	GIOTTO	14,6kW/400V/50Hz
<i>Single chamber electric oven with rotating bed plate</i>	GT110/1TS	dim. pećnice / oven: Ø 1100 mm neto težina / net weight: 460kg dim. 1366 x 1438 x 1696 mm
NAPA BEZ MOTORA ZA PEĆ ZA PIZZU <i>Hood without extractor for pizza oven</i>	KGTNT	GIOTTO GT110/1TS dim. 1205 x 1452 x 408 mm

PEĆ ZA PIZZU MODULARNA, TUNELSKA, VENTILIRAJUĆA - ZANOLLI za pizzu, kruh, kolače i delicatessen
Modular ventilated tunnel ovens for pizza, bread, pastry and delicatessen



SYNTHESIS

digitalno upravljanje, pokretna mrežasta traka, podešavanje temperature i vremena pečenja, istovremeno pečenje raznih proizvoda, zagrijavanje pećnice 20 minuta, visina pećnice: 10 cm, vrijeme pečenja pizze: 2,5 - 4,5 min

digital control, conveyor belt (mesh), adjustable temperature and baking time can bake different products at the same time, up to working temperature in 20 minutes height oven: 10 cm, baking time: 2,5 - 4,5 min

ELEKTRIČNA PEĆ / Electric oven: Model: SYNTHESIS 11/65 VE

temperatura max. +320°C (340°C), 18kW/400V/50Hz
 neto težina / net weight: 222 kg, dim. unutrašnje / inside: 65 x 110 x 10 cm
 dim. vanjske / outside: 140 x 200 x 55 cm, postolje / base: 126 x 105 x 59 cm

PLINSKA PEĆ / Gas oven, Model: SYNTHESIS 11/65 V GAS

temperatura max. 320°C (340°C), 24kW
 neto težina / net weight: 252 kg, dim. unutrašnje / inside: 65 x 110 x 10 cm
 dim. vanjske / outside: 156 x 200 x 55 cm, postolje / base: 141 x 105 x 59 cm

	Art.	Model	Opis / Description
	LOPATA ZA PIZZU, inox 30 cm <i>Stainless steel peel for pizza 30 cm</i>	340/1	inox, ručka drvena <i>stainless steel, wooden grip</i> lopata / shovel: 30cm l = 135 cm
	LOPATA ZA PIZZU, aluminij <i>Aluminium peel for pizza</i> ručka polipropilen / <i>polypropylene grip</i>	Mastropizza 97/31/130 Mastropizza 97/33/130 Mastropizza 97/36/130 Mastropizza 97/40/130	lopata / shovel 31 cm, l=135 cm lopata / shovel 33 cm, l=135 cm lopata / shovel 36cm, l=135 cm lopata / shovel 40 cm, l = 135 cm
	LOPATA ZA PIZZU ORCHIDEA, <i>Peel for pizza, Orchidea</i> aluminij, drška inox, ručka drvena <i>aluminium, handle stainless steel, wooden grip</i>	Orchidea 1022/33 Orchidea 1022/36 Orchidea 1022/40 Orchidea 1022/45 Orchidea 1022/50 Orchidea 1022/55 Orchidea 1022/60	lopata / shovel 33 cm, l = 170 cm lopata / shovel 36 cm, l = 170 cm lopata / shovel 40 cm, l = 170 cm lopata / shovel 45 cm, l = 170 cm lopata / shovel 50 cm, l = 170 cm lopata / shovel 55 cm, l = 170 cm lopata / shovel 60 cm, l = 170 cm
	LOPATA ZA PIZZU MARGHERITA, <i>Pizza shovel, Margherita</i> aluminij, boje šampanjca s polipropilenskom ručkom <i>aluminium, champagne colors with polypropylene handle</i>	Margherita 94/36	lopata / shovel 36 cm, l = 170 cm
	LOPATA 36 cm ZA PIZZU DRVENA višeslojna <i>Multilayer wooden peel for pizza 36 cm</i>	201/36	lopata / shovel 36, l = 170 cm
	LOPATA 45 CM ZA PIZZU DRVENA višeslojna OKRUGLA <i>Multilayer wooden round peel 45 cm</i>	206/45	lopata / shovel 45 cm, l = 170 cm
	LOPATA ZA OKRETANJE PIZZE, INOX <i>Peel to bake and take out of the oven, s/s</i>	90/18 90/20 90/26	Ø 18 cm, l = 170 cm ručka drvena / <i>wooden grip</i> Ø 20 cm, l = 170 cm ručka drvena / <i>wooden grip</i> Ø 26 cm, l = 170 cm ručka drvena / <i>wooden grip</i>
	LOPATA ZA OKRETANJE PIZZE, INOX <i>Peel to bake and take out of the oven, stainless steel</i>	88/20	perforacija oblika srce / <i>Cuore perforated</i> Ø 20 cm, l = 170 cm ručka drvena / <i>wooden grip</i>



LOPATA ZA PIZZU, kratka drška, inox
Pizza tray with raised handle, s/s

Model	Opis / Description
174/33	Ø 33 cm
174/40	Ø 40 cm

ručka polipropilen / polypropilen grip



LOPATA ZA PIZZU, kratka drška, inox
Pizza tray with raised handle, s/s

Model	Opis / Description
178/6	Ø 45 cm / za 6 porcija / for 6 portions
180/6	Ø 50 cm / za 6 porcija / for 6 portions
180/8	Ø 50 cm / za 8 porcija / for 8 portions

ručka polipropilen / polypropilen grip



LOPATA DRVENA ZA "PIZZU NA METAR" Roma
Wooden board for "One meter pizza" Roma

Model	Opis / Description
209/22	22 x 80 cm
209/33	33 x 80 cm
209/36	36 x 80 cm
209/40	40 x 80 cm
210/33	33 x 100 cm
210/36	36 x 100 cm
210/40	40 x 100 cm



DRŽAČ ZIDNI LOPATA ZA PIZZU, inox
Wall rack for utensils, stainless steel

Model	Opis / Description
016/3	3 lopate / 3 places dim. 30 x 5 cm



STALAK ZA LOPATE ZA PIZZU, inox
Vertical rack, stainless steel

Model	Opis / Description
5	5 lopata / 5 places h= 180 cm postolje mramor, nosači inox marble support / stainless steel rack



Lopatica za tijesto, inox
Spatula for pizza, stainless steel

Model	Opis / Description
162/10	10 cm
162/12	12 cm

drška polipropilen / polypropilen handle



Lopatica za pizzu, inox
Spatula for pizza, stainless steel

Model	Opis / Description
151	9 x 12 cm

drška polipropilen / polypropilen handle



Lopatica za pizzu, inox
Spatula for pizza, stainless steel

Model	Opis / Description
151/1	10 x 15 cm

drška polipropilen / polypropilen handle



Lopatica savinuta za tijesto, inox
Bent spatula for pizza dough, stainless steel

Model	Opis / Description
163/12	12 cm

drška polipropilen / polypropilen handle



Lopatica trokut za posluživanje pizze, inox 18/10
Triangular spatula for pizza, stainless steel 18/10

Model	Opis / Description
151/4	9 x 12 cm

drška polipropilen / *polypropilen handle*



Lopatica za posluživanje pizze, inox
Triangular spatula for pizza, stainless steel

Model	Opis / Description
154/3	15 x 25 cm

drška polipropilen / *polypropilen handle*



Rezači za pizzu profesionalni, inox
Pizza cutter, stainless steel

Model	Opis / Description
149	ovalni / <i>oval</i> ručka polipropilen / <i>polypropilen handle</i>



Rezači za pizzu profesionalni, inox
Pizza-cutting wheel, professional, s/s

Model	Opis / Description
934/067	Ø 6,7 x 19 cm

ravni kotačić / *flat wheel*



Rezači za pizzu profesionalni, inox
Pizza-cutting wheel, professional, s/s

Model	Opis / Description
150/1	Ø 9 cm ručka polipropilen / <i>polypropilen handle</i>
150/2	Ø 9 cm, ne prijanjajući / <i>anti-stick</i> ručka polipropilen / <i>polypropilen handle</i>



Rezači za pizzu profesionalni, ABS/polikarbonat
Pizza-cutting wheel, professional, ABS/Polycarbonate

Model	Opis / Description
13272270	Ø 10 cm, PVC



Rezači za pizzu profesionalni, inox
Pizza-cutting wheel, professional, s/s

Model	Opis / Description
68535	Ø 10 cm, ručka polipropilen / <i>polypropilen handle</i>

ravni kotačić / *flat wheel*



Četka zakretna za peč za pizzu na drva
Rotating brush for wood pizza oven

Model	Opis / Description
105	l = 175 cm mesingana vlakna / <i>brass brush</i> zakretna četka / <i>rotating brass brush</i>



Četke za peč za pizzu na drva
Brush for wood pizza oven

Model	Opis / Description
340/3	l = 135 cm mesingana vlakna / <i>brass brush</i> ručka inox, drška drvena <i>stainless steel handel and wooden grip</i>



Rezervna četka, za peč za pizzu na drva
Spare brush, for wood pizza oven

Model	Opis / Description
102	Rezervna četka za art. 105 mesingana vlakna <i>Spare part for brass brush art. 105</i> dim. 17 x 5,5 cm



Rezervna četka polumjesec, za peč za pizzu na drva
Spare brush half-moon, for wooden pizza oven

Model	Opis / Description
106/1	Rezervna četka, polumjesec, mesingana vlakna <i>Spare part for half-moon-shaped brass brush</i>



Četka zakretna za električnu peč za pizzu, inox, drška drvena
Rotating brush in natural fibre

Model	Opis / Description
115	l = 175 cm prirodna vlakna / <i>natural fibre</i> zakretna četka / <i>rotating brush</i> dim. četke: 22 x 7 cm



Četka za električnu peć za pizzu, inox, drška drvena
Brush in natural fibre

Model	Opis / Description
340/7	l = 135 cm prirodna vlakna / <i>natural fibre</i>



Rezervna četka za električnu peć za pizzu
Spare brush, for electric pizza oven

Model	Opis / Description
112	Rezervna četka za art. 115 prirodna vlakna <i>Spare part for brush in natural fibre for art. 115</i> dim. 22 x 7 cm



Drška drvena lopate za pizzu
Wooden handle for pizza peel

Model	Opis / Description
art. 25	l = 18 cm



DRŽAČ DRVA ZA POTPALU VATRE
Firedog

Model	Opis / Description
126	ljevano željezo / <i>cast iron</i> l = 40 cm



LOPATA ZA ŽAR
Peel for embers

Model	Opis / Description
340/5	l = 135 cm inox, drška drvena <i>stainless steel, wooden grip</i>



Tave za pizzu, crni lim
Pizza pan, blue steel

Model	Opis / Description
COFE43B18	dim. Ø180 x 25h mm
COFE43B22	dim. Ø220 x 25h mm
COFE43B26	dim. Ø260 x 25h mm
COFE43B28	dim. Ø280 x 25h mm
COFE43B30	dim. Ø300 x 25h mm
COFE43B32	dim. Ø320 x 25h mm
COFE43B36	dim. Ø360 x 25h mm
1740/320	dim. Ø320 x 25h mm
1740/400	dim. Ø400 x 25h mm
1740/450	dim. Ø450 x 25h mm
1740/500	dim. Ø500 x 25h mm



Tave za pizzu, aluminij
Pizza pan, aluminium

Model	Opis / Description
FAMA43/330	dim. Ø300 x 30h mm
FAMA43/332	dim. Ø320 x 30h mm
COAL143P50	dim. Ø500 x 45h mm



Hvataljka za tave
Pan gripper

Model	Opis / Description
5700/190	l = 19 cm inox, s oprugom, za intenzivnu upotrebu <i>stainless steel, with spring, heavy gauge</i>



Tanjur za pizzu, porculan
Pizza plate, porcelain

Model	Opis / Description
Bijeli / <i>White</i>	Ø 31 cm
Bijeli / <i>White</i>	Ø 33 cm
DECOR	Ø 31 cm



Tanjur za pizzu 31 cm s uzorkom
Pizza plate 31 cm with decor

Model	Opis / Description
SATURNIA DECOR	DECOR Ø31 cm



Tanjur za pizzu, drveni
Wooden chopping-board

Model	Opis / Description
436/45	Ø 45 cm
436/50	Ø 50 cm



Tanjur za pizzu, drveni
Wooden chopping-board

Model	Opis / Description
434/45	Ø 45 cm

dvije ručke/ *with handle*



Tanjur mrežasti za pizzu
Pizza screen

Model	Opis / Description
618/2	dim. Ø 50 x 3 cm

na alu nožicama, inox / *with aluminium feet*



Tanjur za pizzu na nožicama, aluminij
Aluminium pizza tray with feet

Model	Opis / Description	na PP nožicama, inox <i>with PP feet</i>
462/45	dim. Ø 45 x 4 cm	tanjur s rubom <i>tray with rim</i>



Art.

Plastične kadice / *Service cases*

Opis / Description

Kruta plastika (2 HDPE), perive u perilici suda, složive jedna na drugu, bijela boja
plastic (2 HDPE), dishwasher proof, stackable, white colour

1885/HD12
1885/HD1
1885/HD28
1885/HD5
1885/HD6

12 litara, dim. 600 x 400 x 70h mm
20 litara, dim. 600 x 400 x 100h mm
28 litara, dim. 600 x 400 x 130h mm
45 litara, dim. 600 x 400 x 190h mm
50 litara, dim. 600 x 400 x 240h mm



Plastične kadice / *Service cases*

Kruta plastika (2 HDPE), perive u perilici suda, složive jedna na drugu, bijela boja
plastic (2 HDPE), dishwasher proof, stackable, white colour

1880/HD
1880/HD1

12 litara, rupičasta / perforated, dim. 600 x 400 x 70h mm
20 litara, rupičasta / perforated, dim. 600 x 400 x 100h mm



Kolica za plastične kadice /
Box-service trolley
1870/ABS

kruta plastika (7), siva boja
plastic (7), grey colour

nosivost / load limit: 250 kg, dim. 600 x 400 x 160 mm

MIJEŠALICE ZA TIJESTO SPIRALNE S FIKSNOM GLAVOM I POSUDOM / *Pastry spiral mixers*

Posuda, spirala i osovina napravljene su od vrlo čvrstog nehrđajućeg čelika. Zaštitna rešetka od nehrđajućeg čelika. Lanačni motorni prijenos. Mehanički tajmer za modele od 12 do 50 kg, sigurnosni prekidač, kotači.

The steel-bowl, the spiral and the shaft are made in strong high stainless steel. The protection gridded cover is made in stainless steel. For the chain drive system has been used a geared motor. Mechanical timer for 12 to 50 kg, safety microswitch, wheels.

Art.	Model	Opis / Description
	12SB	16 l posuda / <i>bowl</i> 12 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 320 x 210h mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 56 kg dim. 632x320x750/932h mm
	18SB	22 l posuda / <i>bowl</i> 18 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 360 x 210h mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 57 kg dim. 653x380x750/951h mm
	25SB	32 l posuda / <i>bowl</i> 25 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 400 x 260h mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 96 kg dim. 762x420x864/1123h mm
	38SB	42 l posuda / <i>bowl</i> 38 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 450 x 260h mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 97 kg dim. 800x474x866/1148h mm
	50SB	62 l posuda / <i>bowl</i> 50 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 500 x 310h mm 3,5/2,5/400V/50Hz neto težina / <i>net weight</i> : 185 kg dim. 927x520x1074/1393h mm

MODELI DOSTUPNI OD VELJAČE 2024.


MIJEŠALICE ZA TIJESTO SPIRALNE S PODIZNOM GLAVOM I UKLONJIVOM POSUDOM / *Pastry spiral mixers with liftable head and removable bowl*
 Posuda, spirala i osovina napravljene su od vrlo čvrstog nehrđajućeg čelika. Zaštitna rešetka od nehrđajućeg čelika. Lanačni motorni prijenos.
 Mehanički tajmer za modele od 12 do 50 kg, sigurnosni prekidač, kotači.


*The steel-bowl, the spiral and the shaft are made in strong high stainless steel. The protection grided cover is made in stainless steel.
 For the chain drive system has been used a geared motor. Mechanical timer for 12 to 50 kg, safety microswitch, wheels.*


Art	Model	Opis / Description
	12SR	16 l posuda / <i>bowl</i> 12 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 320 x 210 mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 56 kg dim. 632x320x750/932h mm
	18SR	22 l posuda / <i>bowl</i> 18 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 360 x 210 mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 57 kg dim. 653x380x750/951h mm
	25SR	32 l posuda / <i>bowl</i> 25 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 400 x 260 mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 96 kg dim. 762x420x864/1123h mm
	38SR	42 l posuda / <i>bowl</i> 38 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 452 x 260 mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 97 kg dim. 800x474x866/1148h mm
	50SR	62 l posuda / <i>bowl</i> 50 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 500 x 310 mm 3,5/2,5/400V/50Hz neto težina / <i>net weight</i> : 185 kg dim. 927x520x1074/1393h mm

MODELI DOSTUPNI OD VELJAČE 2024.

Art	Model	Opis / Description
	CUPPONE PZF/35DS	Ø 35 cm 4,2kW/230V - 400*V/50Hz neto težina / <i>net weight</i> : 147 kg dim. 500 x 610 x 770h mm
	PREŠA ZA PIZZU <i>Pizza forming machine</i>	Ø 45 cm 6,6kW/230V - 400*V/50Hz neto težina / <i>net weight</i> : 191 kg dim. 560 x 710 x 860h mm

Art.	Opis / Description
	2 vrata / 2 doors
	za 6 kašeta 600x400 mm po vratima / 6 trays 600x400 mm on the door hlađenje ventilirano / <i>ventilated refrigeration</i> Temperatura / <i>Temperature</i> +2°/+8°C ; gornja ploha granit / <i>the upper surface of the granite</i> sa 1 parom vodicica i 1 rešetkom po vratima, <i>with one pair of runners for grilles and one grill</i> neto težina / <i>net weight</i> : 232 kg dim. 1510 x 820 x 850/1000 mm

	2 vrata / 2 doors
	za 6 kašeta 600x400 mm po vratima / 6 trays 600x400 mm on the door kapacitet / <i>capacity</i> : 2xGN1/2 h=100 + 1xGN1/4 100h + 3xGN1/4 h=65 hlađenje ventilirano / <i>ventilated refrigeration</i> Temperatura / <i>Temperature</i> +2°/+8°C ; gornja ploha granit / <i>the upper surface of the granite</i> sa 1 parom vodicica i 1 rešetkom po vratima, <i>with one pair of runners for grilles and one grill</i> neto težina / <i>net weight</i> : 240 kg dim. 1510 x 820 x 850/1110 mm (cijena bez GN / <i>price without GN</i>)


	2 vrata / 2 doors
	za 6 kašeta 600x400 mm po vratima / 6 trays 600x400 mm on the door kapacitet / <i>capacity</i> : 2xGN1/2 h100 + 1xGN1/4 100h + 3xGN1/4 h=65 hlađenje ventilirano / <i>ventilated refrigeration</i> Temperatura / <i>Temperature</i> +2°/+8°C ; gornja i poslužna ploha kamen / <i>the upper and service surface of the granite</i> sa 1 parom vodicica i 1 rešetkom po vratima, <i>with one pair of runners for grilles and one grill</i> neto težina / <i>net weight</i> : 245 kg dim. 1510 x 820 x 850/1150 mm (cijena bez GN / <i>price without GN</i>)

Art.	Opis / Description
 HPP2VF+HV38 Pizza pult rashladni <i>Refrigerated counter for pizzeria</i>	2 vrata / 2 doors za 6 kašeta 600x400 mm po vratima / 6 trays 600x400 mm on the door hlađenje ventilirano / ventilated refrigeration Temperatura / Temperature +2°/+8°C ; gornja i poslužna ploha kamen / the upper and service surface of the granite sa 1 parom vodilica i 1 rešetkom po vratima, with one pair of runners for grilles and one grill Hladena vitrina / Refrigerated display R115038V kapacitet / capacity: 5xGN1/3 + 1xGN1/2 (cijena bez GN / price without GN) neto težina / net weight: 258 kg dim. 1510 x 820 x 850/1400 mm



G-PZ3600TN
Pizza pult rashladni
Refrigerated counter for pizzeria

3 vrata / 3 doors
za 7 kašeta 600x400 mm po vratima / 7 trays 600x400 mm on the door
hlađenje ventilirano / ventilated refrigeration
temperatura / temperature +2°/+8°C ;
gornja ploha kamen / the upper surface of the granite
sa 1 parom vodilica i 1 rešetkom po vratima / with one pair of runners for grilles and one grill
dim. 2020 x 800 x 1000 mm

Art.		Opis / Description	
L=1200		Hladena vitrina za pizza pult G-RI 12038V	Temperatura +2°/+8°C vitrina hladena bez gastro posuda, kapacitet 3xGN1/3 + 1xGN1/2 maksimalna dubina GN = 150 mm, 110W/230V; neto težina / weight 45 kg (Gastro posude nisu u cijeni.) dim. 1200 x 380 x 435 mm
L=1400		Hladena vitrina za pizza pult G-RI 14038V	Temperatura +2°/+8°C vitrina hladena bez gastro posuda, kapacitet 4xGN1/3 + 1xGN1/2 maksimalna dubina GN = 150 mm, 340W/230V; 110W/230V; neto težina / weight 52 kg (Gastro posude nisu u cijeni.) dim. 1400 x 380 x 435 mm
L=1500		Hladena vitrina za pizza pult G-RI 15038V	Temperatura +2°/+8°C vitrina hladena bez gastro posuda, kapacitet 5xGN1/3 + 1xGN1/2 maksimalna dubina GN = 150 mm, 340W/230V; 110W/230V; neto težina / weight 55 kg (Gastro posude nisu u cijeni.) dim. 1500 x 380 x 435 mm
L=1800		Hladena vitrina za pizza pult G-RI 18038V	Temperatura +2°/+8°C vitrina hladena bez gastro posuda, kapacitet 8xGN1/3 maksimalna dubina GN = 150 mm, 340W/230V; 122W/230V; neto težina / weight 57 kg (Gastro posude nisu u cijeni.) dim. 1800 x 380 x 435 mm
L=2000		Hladena vitrina za pizza pult G-RI 20038V	Temperatura +2°/+8°C, 664,00 vitrina hladena bez gastro posuda, kapacitet 9xGN1/3 maksimalna dubina GN = 150 mm, 340W/230V; 122W/230V; neto težina / weight 63 kg (Gastro posude nisu u cijeni.) dim. 2000 x 380 x 435 mm





RUKAVICE GLOVES

Rukavice za pećnice

Oven gloves

Rukavice za pećnice služe za rad s vrućim predmetima do +300°C. Proizvedene su posebnim postupkom od pamuka, kože i silikona otpornih na visoke temperature, što osigurava veću izdržljivost od uobičajenog.

Svi modeli rukavica napravljeni su u skladu s važećim standardima o zaštiti za slučaj nezgode.

Oven gloves are designed for the manipulation with hot objects up to + 300 ° C and is produced using a special heat resistant cotton, leather and silicone which ensures a resistance and a durability higher than the norm.

All the glove models comply with valid standards on accident prevention and are tested and certified as personal protective equipment.



Rukavice pamučne, pamuk, ojačanje na dlanu i palcu
Cotton gloves, reinforced palm and thumb

Art.	dim. cm
44301	26 x 14,5

termootporna do +220°C, periva u perilici +40°C
heat resistant up to +220°C, washable up to +40°C



Rukavice pekarske, s manšetom, pamuk
Baker mitts, thick cotton with canvas sleeve

Art.	dim. cm
6543/300	30 x 15

termootporna do +240°C, periva u perilici do +60°C
heat resistant up to +240°C, washable up to +60°C



Rukavice pekarske, manšeta, pamuk
Baker mitts, thick cotton with canvas sleeve

Art.	dim. cm
6544/400	44,5 x 15

termootporna do +240°C, periva u perilici do +60°C
heat resistant up to +240°C, washable up to +60°C



Rukavice, dva prsta, do +300°C, koža
Oven mitts, 2-fingers wrist, up to +300°C, material: leather, cotton

Art.	duž./l. cm
902/15	36
902/25	45

Art.	duž./l. cm
902/15	36
902/25	45

s pojačanjem na palcu
with reinforcement on thumb

Art.	duž./l. cm
902/15	36
902/25	45

s pojačanjem na dlanu
with reinforcement on palm



Rukavice, s manžetom, do +300°C, koža
Baker mitts, mitt wrist, up to +300°C, material: leather, cotton

Art.	duž./l. cm
904/15	36
904/25	45

Art.	duž./l. cm
904/15	36
904/25	45

s pojačanjem na dlanu
with reinforcement on palm



Rukavice, do +300°C, koža
Oven mitts, up to +300°C, material: leather, cotton

Art.	duž./l. cm
906/15	36



Rukavica pamučna srebrna, neprijanjajuća
Oven mitt, with non-stick coating

Art.	duž./l. cm
48510	27,5

termootporna do +150°C, dužina 27,5 cm
heat resistant up to +150°C, lenght 27,5 cm



Rukavica silikonska, do +300°C, silikon
Silicone oven mitt, up to +300°C, material: silicon

Art.	dim. cm
N3087R	29x13
N3087RL	44x13



Rukavice, pet prstiju, koža/pamuk
Oven gauntlets 5-fingers wrist, Leather with cotton lining

Art.	duž./l. cm
6546/450	45



Krpa za pećnicu, pamuk, termootporan do +220°C
Cotton oven cloth, heat-resistant up to +220°C

Art.	dim. cm
44851	29 x 24

perivo u perilici do +40°C
dishwasher proof up to +40°C



Rukavica silikonska, do +200°C, plavi silikon
Silicone oven mitt, up to +200°C, blue silicone

Art.	dim. cm
3160290	28 x 10,2

vodonepropusna i otporna, odgovara na obje ruke
watertight and boiling, suits to left and right handed



PAKIRANJE HRANE *FOOD PACKAGING*

Aparati za vakumiranje
Vrećice za vakumiranje
Aparat za ručno pakiranje folijom
Folija za pakiranje hrane
Aparat za varenje vrećica
Nosač folije

*Vacuum packaging machines
Vacuum packaging bags
Manual wrapping machine
Reels of stretch and shrink film
Sealer
Box dispenser*

Hrana se može pakirati na različite načine ovisno od vrste proizvoda, količina i načina čuvanja/skladištenja hrane. U ovom poglavlju se nalaze uređaji za vakumiranje i pakiranje hrane koji mogu biti od velike pomoći prilikom rada u kuhinji, štede vrijeme i jamče besprijekoran izgled hrane.

Food can be packaged in different ways according to the type of product, quantity and storage condition to be met. There are specific food packaging machine for any need that can optimise work, save time and guarantee impeccable results.

APARATI ZA VAKUMIRANJE / VACUUM PACKING MACHINE

Za kućanstvo, ugostiteljstvo, maloprodajne dućane, industrijsko okruženje,
za vrećice od 120 do 200 μ (mikrona), širine do 340 mm.

*Suitable for use in domestic, catering, retail trade sector and industrial environment
welding of plastic bags from 120 to 200 μ with a width of up to 340 mm.*


lava

Model	dužina vara (mm)	pumpa mbar	kapacitet pumpe l/min	vanjske dimenzije (mm)	težina (kg)	Snaga
V.200 PREMIUM X	350	-0,94	35	410 x 230 x 98 mm	4,4	500W/230V/50Hz/1
V.300 PREMIUM X	350	-0,96	35	410 x 230 x 98 mm	4,9	600W/230V/50Hz/1

APARATI ZA VAKUMIRANJE, stolni s komorom / TABLE TOP VACUUM PACKING MACHINE

**LVZ
LAVEZZINI**

Model	dužina vara (mm)	pumpa m ³ /h	komora (mm)	vanjske dimenzije (mm)	težina (kg)	Snaga
CHEF LINE LCX300	300	10	310 x 350 x 190	410 x 460 x 420	35	230V/50Hz/1
CHEF LINE LCX350	350	10	360 x 400 x 190	460 x 520 x 420	40	230V/50Hz/1
CHEF LINE LCX400	400	20	410 x 450 x 220	510 x 560 x 450	55	230V/50Hz/1
CHEF LINE LCX450	450	20	460 x 500 x 220	560 x 610 x 450	62	230V/50Hz/1
CHEF LINE LCX500	500	20	520 x 520 x 220	560 x 610 x 450	78	230V/50Hz/1



Posude za vakumiranje s poklopcem
Vacuum containers, with lid

Art.	opis/ description
VL0065	1200 ml
VL0066	1650 ml
VL0067	3200 ml
VL0041	GN 1/3



Vrećice za vakumiranje
Vacuum packing bags

dim. cm	opis/ description
15 x 25	100/1
15 x 30	100/1
15 x 45	100/1
15 x 50	100/1
20 x 30	100/1
25 x 30	100/1
25 x 35	100/1
25 x 55	100/1
30 x 50	100/1

(debljina vrećice/
thickness: 100 μ)
pakiranje od
100 komada /
package
of 100 pcs



Aparat za varenje vrećica
Sealer

Art.	duž./ Lcm	kg
S 300/2	32	0,6

Max. temp. varenja/ *max. sealing temp.:* 150°C
Vrijeme varenja/ *sealing time:* 0,5 – 2,5 s
Podešeno vrijeme varenja/ *sealing time (default):* 1,5 s
Dužina varenja/ *sealing length:* 200 – 300 mm
Debljina varenja/ *sealing thickness:* 0,5 mm
težina neto/ *nett weight:* 3,5 kg
510W/220V/50Hz
dim. 75 x 455 x 260/520 mm



Folija za pakiranje hrane
Reels of stretch and shrink film for manual wrapping machine
350 cm x 1500m

Art.	dim.
41133	350 cm x 2000 m
41056	450 cm x 2000 m
41132	500 cm x 2000 m



Nosač folije s rezačem za prehrambenu foliju ili alu foliju,
stolni / zidni
*Stainless steel box dispenser for clingt film and aluminium
foil, free standing / fixed to the wall*

Art.	opis/ description
	l = 300 mm
DFV300	40x14x13,5 cm težina / weight: 2 kg
	l = 450 mm
DFV450	56x14x13,5 cm težina / weight: 2,8 kg



Aparat za ručno pakiranje folijom
Hand wrapper

Art.	dim.	težina / weight
DSP 5/E	549 x 600 x 161 mm	7 kg

teflonom presvućeni rezni rub i varna ploča za foliju
širine 500 mm
*teflon coated cutting edge and welding plate, wide
film coil: 500 mm*
linija vara / *sealing bar* 530 mm
površina varenja / *sealing surface* 334 x 147 mm
220V/50Hz/0,15 kW



Aparat za ručno pakiranje folijom
Hand wrapper

Art.	dim.	težina / weight
DSP 5	605 x 714 x 140 mm	12 kg

s podesivom temperaturom rezanja i varenja, teflonom
presvučeni rezni rub i varna ploča
za foliju širine 500mm
adjustable cutting / sealing temperature
teflon coated cutting edge and welding plate, wide film
coil: 500mm
linija vara / *sealing bar* 530 mm
površina varenja / *sealing surface* 300 x 150 mm
220V/50Hz/0,6 kW



KUTIJE ZA PRIJENOS HRANE *FOOD TRANSPORTATION BOXES*

Termo kutije za prijenos hrane
Termo kutije za prijenos
pekarskih proizvoda
Termo kutije za prijenos pizze
Termo torbe za prijenos pizze
Termo kutije za prijenos
sladoleda
Termo kutije za prijenos torti

*Insulated Box GN1/1
Insulated Pastry Box
Insulated Pizza Box
Pizza Delivery Bag
Insulated Ice Cream Box
Insulated Cake Box*

Prijenos hrane u temperaturno kontroliranoj sredini danas je iznimno važan. Gotova hrana i hrana spremna za konzumaciju, prenosi se do škola, tvorničkih restorana, do starijih i nemoćnih osoba, na razne proslave, domjenke ili izlete. Takva jela trebaju zadržati svježinu i kvalitetu od trenutka pripreme do konzumacije.

U tome uvelike pomažu robusne i čvrste kutije za transport i privremeno čuvanje hrane, jela, slastica i namirnica.

Nowadays transfer of food in a temperature controlled box mods has gained significantly in importance. Takeaway meals and meals ready for consumption are transferred to the schools, factory restaurants, to the elderly and disabled persons, to various celebrations, banquets or picnics. Such food should thus retain the freshness and quality - from the very moment of preparation to consumption. Robust and solid boxes for transportation and temporary storage of food, meals, desserts and foodstuffs contribute significantly to the above purpose.

EPP TERMO KUTIJE / *EPP INSULATION BOXES*

Napravljene od visokoizolirajućeg EPP (ekspandirani polipropilen) materijala, za prehrambenu industriju, za transport i čuvanje hrane na temperaturi od -40°C do +120°C duže od 4 sata, u crnoj boji, perive u perilici posuđa.

Made of highly insulating EPP (expandable polypropylene), food safe, for transportation and insulation in temperature range from -40°C up to +120°C over four hours, in black colour, dishwasher-proof.

Art.	Model	Opis / Description
 EPP - GN TERMO KUTIJE za velike kuhinje, restorane, catering EPP BOXES GN SIZE <i>for canteen kitchens, restaurants, catering</i>	BOX GN1/1 GASTROSTAR 40459 	volumen / <i>volume</i>: 49 l s poklopcem / <i>with lid</i> dim. unutrašnje / <i>inside</i>: 53,5 x 34 x 27 cm dim. vanjske / <i>outside</i>: 60 x 40 x 30 cm neto težina / <i>net weight</i>: 1,25 kg
 EPP - GN TERMO KUTIJE za velike kuhinje, restorane, catering EPP BOXES GN SIZE <i>for canteen kitchens, restaurants, catering</i>	EPP300 	volumen / <i>volume</i>: 60 l punjenje s prednje strane, s vratima sa 8 vodicica za tave GN 1/1 za GN 1/1 s ugrađenim ručkama na sve četiri strane <i>front loading box incl. door</i> <i>with 8 slides for tray GN 1/1</i> <i>for GN 1/1</i> <i>built-in handles along the top</i> dim. unutrašnje / <i>inside</i>: 53,5 x 33 x 37 cm dim. vanjske / <i>outside</i>: 64 x 44 x 48 cm neto težina / <i>net weight</i>: 3,17 kg
 EPP - GN TERMO KUTIJE za velike kuhinje, restorane, catering EPP BOXES GN SIZE <i>for canteen kitchens, restaurants, catering</i>	EPP400 	volumen / <i>volume</i>: 86 l punjenje s prednje strane, s vratima s 12 vodicica za tave GN 1/1 s ugrađenim ručkama na sve četiri strane <i>front loading box incl. door</i> <i>with 12 slides for tray GN 1/1</i> <i>built-in handles along the top</i> dim. unutrašnje / <i>inside</i>: 53,5 x 33 x 52,5 cm dim. vanjske / <i>outside</i>: 64 x 44 x 62,5 cm neto težina / <i>net weight</i>: 3,9 kg

EPP TERMO KUTIJE / *EPP INSULATION BOXES*

Napravljene od visokoizolirajućeg EPP (ekspandirani polipropilen) materijala, za prehrambenu industriju, za transport i čuvanje hrane na temperaturi od -40°C do +120°C duže od 4 sata, u crnoj boji, perive u perilici posuđa.

Made of highly insulating EPP (expandable polypropylene), food safe, for transportation and insulation in temperature range from -40°C up to +120°C over four hours, in black colour, dishwasher-proof.

Art.	Model	Opis / Description
 EPP - VIŠENAMJENSKE TERMO KUTIJE za upotrebu u pekarama i slastičarnama, za prijevoz pekarskih tava 60x40 cm <i>EPP BOXES UNIVERSAL SIZE</i> <i>to be used by bakeris and pastry shops, to transport bakin trays 60x40 cm</i>	EPP4060T300 CAMBRO	volumen / <i>volume</i>: 80 l s poklopcem / <i>with lid</i> s utisnutim ručkama / <i>with recessed handles</i> dim. unutrašnje / <i>inside</i>: 62,5 x 42,5 x 30,5 cm dim. vanjske / <i>outside</i>: 69 x 49 x 37 cm neto težina / <i>net weight</i>: 1,7 kg
 EPP - VIŠENAMJENSKE TERMO KUTIJE za upotrebu u pekarama i slastičarnama, za prijevoz pekarskih tava 60x40 cm <i>EPP BOXES UNIVERSAL SIZE</i> <i>to be used by bakeris and pastry shops, to transport bakin trays 60x40 cm</i>	EPP4060F9R CAMBRO	volumen / <i>volume</i>: 126 l punjenje s prednje strane, s vratima, s 9 vodilica, za tave 60 x 40 cm s ugrađenim ručkama na sve četiri strane <i>front loading box incl. door,</i> <i>built-in handles along the top</i> <i>with 9 slides, for tray 60 x 40 cm</i> dim. unutrašnje / <i>inside</i>: 61,5 x 41 x 58,5 cm dim. vanjske / <i>outside</i>: 77 x 54 x 68,7 cm neto težina / <i>net weight</i>: 6,6 kg
 TERMO KUTIJA ZA PRIJENOS PIZZE <i>PIZZA BOX</i>	EPPZ35100 CAMBRO	s poklopcem i odzračnicima, za 2 pizze <i>with lid and with ventilation slots</i> <i>for 2 pizzas</i> dim. unutrašnje / <i>inside</i>: 35 x 35 x 10 cm dim. vanjske / <i>outside</i>: 41 x 41 x 17,4 cm
 TERMO KUTIJA ZA PRIJENOS PIZZE <i>PIZZA BOX</i>	EPPZ35175RST CAMBRO	s poklopcem i odzračnicima, za 4 pizze ; s crvenim remenom <i>with lid and with ventilation slots</i> <i>for 4 pizzas; with red strap</i> dim. unutrašnje / <i>inside</i>: 35 x 35 x 17,5 cm dim. vanjske / <i>outside</i>: 41 x 41 x 24,9 cm
 TERMO KUTIJA ZA PRIJENOS PIZZE <i>PIZZA BOX</i>	EPPZ35265RST CAMBRO	s poklopcem i odzračnicima, za 6 pizza; s crvenim remenom <i>with lid and with ventilation slots</i> <i>for 6 pizzas; with red strap</i> dim. unutrašnje / <i>inside</i>: 35 x 35 x 26,5 cm dim. vanjske / <i>outside</i>: 41 x 41 x 33,9 cm
 TERMO KUTIJA ZA PRIJENOS PIZZE <i>PIZZA BOX</i>	EPPZ35330RST CAMBRO	s poklopcem i odzračnicima, za 8 pizza; s crvenim remenom <i>with lid and with ventilation slots</i> <i>for 8 pizzas; with red strap</i> dim. unutrašnje / <i>inside</i>: 35 x 35 x 33 cm dim. vanjske / <i>outside</i>: 41 x 41 x 40,4 cm

EPP TERMO KUTIJE / *EPP INSULATION BOXES*

Napravljene od visokoizolirajućeg EPP (ekspandirani polipropilen) materijala, za prehrambenu industriju, za transport i čuvanje hrane na temperaturi od -40°C do +120°C duže od 4 sata, u crnoj boji, perive u perilici posuđa.

Made of highly insulating EPP (expandable polypropylene), food safe, for transportation and insulation in temperature range from -40°C up to +120°C over four hours, in black colour, dishwasher-proof.

Art.	Model	Opis / Description
 TORBA TERMO ZA PRIJENOS PIZZE <i>THERMAL DELIVERY BAG</i>	AV 15 	Za velike pizze, materijal: poliester / najlon boja: crvena <i>For large pizza made of polyester / nylon colour: red</i> dim. 45 x 45 x 20 cm
 TERMO KUTIJA ZA PRIJENOS SLADOLEDA (VISOKI POKLOPAC) <i>BOX ICE CREAM (HIGH LID)</i>	6617 	s posebno visokim poklopcem, za posude za sladoled dim. 33/36 x 16/25 cm s ugrađenim okvirima za učvršćenje posuda, ugrađen termometar za kontrolu vanjske temperature special high lid version, <i>for ice cream containers dim. 33/36x16/25 cm integrated inside frames to fix containers in the box, integrated thermometer for temperature control from outside</i> dim. unutrašnje / <i>inside</i>: 56,5 x 34 x 35 cm dim. vanjske / <i>outside</i>: 63,5 x 42 x 45 cm neto težina / <i>net weight</i>: 2300 g
 TERMO KUTIJA ZA PRIJENOS SLADOLEDA (STANDARDNA) <i>BOX ICE CREAM (STANDARD)</i>	EPP180XL 	volumen / <i>volume</i>: 46 l s poklopcem / <i>with lid</i> dim. unutrašnje / <i>inside</i>: 53,8 x 33,8 x 25,4 cm dim. vanjske / <i>outside</i>: 60 x 40 x 31,6 cm neto težina / <i>net weight</i>: 1200 g
 TERMO KUTIJA ZA PRIJENOS SLADOLEDA (STANDARDNA) <i>BOX ICE CREAM (STANDARD)</i>	EPP180XLT 	volumen / <i>volume</i>: 64,5 l s poklopcem / <i>with lid</i> dim. unutrašnje / <i>inside</i>: 54,8 x 36,8 x 32 cm dim. vanjske / <i>outside</i>: 61 x 43,1 x 39,1 cm neto težina / <i>net weight</i>: 1450 g
 TERMO KUTIJA BOX HOT & COOL <i>BOX HOT & COOL</i>	49310 	volumen / <i>volume</i>: 7,5 l s kliznim poklopcem i ručkom <i>with sliding lid and carrying handle</i> dim. unutrašnje / <i>inside</i>: 32 x 24 x 9 cm dim. vanjske / <i>outside</i>: 38 x 30 x 13 cm neto težina / <i>net weight</i>: 400 g

PP TERMO KUTIJE / *PP INSULATION BOXES*

Napravljene od PP (polipropilen) materijala, s dvostrukim stjenkama ispunjenim poliuretanom, namijenjene za prehrambenu industriju, za transport i čuvanje hrane na temperaturi od -40°C do +100°C. Kutije su složive jedna na drugu, perive u perilici suđa.

Made of highly insulating PP (polypropylene), they are double-walled with polyurethane, food safe, for transportation and insulation in temperature range from -40°C up to +100°C. Thermoboxes are stackable and dishwasher proof.

	Model	Opis / Description
	AVA 601 M 	volumen / <i>volume</i> : 83 litre za GN 1/1, prednje punjenje, 12 vodilica, jednostavno skidanje preklopnih vrata, silikonska brtva vrata - lako se uklanja i čisti boja: siva <i>For GN1/1, frontloader, 12 shelf positions, easy removable swing door, removable silicon gasket, easy to clean</i> colour: <i>grey</i> neto težina / <i>net weight</i> : 11 kg dim. unutrašnje / <i>inside</i> : 33 x 54 x 46 cm dim. vanjske / <i>outside</i> : 45 x 62,5 x 57,5 cm

	AVA 660 	volumen / <i>volume</i> : 150 litara za tave 60 x 40 cm, prednje punjenje, 10 vodilica, vrata s bravicom, jednostavno se skidaju, posebni umetci za prijevoz sladoleda boja: smeđa <i>For trays 60 x 40 cm, front loader, 10 shelf positions, removable door with lock, special inserts allows transportation of ice cream</i> colour: <i>brown</i> neto težina / <i>net weight</i> : 14 kg dim. unutrašnje / <i>inside</i> : 41 x 61 x 55 cm dim. vanjske / <i>outside</i> : 52 x 70 x 67 cm
--	--	--

TERMO KUTIJA ZA PRIJENOS TORTI / *CAKE TRANSPORTATION BOX*

	Model	Opis / Description
	AVA 630 	volumen / <i>volume</i> : 50 l s preklopnim vratima i bravicom s 5 izvlačivih polica, s ručkom boja: bijela <i>swing door with lock, 5 pull-out shelves with handle to carry</i> colour: <i>white</i> neto težina / <i>net weight</i> : 7 kg dim. unutrašnje / <i>inside</i> : 30 x 30 x 59 cm dim. vanjske / <i>outside</i> : 39 x 40 x 69 cm



STOLNE VITRINE *TABLE-TOP DISPLAYS*

Neutralne
Grijane
Hladene

*Neutral
Hot
Cold*

Prikladne za prodaju hrane u fast-food restoranima, na benzinskim postajama i drugim objektima brze hrane. Ove vitrine ne samo da održavaju zadanu temperaturu, već i optimalnu kvalitetu i svježinu za vrijeme prodaje zahvaljujući blagom protoku zraka pomoću ugrađenog ventilatora (tople i hladne vitrine). Vjerujemo da ćete iz široke ponude različitih modela pronaći vitrinu koja odgovara Vašim potrebama.

Especially suitable for wide range of fast food outlets, fuel stations and other sorts of snacks.

These counters maintain the food not only at required temperature but also at optimal quality and freshness throughout the selling time thanks to mild airflow from built-in fan.

We believe that you will find the right counter from wide range of different models.

	Art.	Model	Opis / Description
	Vitrina stolna neutralna <i>Neutral table display</i>	VEN 810R	inox / čvrsta plastika 8 mm <i>stainless steel / hard plastic cover 8 mm</i> neto težina / <i>net weight</i> : 8 kg dim. 800 x 350 x 200h mm
	Vitrina stolna neutralna <i>Neutral table display</i>	VEN 520R	inox / čvrsta plastika 8 mm, 1 polica <i>stainless steel / hard plastic cover 8 mm, 1 shelf</i> neto težina / <i>net weight</i> : 8,5 kg dim. 500 x 350 x 340h mm
	Vitrina stolna neutralna <i>Neutral table display</i>	VEN 820R	inox / čvrsta plastika 8 mm, 1 polica <i>stainless steel / hard plastic cover 8 mm, 1 shelf</i> neto težina / <i>net weight</i> : 12,4 kg dim. 800 x 350 x 340h mm
	Vitrina stolna grijana / <i>Hot table display</i>	VEC 510R	inox / čvrsta plastika 8 mm, s posudicom za vodu <i>stainless steel / hard plastic cover 8 mm, with water container</i> temp. +30°C/+60°C 400W/230V/50Hz neto težina / <i>net weight</i> : 9,5 kg dim. 500 x 350 x 270h mm
	Vitrina stolna grijana / <i>Hot table display</i>	VEC 810R	inox / čvrsta plastika 8 mm, s posudicom za vodu <i>stainless steel / hard plastic cover, with water container</i> temp. +30°C/+60°C 700W/230V/50Hz neto težina / <i>net weight</i> : 13,6 kg dim. 800 x 350 x 270h mm
	Vitrina stolna grijana / <i>Hot table display</i>	VEC 520R	inox / čvrsta plastika 8 mm, s posudicom za vodu s jednom inox policom <i>stainless steel / hard plastic cover 8 mm, with water container with one stainlesssteel shelf,</i> temp. +30°C/+60°C 400W/230V/50Hz neto težina / <i>net weight</i> : 12,6 kg dim. 500 x 350 x 410h mm

Art.	Model	Opis / Description
	VEC 820R	inox / čvrsta plastika 8 mm, s posudicom za vodu s jednom inox policom <i>stainless steel / hard plastic cover 8 mm, with water container</i> with one stainlesssteel shelf, temp. +30°C/+60°C 700W/230V/50Hz neto težina / <i>net weight</i>: 18,2 kg dim. 800 x 350 x 410h mm
	VBR4751	inox / čvrsta plastika, s posudicom za vodu <i>stainless steel / hard plastic cover, with water container</i> temp. +30°C/+90°C 250W/230V/50Hz neto težina / <i>net weight</i>: 9,5 kg dim. 500 x 350 x 270h mm
	VBR4752	inox / čvrsta plastika, s posudicom za vodu s jednom inox policom <i>stainless steel / hard plastic cover, with water container and with one stainlesssteel shelf</i> temp. +30°C/+90°C 250W/230V/50Hz neto težina / <i>net weight</i>: 12,6 kg dim. 500 x 350 x 400h mm
	COLD SPOT PE2	inox / staklo, ventilirano hlađenje <i>stainless steel / glass, ventilated refrigeration</i> temp. +4°C/+8°C 250W/230V/50Hz neto težina / <i>net weight</i>: 40 kg dim. 606 x 446 x 436/746h mm
	HAV91	inox / staklo/ plastika, ventilirano hlađenje s unutarnjom led rasvjetom, klizna vrata kapacitet 110 litara, 1 rešetka 552x390 mm <i>stainless steel / glass/ plastic, ventilated refrigeration</i> internal led light, sliding door capacity 110 l, 1 grill 552x390 mm temp. +2°C/+8°C 150W/230V/50Hz neto težina / <i>net weight</i>: 53 kg dim. 910 x 515 x 555 mm

Art.	Model	Opis / Description
	DOMINANTE 100G	temp. +4°C/+10°C s dvije rešetke / <i>two grills</i> : 710 x 320 mm 260W/230V/50Hz neto težina / <i>net weight</i> : 42 kg dim. 1052 x 436 x 510h mm



BIFE BUFFET

Dispenser za žitarice
 Samovar
 Dispenser za sok
 Košare za kruh
 Poklopci ROLL TOP
 Košara za voće
 Tople kupke stolne
 Etanol pasta za grijanje tople kupke
 Stalak za pršut
 Vrč za mlijeko
 Pladnjevi, poslužavnici
 Set sol – papar – čačkalice
 Posuda za umak i dresing
 Stalak za salvete
 Zvono za recepciju

Cereal Dispenser
Samovar
Juice Dispenser
Buffet Basket
ROLL TOP Covers
Fruit Basket
Chafing Dish
Chafing Dish Fuel
Ham Stand
Milk Jug
Platters, Trays
Condiment Set
Dressing Pot
Napkin Holder
Ring Bell

Za ugodnu atmosferu za stolom, nisu dovoljni samo dobra hrana i društvo, već i predmeti koji pružaju pravi estetski užitek. U ovom su poglavlju ponudeni artikli visoke estetske vrijednosti i kvalitete za restorane i hotele koji svojim dizajnom i funkcionalnošću osvajaju kako gosta, tako i ugostitelja.

In order to feel comfortable at the table it is not only sufficient to have good food and a great company, but also a pleasant environment and items that give true aesthetic pleasure.

In this section restaurants and hotels items of high aesthetic value and quality are offered; due to their design and functionality they meet both the customers' and caterers' needs.



Dispenzer za žitarice
Cereal dispenser

Art.	dim. cm
11805	22 x 17,5 x 52

4,5 litre, spremnik izmjenjiv s kotačićem za ispuštanje muesli,
polikarbonat + pocinčani lim + inox
perivo u perilici suđa
4,5 liters, removable canister, special lid to keep the cereals fresh, easy to use, rotate the button to get the muesli, polycarbonate + zinc + stainless steel dishwasher proof



Dispenzer za žitarice
Cereal dispenser

Art.	dim. cm
11807	22 x 35 x 52

2 x 4,5 litre, spremnik izmjenjiv s kotačićem za ispuštanje muesli,
polikarbonat + pocinčani lim + inox,
perivo u perilici suđa
2 x 4,5 liters, removable canister, special lid to keep the cereals fresh, easy to use, rotate the button to get the muesli polycarbonate + zinc + stainless steel, dishwasher proof



Stalak za žitarice tri posude bez boja
Wood stand set 3 glass bowls with airtight cover

Art.	dim. cm
13965	43 x 17

3 x 2 litre stakleni spremnik s hermetičkim poklopcem,
staklo + drvo, bež
3 x 2 liters, wood stand included glass with airtight cover, wood beige + glass



Vrč stakleni 2 litre
Glass 2 liters, airtight closing

Art.	dim. cm
82328	12 x 12 x 22

stakleni vrč s hermetičkim poklopcem,
volumen 2 litre,
perivo u perilici suđa,
povezani proizvod stalak 13965
glass, airtight closing, content 2 liters, dishwasher proof, spare parts for wood stand 13965



Dispenzer za napitke
Drinks dispenser

Art.	dim. cm
10855	Ø 20 x 30,5

staklo, inox poklopac,
perivo u perilici posuđa
glass/ stainless steel, dishwasher-proof kapacitet/volumen: 7 l



Postolje/višenamjenska kutija GN 1/2
Stand "Superbox" GN 1/2

Art.	dim. cm
11621	35 x 29 x 10,5

postolje/kutija za razne namjene,
odgovara za dispenzer Art. 10855,
složivo jedno na drugo
drvo/wood
multifunctional buffet, for dispenser Art. 10855, stackable smeđa / brown



Postolje/višenamjenska kutija GN 1/2
Stand "Superbox" GN 1/2

Art.	dim. cm
11627	35 x 29 x 10,5

postolje/kutija za razne namjene,
odgovara za dispencer Art. 10855,
složivo jedno na drugo
drvo/wood
multifunctional buffet
for dispenser Art. 10855
stackable
cma / black



Samovar Katharina III
Samovar Katharina III

Art.	dim. cm
K1150255	420 x 370 x 720

za čaj, instant kavu i druge tople napitke (kuhano vino);
inox 18/10 visoki sjaj,
2 spiralna grijača 2300W i 700W/230V
15 litara spremnik za vodu, 2 litre čajnik,
težina neto/bruto: 8,4 kg / 12,85 kg
for tea, instant coffee and other hot beverages,
stainless steel 18/10, mirror polished finish,
power: 2300W and 700W/ 230V
15 liters water container, 2 liters tea pot,
weight net/gross: 8,4 kg / 12,85kg
max. temp: +95°C / +100°C



Daska za sir okretna Ø 35
Revolving cheese board Ø 35

Art.	dim. cm
656/350	Ø 35 x 3,5

materijal bambus,
nije periva u perilici posuđa
material bamboo,
not dishwasher-proof



Stalak za perece
Pretzel stand

Art.	dim. cm
3868/050	20 x 50 h

drvo
6 nosača; dim. 11,5 cm
laquered beech wood with six 11,5 cm supports



Košare za kruh
Bread baskets

Art.	dim. cm
40153	45 x 42 x 17/24

polipropilen/ *polypropylene*
bež/ *beige*
periva u perilici /*dishwasher proof*



Košare za kruh
Bread baskets

Art.	dim. cm
02097406101	60 x 40 x 13

poliratan
boja tamno smeđa, perivo u perilici suda
colour dark brown, dishwasher -proof



Košare za kruh
Bread baskets

Art.	dim. cm
02097204101	60 x 40 x 7

poliratan
boja bež, perivo u perilici suda
colour beige, dishwasher -proof



Košara GN 1/1
Basket GN 1/1

Art.	dim. cm
40293	53 x 32,5 x 10

polipropilen GN 1/1,
boja tamno smeđa, perivo u perilici suda
Polypropylene GN 1/1,
colour dark brown, dishwasher-proof



Košara GN 1/1
Basket GN 1/1

Art.	dim. cm
40240	53 x 32,5 x 10

polipropilen GN 1/1,
boja bež, perivo u perilici suda
Polypropylene GN 1/1,
colour beige, dishwasher-proof



Stalak izložbeni buffet za košare GN1/1, inox
Display for buffet, steel

Art.	dim. cm
41403-04	32 x 31,5 x 48

težina / weight 3,18 kg



Košara GN 1/2
Basket GN 1/2

Art.	dim. cm
40292	32,5 x 26,5 x 10

polipropilen GN 1/2,
boja tamno smeđa, perivo u perilici suda
*Polypropylene GN 1/2,
colour dark brown, dishwasher-proof*



Košara okrugla
Basket round

Art.	dim. cm
40295	Ø 40 x 12,5

polipropilen, tamno smeđa boja,
s okvirom od kromirane žice za poklopac
*Polypropylene, dark brown,
with frame to fix the cover*



Košarica za buffet
Buffet basket

Art.	dim. cm
40140	23 x 17 x 8

polipropilen, slažu se jedna u drugu,
periva u perilici posuđa
*Polypropylene, stackable,
dishwasher-proof*



Košarica za kruh
Bread basket

Art.	dim. cm
1230/265	26,5 x 18,5 x 4

inox 18/10, visoki sjaj,
s plisiranim rubom
*18/10 stainless steel, mirror polished finish
with open rolled edge*



Poklopac roll top gn 1/1
Cover roll top gn 1/1

Art.	dim. cm
11010	53 x 32,5 x 17

polikarbonat, s kromiranim ručkicama;
perivo u perilici suda
*polycarbonate, with chrome plated handle,
dishwasher-proof*
težina/weight: 1,70 kg



Poklopac a buffet GN 1/1 s otvorom
Cover buffet GN 1/1

Art.	dim. cm
11017	54 x 33 x 20

polikarbonat, s kromiranom ručicom;
perivo u perilici suda
*polycarbonate, chrome plated handle
dishwasher-proof*



Poklopac roll top
Cover roll top

Art.	dim. cm
18388	Ø 38 x 20

polikarbonat, s kromiranom ručicom,
perivo u perilici posuđa
*Polycarbonate, chrome plated handle,
dishwasher-proof*
za tacnu / for tray: Ø 38 cm



Poklopac roll top
Cover roll top

Art.	dim. cm
18389	Ø 38 x 20

polikarbonat, s kromiranom ručicom,
perivo u perilici posuđa
*Polycarbonate, chrome plated handle,
dishwasher-proof*
za tacnu / for tray: Ø 38 cm



Stalak za poslastice 2 etaže
Pastry stand 2 tiers

Art.	dim. cm
42975-02	Ø 11 - Ø 14 x 16

kromirano/ *chromed*



Staklena posuda sa žlicom
Canister with spoon

Art.	dim. cm
636	Ø 20 x 18

staklo / inox, volumen 3 litre,
periva u perilici suđa *glass / stainless steel, volume 3 litres, dishwasher proof*



Žlica za salatu rupičasta 32 cm
Perforated spoon 32 cm

Art.	dim. cm
7788/320	9 x 6,5

ručka inox 18/10, žlica inox 18/0, rupe 4 mm, visoki sjaj *18/10 s/s handle, 18/0 s/s bowl, 4 mm perforations, mirror polished finish*



Žlica za salatu 32 cm
Serving spoon 32 cm

Art.	dim. cm
7780/320	9 x 6,5

ručka inox 18/10, žlica inox 18/0, visoki sjaj *18/10 s/s handle, 18/0 s/s bowl, mirror polished finish*



Hvataljka za saltu
Salad tongs

Art.	dužina / length cm
219/220	22

inox / *stainless steel*



Kutija za pribor, GN 1/1, 4 odjeljka
Cutlery box, GN 1/1, 4 troughs

Art.	dim. cm
56/550	53 x 32,5 x 10h

siva boja, polipropilen, periva u perilici posuđa
složiva jedna na drugu *grey polypropylene, dishwasher- proof, stackable*



Kutija za pribor, 8 odjeljaka
Cutlery box, 8 troughs

Art.	Opis/ description
2512/042	8 odjeljaka/ troughs dim. 43 x 21 x 15h cm



Košarica za pribor
Cutlery basket

Art.	dim. cm
11922	Ø 12 x 13,5

inox mat, perivo u perilici suđa
stainless steel, satin polished finish, safe dishwasher



Košara za agrume
Fruit bowl

Art.	dim. cm
0991/3	Ø 40 x 75

postolje drveno, tacna za voće inox, žica kromirana
wooden plate, fruit tray stainless steel, chromed wire polished



Voće imitacija
Imitation replica fruits

Art.	Opis/ description
4100	zelena jabuka / <i>green apple</i> dim.: Ø 8 x 7 cm
4101	crvena jabuka / <i>red apple</i> dim.: Ø 7,5 x 6,5 cm
4102	narandža / <i>orange</i> dim.: Ø 8 x 9 cm
4103	limun / <i>lemon</i> dim.: Ø 7 x 10 cm
4104	limeta / <i>lime</i> dim.: Ø 6 x 8 cm

nije perivo u perilici, težina 0,2 kg
not dishwasher-proof, weight 0.2 kg



Topla kupka stolna GN 1/1, inox 18/10
Chafing dish GN 1/1, 18/10 stainless steel

Art.	dim. cm
12233	67 x 35 x 35

za GN 1/1 h= 65 mm,
poklopac skidljiv, inox 18/10, visoki sjaj,
s dva držača za paste za gorenje
2 burner holders,
1 waterpan with screws for heating unit + ' cover,
frame with coverholder, s/s 18/10 mirror finished



Topla kupka stolna GN 1/1, inox 18/10
Chafing dish GN 1/1, 18/10 stainless steel

Art.	dim. cm
7085/530	56 x 36 x 32

za GN 1/1 h= 65 mm,
poklopac skidljiv, inox 18/0,
s dva držača za paste za gorenje
2 burner holders,
1 waterpan with screws for heating unit + ' cover,
frame with coverholder, s/s 18/0



Topla kupka stolna okrugla, inox 18/10
Round chafing dish GN, 18/10 stainless steel

Art.	dim. cm
12440	Ø 46 x 43,6h

inox visoki sjaj,
otvaranje poklopca na 90° i 180°;
za pastu za gorenje ili električni grijač
stainless steel mirror finished,
lid opening 90 °C and 180° C,
removable lid, burner holder,
can be used with gel burner and electric heater
težina/weight 14 kg



Postolje za indukciju toplu kupku Smart medium, inox
Stand for induction chafing dish

Art.	dim. cm
SMART MEDIUM 11260	37,5 x 25,7 x 14,5

težina/weight 1,52 kg



Pasta za grijanje tople kupke 72 komada
Ethanol chafing dish fuel 72 pcs

BIO etanol, 190 g,
za grijanje hrane, vrijeme gorenja 3 sata,
pakiranje 72/1
BIO ethanol, 190 g,
for food heating, lasts about 43 hours,
72 cans in box



Držač paste za grijanje tople kupke
Burner pot

Art.	dim. cm
7073/001	Ø 9,3 x 6,5

inox / *stainless steel*



Ploča grijana 2 i 3 svijeće
Plate warmer 2 and 3 tealights

Art.	Opis/ description
191/330	2 svijeće aluminij, kućište inox 18/10, visoki sjaj <i>2 tealights, aluminium with 18/10 stainless steel, mirror polished frame</i> dim. 330 x 180 x 65 mm
191/450	3 svijeće aluminij, kućište inox 18/10, visoki sjaj <i>3 tealights, aluminium with 18/10 stainless steel, mirror polished frame</i> dim. 450 x 180 x 65 mm



Stalak za pršut
Ham stand

Art.	dim. cm
485	30 x 59 x 16,5

Postolje granit Viscount White 3 cm
stezaljka inox s drvenim ručkicama
Stand of granite Viscount White 3 cm stainless steel clamp with wooden handles
težina/weight 11,60 kg
dim. postolja/dim. stand 25 x 45 x 3 cm



Kotlić za juhu električni 10 litara
Electric soup warmer 10 liters

Art.	dim. cm	kapacitet/volume l	težina /weight kg
7055/010	Ø 39 x 35	10	6

temperatura podesiva od +50°C do +95°C,
kućište polipropilen, posuda inox, poklopac inox,
dužina električnog kabla 150 cm
adjustable temperature +50°C to +95°C, body made of black polypropylene, s/s bain marie, pot with s/shinged lid and soup ladle, with 150 cm cable
0,45kW/230V/50Hz



Kutija za sendviče
Showcase

Art.	dim. cm
8825/K-RC	40 x 30 x 14h

boja bijela
poklopac proziran
colour white cover transparent



Jušnik
Soup tureen

Art.	Opis/ description
4800/190	1,5 litara, inox 18/10 visoki sjaj (Poklopac naručiti zasebno) <i>1,5 liters, 18/10 stainless steel, mirror polished finish (Order lid separately)</i>
4800/225	2,5 litre, inox 18/10 visoki sjaj (Poklopac naručiti zasebno) <i>2,5 liters, 18/10 stainless steel, mirror polished finish (Order lid separately)</i>



Poklopac za jušnik od 2,5 l, inox
Lid for soup tureen of 2,5 liters

Art.
4888/225

Poklopac sa izrezom za grabilicu, inox 18/10 visoki sjaj
Lid notched for ladle, 18/10 stainless steel mirror polished



Jušnik 3,5 litre
Soup tureen 3, 5 liters

Art.
5860/240

3,5 litre, inox 18/10 visoki sjaj
(Poklopac naručiti zasebno)
*3,5 liters, 18/10 stainless steel, mirror polished finish
(Order lid separately)*



Poklopac za jušnik od 3,5 l, inox
Lid for soup tureen of 3,5 liters

Art.
5862/240

Poklopac sa izrezom za grabilicu, inox 18/10, visoki sjaj
Lid notched for ladle, 18/10 stainless steel mirror polished



Vrč za mlijeko, inox 18/10, visoki sjaj
Milk / water jug, stainless steel 18/10, polished finish

Art.	Opis/ description
505/003	kapacitet / volume 0,03 l visina / height 3,5 cm
505/005	kapacitet / volume 0,05 l visina / height 4 cm



Vrč za mlijeko, inox 18/10, visoki sjaj
Milk / water jug, stainless steel 18/10, polished finish

Art.	Opis/ description
105/015	kapacitet / volume 0,15 l visina / height 5,5 cm
105/035	kapacitet / volume 0,3 l visina / height 9 cm
105/060	kapacitet / volume 0,6 l visina / height 11 cm
105/100	kapacitet / volume 0,9 l visina / height 12,5 cm
105/150	kapacitet / volume 1,5 l visina / height 16 cm
105/200	kapacitet / volume 2 l visina / height 18 cm



Vrč za mlijeko, inox 18/10, visoki sjaj
Milk / water jug, stainless steel 18/10, polished finish

Art.	Opis/ description
506/300	kapacitet / volume 2,8 l dim. Ø14,5 x 18,5 cm



Vrč za mlijeko, teflon
Non-stick jug

Art.	kapacitet / volume (l)	visina / height (cm)
103/100	0,9	12,5
103/060	0,6	11

stainless steel, PTFE-coated



Vrč za mlijeko s poklopcem, inox 18/10, visoki sjaj
Coffee pot, stainless steel 18/10, polished finish

Art.	kapacitet / volume (l)	visina / height (cm)
100/060	0,6	13
100/100	0,9	15
100/150	1,5	19
100/200	2	21



Vrč za mlijeko ovalni, 2l
Pitcher, oval 2 l

Art.	kapacitet / volume (l)	dim. (cm)
83428	2	14 x 10 x 22

prikladan za vrata hladnjaka
suitable for the refrigerator door, perfect for milk materijal / material melamin

Art.	Model	Opis / Description
	VRČ ZA ČAJ, inox 18/10, visoki sjaj, s cjeđilom i s poklopcem	504/100 kapacitet / <i>volume</i> 0,8 l, visina / <i>height</i> 11 cm
	TEA POT, stainless steel 18/10, mirror polished finish	504/150 kapacitet / <i>volume</i> 1,3 l, visina / <i>height</i> 13 cm
	with built in strainer and hinged lid	504/220 kapacitet / <i>volume</i> 1,8 l, visina / <i>height</i> 15 cm

	VRČ TERMOS, inox 18/10 visoki sjaj	SW1303	kapacitet / <i>volume</i> 0,3 l
	za hladne i tople napitke VACUUM FLASK, 18/10 stainless steel mirror polished finish	SW1306	kapacitet / <i>volume</i> 0,6 l
	for cold and hot beverages		

	VRČ S POKLOPCEM, polikarbonat	AMP.100721	1 litra, težina / <i>weight</i> 211 g, dim. 17,4 x 17 cm
	nema BPA, složivo jedno u drugo Frost jug with lid, polycarbonate	AMP.100722	2 litre, težina / <i>weight</i> 326 g, dim. 21,6 x 18,8 cm
	free BPA, stackable		

	PLADANJ OVALNI, inox 18/10 OVAL MEAT FLAT, 18/10 stainless steel pertlani rubovi / <i>rolled edge</i>	3/250	dim. 25 x 18 cm
		3/300	dim. 30 x 22 cm
		3/350	dim. 35 x 22 cm
		3/400	dim. 40 x 26 cm
		3/450	dim. 45 x 29 cm
		3/500	dim. 50 x 35 cm
		3/550	dim. 55 x 38 cm
		3/610	dim. 60,5 x 42 cm
		3/660	dim. 66 x 46 cm

	PLADANJ ZA RIBU, inox 18/10 FISH PLATTER, 18/10 stainless steel pertlani rubovi / <i>rolled edge</i>	3845/450	dim. 45 x 18 cm
		3845/600	dim. 60 x 24,5 cm
		3845/650	dim. 65 x 26 cm
		3845/750	dim. 75 x 28 cm

	PLADANJ S UKRASNIM RUBOM TRAY WITH DECOR EDGE	00385	inox 18/0, slaže se jedan na drugi, periv u perilici posuđa <i>with decor edge</i> 18/10 stainless steel, stackable dishwasher-proof dim. 60 x 40 cm
---	--	-------	---

	Art.	Model	Opis / Description
	PLADANJ FINESSE <i>TRAY FINESSE</i>	FINESSE 1358 dim. Ø 58 cm	inox 18/0, slaže se jedan na drugi, periv u perilici posuđa <i>stainless steel 18/0, stackable, plane seam/ edge, dishwasher-proof</i>
	PLADANJ FINESSE <i>TRAY FINESSE</i>	FINESSE 11032 dim. Ø 32 cm	s ukrašenim rubom <i>decor edge</i>
	POSUŽAVNIK BUFFET SLOŽIVI GN1/1 <i>BUFFET TRAY GN 1/1</i>	5611/530	GN 1/1, tablet sistem, inox 18/10 mat polirani, ručke kromirane <i>GN1/1, stainless steel 18/10 satin polished finish, chrome plated handles</i> neto težina/ <i>net weight</i> 1.4 kg dim. 53 x 32,5 cm
	PLADANJ MELAMIN ZA POSLUŽIVANJE HRANE <i>/ TRAY MELAMINE</i>	84180 84181	melamin, perivo u perilici <i>melamin, dishwasher-proof</i> imitacija drveta, GN 1/1 / <i>imitation of wood GN 1/1</i> , dim. 53 x 32,5 x 1,5 cm imitacija drveta, GN 1/2 / <i>imitation of wood GN 1/2</i> dim. 32,5 x 26,5 x 1,5 cm
	PLADANJ MELAMIN ZA POSLUŽIVANJE HRANE <i>/ TRAY MELAMINE</i>	83479	materijal: melamin, perivo u perilici suda boja: crna <i>material: melamin, dishwasher-proof</i> <i>colour: black</i> GN1/1, dim. 53 x 32,5 x 3 cm

	Art.	Model	Opis / <i>Description</i>
	CLOCHE S TANJUROM <i>CLOCHE WITH TRAY</i>		inox 18/10 visoki sjaj mesing ručka i ukrasni rub na tanjuru <i>18/10 stainless steel mirror polished finish gold plated knob and tray with decorative edge</i> dim. cloche Ø 24 x 18h cm dim. tanjura / <i>tray</i> Ø 32 cm
	BOČICA ZA SOL / PAPAR <i>SALT & PEPPER POT</i>	1411/902	inox / staklo <i>stainlesssteel / glass</i> dim. Ø 3 x 9 cm
	SET SOL, PAPAR, ČAČKALICE <i>CONDIMENT SET, 3 PCS</i>	ST01036	set od 3 dijela materijal: inox + staklo <i>3 pcs set: salt, pepper, toothpics material: stainless steel + glass</i>
	SET SOL, PAPAR, ULJE, OCAT, ČAČKALICE <i>CONDIMENT SET, 5 PCS</i>	ST01038	set od 5 dijelova materijal: inox + staklo <i>5 pcs set: salt, pepper, oil, vinegar, toothpics material: stainless steel + glass</i>
	SET ULJE, OCAT <i>CONDIMENT SET, 2 PCS</i>	ST01034	set od 2 dijela materijal: inox + staklo <i>2 pcs set: oil, vinegar material: stainless steel + glass</i>
	SET ULJE, OCAT <i>CONDIMENT SET, 2 PCS</i>	24362260	set od 2 sprej bočice ulje/ocat 2 x 100 ml materijal: inox / staklo <i>2pcs set: oil / vinegar 2 x 100 ml material: stainless steel / glass</i> dim. 42 x 42 x 180 h mm
	POSUDA ZA UMAK, INOX 18/10, visoki sjaj <i>GRAVY / SAUCE BOAT, 18/10 STAINLESS STEEL, mirror polished finish</i>	600/006 600/020 41615-05	zapremina / <i>volume</i> 0,1 l; visina / <i>height</i> 7,5 cm zapremina / <i>volume</i> 0,25 l; visina / <i>height</i> 10 cm zapremina / <i>volume</i> 0,45 l



Vrč za dresing
Dressing pot

Model	Opis/ description
83311	0,8 litara, porculan, poklopac inox, s otvorom na poklopcu za žlicu/grabiticu, perivo u perilici posuda, <i>0,8 liter, porcelain, cover s/s cover notched for spoon dishwasher-proof</i> dim. Ø 13 x 13 cm
83310	2 litre, porculan, poklopac inox, s otvorom na poklopcu za žlicu/grabiticu, perivo u perilici posuda, <i>2 liters, porcelain, cover s/s cover notched for spoon dishwasher-proof</i> dim. Ø 17 x 15 cm
83309	2,3 litre, porculan, poklopac inox, s otvorom na poklopcu za žlicu/grabiticu, perivo u perilici posuda, <i>2,3 liters, porcelain, cover s/s cover notched for spoon dishwasher-proof</i> dim. Ø 18,5 x 17 cm



Posuda za parmezan
Parmesan pot

Model	Opis/ description
ST01030	materijal: inox + staklo zapremina: 0,2 l <i>material: stainless steel + glass</i> volume: 0,2 liter



Posuda za maslac
Butter dish

Art.	dim. (cm)
3282/185	18,5 x 12,5 x 5,5

materijal inox 18/10,
za 250 g maslaca
material stainless steel 18/10,
for 250 g butter



Posuda za maslac
Butter dish

Art.	dim. (cm)
41561-09	Ø 9 x 7

materijal porculan/inox 18/10,
s poklopcem
material porcelain/ stainless steel 18/10,
with cover



Stalak za salvete
Napkin holder

Art.	dim. (cm)
2283/330	20 x 11,5 x 12

za salvete 33 x 33 cm
materijal: kromirana žica 6 mm okvir, 8 mm donja žica
for napkins 33 x 33 cm
material: chrome plated 6 mm wire frame,
8 mm strong hold-down wire



Dispenzer za salvete
Napkin dispenser

Art.	dim. (cm)	težina / weight (g)
2282/190	10 x 12 x 19	456

inox 18/0, visoki sjaj,
na gumenim nožicama, mehanizam s oprugom
stainless steel 18/0, mirror polished finish,
with 4 black rubber feet, both sided spring mechanism,
for folded paper napkins



Držalo za torbice, stolno
Handbag holder

Art.	dim. (cm)
2295/100	Ø 10

materijal kromirana žica 5 mm,
za objesiti dvije torbice ispod stola ili barskog pulta
5 mm chrome plated wire
to hold two handbags under a table or counter



Držač abažura, inox
Table skirting clip

Art.	dim. (cm)
0899/2	3,5 x 4 x 5

materijal inox,
za pričvršćivanje tkanine na stol
material stainless steel,
for fastening cloth to cover furniture sides
dim. čička/ *velcro* 3,5 x 2 cm



Svijećnjak
Candle holder

Art.	dim. (cm)
4421/001	Ø 11,5 x 20,5 h

posrebrjeni,
s postoljem koje ne grebe površine
silvered,
with non-scratching undersurface



Vaza
Vase

Art.	visina / height (cm)	težina / weight (g)
41628-15	15	240

materijal inox
material stainless steel



Zvono za recepciju
Ring bell

Model	Opis/ description
71400	dim. 85 x 60 mm
1047/001	zvono kromirano, postolje crno, lakirano <i>chrome plated, with black laquered steel foot</i>
71433	dim. 100 x 75 mm
	zvono kromirano, postolje crno, lakirano <i>chrome plated, with black laquered steel foot</i>



Zvono za recepciju
Ring bell

Model	Opis/ description
1048/001	dim.: Ø 9 x 6,5 cm
	zvono kromirano, postolje drveno, lakirano <i>chrome plated, with laquered wooden foot</i>



Zvono za recepciju
Ring bell

Model	Opis/ description
1048/002	dim.: Ø 9 x 6,5 cm
	zvono mesing, postolje drveno, lakirano <i>brass plated, with laquered wooden foot</i>



OPREMA ZA BAR *BAR EQUIPMENT*

Iscjeđivač agruma
Sokovnik
Blenderi
Mikser za frappe
Barski mikser
Drobilica leda
Posude za led
Aparati za hladne napitke
Chocolatiera
Boca za šlag
Patrona za šlag
Boca za soda vodu
Patrona za sodu
Shaker
Pribor za barmena
Dozatori pića
Nosači čaša

*Citrus Press
Juicer
Blenders
Milk Shaker
Bar Blender
Ice Crusher
Ice Boxes
Cold Drink
Chocolatiera
Cream Whip
Cream Charger
Soda Siphon
Siphon Charger
Shaker
Cocktail Set
Dispensers
Glass rack*

Mali, ali snažni barski uređaji koji uz maštu i kreativnost barmena mogu učiniti svaki napitak neopisivim doživljajem.

Small, but powerful bar devices, that with the imagination and creativity of bartenders can make every drink an amazing experience.

Za male barove
i restorane



Sokovnik
Juicer

Art.	dim. cm
J 80 ref. 56000B	23,5 x 53,5 x 50h

kućište inox,
1 brzina, 3000 okr/min,
sa 6,5 litara PVC košarom za otpatke,
ulazni otvor Ø 79 mm, inox filter i ribež, korisna visina
ispod izljevne cjevčice 155 mm za čašu i vrč;
s 1 izljevnom cjevčicom za vrč
stainless steel housing
one speed, 3000 rpm
6,5 l plastic pulp ratiner
feed hopper Ø 79 mm, stainless steel filter and
grating disc
useful height under spout 155 mm
for glass and jug; with 1 jug anti-splash spout
proizvodi do /output to 120 l/h
700W/230V/50Hz
težina/weight 10,9 kg



Za self-service doručak,
buffet stol, prijeme,
barove, restorane



Sokovnik
Juicer

Art.	dim. cm
J 80 Buffet ref. 56200B	26 x 56,5 x 59,5h

kućište inox,
1 brzina, 3000 okr/min,
sa 6,5 litara PVC košarom za otpatke,
ulazni otvor Ø 79 mm, inox filter i ribež,
korisna visina ispod izljevne cjevčice 177 mm
za čašu i vrč; s 2 izljevne cjevčice za vrč i čašu
stainless steel housing
one speed, 3000 rpm
6,5 l plastic pulp ratiner
feed hopper Ø 79 mm, stainless steel filter and
grating disc
useful height under spout 177 mm
for glass and jug; with 2 anti-splash spouts for jug
and glass
proizvodi do /output to 120 l/h
700W/230V/50Hz
težina/weight 10,9 kg



Za intenzivnu
upotrebu, vrlo
prometne barove
i restorane ili
supermarkete



Sokovnik
Juicer

Art.	dim. cm
J 100 ref. 56100B	26 x 56,5 x 63h

kućište inox,
1 brzina, 3000 okr/min,
sa 7,2 litara PVC košarom za otpatke,
ulazni otvor Ø 79 mm, inox filter i ribež,
korisna visina ispod izljevne cjevčice 251 mm
za čašu i vrč; s 2 izljevne cjevčice za vrč i čašu
s izlaznim lijevkom za otpad
stainless steel housing
one speed, 3000 rpm
7,2 liters plastic pulp ratiner
feed hopper Ø 79 mm, stainless steel filter and
grating disc
useful height under spout 251 mm
for glass and jug; with 2 anti-splash spouts for jug
and glass with ejection chute
proizvodi do/output to 160 l/h
1000W/230V/50Hz
težina/weight 14 kg





Barski blender
Bar Blender

Art.	dim. cm
BLADE BB320E	19,4 x 21,3 x 40,6

vrč 1,4 litre, copolyester
inox oštrice
2 brzine + PULSE
preporučeno za 25 - 49 napitaka dnevno
*jar 1,4 l, copolyester
stainless steel blade
2 speeds + PULSE function
recommended for 25 - 49 drinks per day
0,75kW/220V/50Hz
težina / weight: 3,4 kg/4,2 kg*



Blender za hranu/napitke
Food & beverage blender

Art.	dim. cm
TORQ - TBB160E	19,1 x 20,3 x 45,8

za barove, u kuhinji za izradu umaka, šalše, dresinga
vrč 1,4 litre, copolyester
inox oštrice za intenzivnu upotrebu
2 brzine s 24000 okr/min + PULSE
preporučeno za 50 - 74 napitaka dnevno
*jar 1,4 l, copolyester
heavy - duty stainless steel blade
2 speeds with 24000 rpm + PULSE function
recommended for 50 - 74 drinks per day
1,5kW/220V/50Hz
težina / weight: 5,17 kg*



Blender za hranu/napitke
Food & beverage blender

Art.	dim. cm
XTREME - MX1100TXEE	21,6 x 21 x 45,7

za barove, zdravstvene ustanove, škole, profesionalne kuhinje, vrč 1,9 litre, copolyester
inox oštrice za intenzivnu upotrebu
2 brzine s 30000 okr/min + PULSE 45000 okr/min
preporučeno za 75+ napitaka dnevno
*jar 1,9 l, copolyester
heavy - duty stainless steel blade
2 speeds with 30000 rpm + PULSE 45000 rpm
recommended for 75+ drinks per day
2,6kW/220V/50Hz
težina / weight: 6,6 kg*



Blender za hranu/napitke
Food & beverage blender

Art.	dim. cm
XTREME - MX1200TXEE	21,6 x 21 x 45,7

za barove, zdravstvene ustanove, škole, profesionalne kuhinje; za juhe, umake, dresinge, tučeno vrhnje, usitnjavanje začinskog bilja i orašastih plodova
vrč 1,9 litre, copolyester
inox oštrice za intenzivnu upotrebu
podesiva brzina od 1500 do 20000 okr/min
PULSE 30000 okr/min
preporučeno za 75+ napitaka dnevno
*jar 1,9 l, copolyester; heavy - duty stainless steel blade
variable speed from 1500 to 20000 rpm
PULSE 30000 rpm
recommended for 75+ drinks per day
2,6kW/220V/50Hz
težina / weight: 6,6 kg*



Zaštita od buke, za sve vrčeve blendera 1,4 i 2 litre
Large sound enclosure, fits all containers 1,4 and 2 liter cups

Art.	dim. cm
SE1500	27 x 24 x 40

proziran;
značajno smanjuje buku kad je blender u upotrebi u blizini gosta;
*transparent;
significantly reduces noise when the blender is used near customer;
težina / weight: 2,8 kg*



Kulinarski blender
Culinary blender

Art.	dim. cm
EXPEDITOR HAMILTON BEACH HBF1100SR-CE	22,6 x 37,8 x 48,1

kulinarski blender za intenzivnu upotrebu, vrč inox 4 litre s prozirnim poklopcem i mjernom čašicom 120 ml, s podesivom brzinom i timerom
funkcija: sjeckanje, mljevenje, miješanje, pire, emulzije
primjena: humus, usitnjavanje začina, smoothie, marinade, dresinzi za salate, juhe, umaci, šalša
2,57kW/230V/50Hz
težina bruto: 11 kg
*Culinary Blender, stainless steel jar 4 l with transparent lid and 120 ml dosing cup, variable speed dial, timer button
function: chop, grind, blend, puree, emulsify
application: hummus, ground spices, smoothies, marinades, salad dressings, soups, suaces, salsas
2,57kW/230V/50Hz; shipping weight: 11 kg*



Barski blender
Bar Blender

Art.	dim. cm
WDM120TXE	17,8 x 20,3 x 50,2

inox čaša 0,83 litre
 LCD display, 10 - minutni timer;
 potpuno automatski START - STOP pogon;
 3 brzine (15000/18000/21000 okr/min) + PULSE
 s dvije mučkalice:
 CAC112 čvrsta mučkalica za tvrde sladolede,
 aeraciju i povećanje volumena smjese;
 CAC08 leptirasta mučkalica za mekše smjese i
 miješanje.
 metalno kućište;
stainless steel container 0,83 l
LCD display, 10-minute timer;
fully automatic, START-STOP operation;
3 speeds (15000/18000/21000 okr/min) + PULSE
includes 2 agitators: one solid agitator for mixing
hard ice cream and aerating for increased yield
and one butterfly agitator for softer ice creams
and mix.
 0,75kW/220V/50Hz
 težina / *weight*: 6,6 kg



Drobilica leda električna
Ice crusher

Art.	dim. cm
V 90	21 x 23 x 46h

vrč inox, noževi inox
stainless steel jug, stainless steel blades
 broj okretaja u minuti / rpm 900
 Kapacitet/*capacity* 2 kg/min
 150W/230V/50Hz
 težina/*weight* 4,2 kg



Drobilica leda električna
Ice crusher

Art.	dim. cm
IC20E	190 x 250 x 440

kapacitet 30kg/sat
 s posudom 2,4 litre i lijevkom
 inox kućište
 115W/220V/50Hz



Iscjeđivač agruma
Professional juicer

Art.	dim. cm
SL98	23 x 20 x 35h

kućište aluminij polirano
aluminium polished
 300W / 230V / 50Hz
 težina/*weight* 8,5 kg

Art. / Model

Opis / Description



APARATI ZA HLADNE NAPITKE / COLD DRINK DISPENSERS

DE LUXE linija s mješačem - za hlađenje i distribuciju prirodnih sokova, lako se rastavlja i čisti

*DE LUXE line with stirrer - specially realised for natural juices, due to the slow agitation system, easy and quick dismantle so that each part in contact with drink can be cleaned with maximum efficiency*DE LUXE 12/1AA kapacitet/ *capacity* 1 x 12 lDE LUXE 12/2AA kapacitet/ *capacity* 2 x 12 lDE LUXE 12/3AA kapacitet/ *capacity* 3 x 12 l

DE LUXE linija s efektom fontane: za hlađenje i distribuciju prirodnih sokova, lako se rastavlja i čisti

*DE LUXE line with submerged pump: specially realised for natural juices, due to the slow agitation system, easy and quick dismantle so that each part in contact with drink can be cleaned with maximum efficiency*DE LUXE 12/1P kapacitet/*capacity* 1 x 12 lDE LUXE 12/2P kapacitet/*capacity* 2 x 12 lDE LUXE 12/3P kapacitet/*capacity* 3 x 12 l

MT2

APARAT ZA GRANITORE / *GRANITA MACHINE*

za distribuciju ledenih napitaka

*for cold beverages*kapacitet/*capacity* 2 x 10 l

dim. 360 x 470 x 690h mm



Posuda za led, termo
Insulated ice bucket

Art.	dim. cm
3010	Ø 15 x 14

2,3 litre, inox
2,3 l, stainless steel



Posuda za led, termo
Insulated ice bucket

Art.	dim. cm
SW1210D	Ø 17,5 x 19

3 litre,
inox, s poklopcem i ručkama
stainless steel, with lid and handles
neto težina/ *net weight* 0,84 kg



Posuda za hlađenje vina, inox
Wine bucket, s/s

Art.	dim. cm
288/210	Ø 18,5 x 18,5

s ručkicama;
složiva jedna u drugu
with ring handles;
stackable



Posuda za hlađenje vina, inox
Wine bucket, s/s

Art.	dim. cm
763	Ø 19 x 20

s ručkicama;
složiva jedna u drugu, aluminij
with ring handles;
stackable, aluminium



Posuda za hlađenje boca 44 cm, inox
Champagne bowl 44 cm, stainless steel

Art.	dim. cm
36044	Ø 44 x 25

inox, visoki sjaj;
s dvostrukim stijenkama;
perivo u perilici posuda
stainless steel, polished;
double wall;
dishwasher-proof
kapacitet/ *volume* 10,5 l
neto težina/ *net weight* 2,25 kg



Posuda za hlađenje boca polikarbonat
Champagne bowl polycarbonate

Art.	dim. cm
36048	35 x 27x25,5

polikarbonat prozirni;
ovalnog oblika;
s ručkama sa strane;
složiva jedna u drugu
material polycarbonate;
colour transparent;
with 2 handles on the side;
stackable
kapacitet/ *volume* 6 l
neto težina/ *net weight*



Boca za šlag
Cream profi whip

Art. Crema profi	Opis/ description
3111010	kapacitet/ volume 0,5 l
3111009	kapacitet/ volume 1 l

napravljene od visokokvalitetnog inoxa;
dva nastavka za šlag: zvijezda i tulipan;
inox ventil koji se rastavlja radi lakšeg čišćenja;
periva u perilici posuđa
*made from high-quality stainless steel;
two decorator tips: star and tulip;
removable s/s valve for ease of cleaning;
dishwasher-proof*



Patrone za šlag
Cream charger

pakiranje od 10 patrona
jedna patrona sadrži 7,5 g N_2O ;
pod pritiskom
*set of 10 cream chargers;
one charger contains 7,5 g N_2O*

pakiranje od 24 patrone
jedna patrona sadrži 7,5 g N_2O ;
pod pritiskom
*set of 24 cream chargers;
one charger contains 7,5 g of N_2O*



Boca za soda-vodu 1 litra
Soda siphon 1 liter

Art.
3111009

kapacitet/ volume 1 l
aluminij/ *aluminium*
skidljiva cjevčica sprječava prelijevanje
sadržaja, a ispusni ventil pruža potpunu
sigurnost,
boca se isporučuje s nastavkom u kojeg je
ugrađen umetak od nehrđajućeg čelika za
kvalitetnije ispuštanje sadržaja
*removable measuring tube prevents overfilling
and pressure relief valve offers maximum
convenience and safety;
new redesigned nozzle with integrated stainless
steel insert for enhanced dispensing*



Patrona za soda vodu 10 komada
Soda chargers

pakiranje od 10 patrona
set of 10 siphon chargers
jedna patrona sadrži 8,4 g CO_2
one charger contains 8,4 g of CO_2



Shaker za koktele, inox
Cocktail shaker s/s

Art	Opis/ description
SW1400	kapacitet/ volume 0,3 l
63/070	kapacitet/ volume 0,7 l



Shaker za koktele Boston
Boston cocktail shaker

Art.
399/075

čša inox + staklo
stainless steel + glass
kapacitet/ volume 0,5 l



Mjerica za cocktail, inox
Cocktail jigger, s/s

Art	Opis / Description
1565/050	kapacitet/ <i>volume</i> 3/5 cl visina/ <i>height</i> 8,5 cm
2090/024	kapacitet/ <i>volume</i> 2/4 cl visina/ <i>height</i> 7,3 cm



Barsko sito, inox
Cocktail strainer, s/s

Art.	dim. cm
2087/210	Ø 8,5 x 21 cm

za odvajanje tekućine od krupnih sastojaka pri izradi koktela i sl.; perivo u perilici posuđa, opruga se može izvaditi radi lakšeg čišćenja
coil spring keeps ice cubes in shaker, spring can be taken off for cleaning dishwasher-proof



Barski tučak
Muddler, wooden

Art.	dim. cm
2092/220	Ø 3 x 22

za ustinjavanje voća, bilja, začina u čaši za koktele; neobrađena, prirodna bukva
squeezes citrus fruits into cocktail glasses due to ridged surfaces untreated, natural beechwood



Bat drveni za bačve
Wooden mallet

Art.	dim. cm
8084/002	16 x 17,5 x 10


za otvaranje bačvi (npr. pivskih) / *for beer barrels*
duljina ručke/*handle length* 23 cm



Žlica barska
Cocktail spoon

Art.
2093/280

koristi se za dodavanje raznih namirnica (šećer, med, itd.) pri pripremanju koktela, i za miješanje koktela
used to add variety of ingredients (sugar, honey, etc.) in the sence of cocktails and mixing cocktails
duljina/ *length* 28 cm



Hvataljka za led, inox, visoki sjaj
Ice tongs, s/s, mirror polished finish

Art.
5097

inox 18/10
l= 18 cm
nazubljena / *serrated*



Hvataljka za led, inox, visoki sjaj
Ice tongs, s/s, mirror polished finish

Art.
179/180

inox 18/10
l= 18 cm
nazubljena / *serrated*



Hvataljka za led, inox, visoki sjaj
Ice tongs, s/s, mirror polished finish

Art.
182/180

inox 18/10
l= 18 cm
nazubljena / *serrated*



Cjedilo za limun
Citrus squeezer

Art.	dim. cm
851/115	Ø 11,5 x 10

dvodjelno cjedilo
inox, visoki sjaj
two piece
stainless steel, mirror polished finish



Tlačilo za limun, inox
Lemon slice squeezer s/s

Art.	dim. cm
5028	6 x 6,5



Poslužavnik za pivske čaše, inox
Beer tray, s/s

Art	Opis/ description
1257/360	neto težina/ <i>net weight</i> 0,8 kg dim. Ø 36 x 4 cm



Poslužavnik za pivske čaše, inox
Beer tray, s/s

Art	Opis/ description
5224	inox visoki sjaj / <i>stainless steel</i> neto težina/ <i>net weight</i> 1,22 kg dim. Ø 36 x 4 cm



Vrč za cappuccino, inox
Milk rise for bar

Art.	dim. cm
157-B	Ø 7,4 x 13

kapacitet/ *volume* 0,5 l



Posipač za kakao sa 7 šablona, inox
Cocoa dredger with 7 discs, s/s

Art.	dim. cm
42923-07	Ø 6,5 x 13

7 šablona
with 7 patterns



Percaffè 500 ml
Percaffè 500 ml

Sredstvo za čišćenje masnoća u espresso aparatima
za kavu;
čisti površinski kamenac i bakreni oksid
cleanser fat in espresso machines;
remove scale and copper oxide



Termometar za baristu
Barista thermometer

Art.	dim. cm
7868/165	Ø 4 x 16,5

inox s polikarbonatnim uloškom,
mjerno područje od -15°C do +100°C, obojeno područje
idealne temperature, s kopčom
*stainless steel with polycarbonate sleeve, measures
from -15°C to +100°C, coloured area of ideal
temperature, supplied with clip*



Ocjeđivač barski 33 x 33 cm, crni
Drip mat 33 x 33 cm, black

Art	Opis/ description
5868/033	polipropilen, boja crna, vežu se jedan na drugi <i>polypropylene, color: black, interlockable</i> dim. 33 x 33 cm
93304	polipropilen, boja bijela, vežu se jedan na drugi <i>polypropylene, color: white, interlockable</i> dim. 33 x 33 cm



Barski podložak
Bar mat

Art.	dim. cm
370/450	45 x 30 x 1

crna guma, za prehrambenu industriju
perivo u perilici suđa
food safe black rubber
dishwasher safe



Otvarač konobarski
Waiters friend

Art.
312/120

inox, ABS drška
s vadičepom, nožićem i otvaračem boce
s/s, ABS handle
with corkscrew, knife and bottle opener
duljina/ *length* 13 cm



Otvarač a boce, inox 18/10
Waiters friend, s/s, 18/10

Art.
315/150

standard, crom
duljina / *length* 13 cm



Futrola za konobarski otvarač
Black leather corkscrew holster waiters

Art.	dim. cm
890	5 x 2 x 15,5

kožni, crni;
s uzicom za remen;
za vadičepe i ostali pribor;
izvrstan za konobare, barmene i poslužitelje
black leather;
with latchet;
for corkscrews and other small tools;
great for waiters, bartenders and servers



Vadičep Ghidini
Corkscrew Ghidini

Art.
1811

lakirani, boja: bordo
lacquered, color: red
duljina/length 21 cm
sa profesionalnom spiralom, za vađenje čepa na bocama vina i pjenušca, prikladan kod serviranja, degustacija i koktela
with professional spiral either the barman, sommelier or simply a fan, can find the right accessory in this range: from the 3 functions winged corkscrew to the wine and champagne stoppers, via the essential accessories for wine and cocktails serving and tasting



Vadičep Ghidini
Corkscrew Ghidini

Art.
1700

s gumenim pokrovom radi boljeg prijanja u ruci, boja: crna
rubber for a more secure grip
color: *black*
duljina / length 21 cm
sa profesionalnom spiralom, za vađenje čepa na bocama vina i pjenušca, prikladan kod serviranja, degustacija i koktela
with professional spiral either the barman, sommelier or simply a fan, can find the right accessory in this range: from the 3 functions winged corkscrew to the wine and champagne stoppers, via the essential accessories for wine and cocktails serving and tasting



Otvarač a boce zidni
Wall bottle opener

Art.
361/001

inox, montaža na zid
s/s, wall fitting



Kantica za čepove boca
Bottle cap catcher

Art.	dim. cm
326/240	14 x 8 x 16,5 / 23,5

inox, montaža na zid
s/s, wall fitting



Pepeljara, inox 18/10, visoki sjaj
Ashtray, 18/10 s/s, mirror polished finish

Art.	dim. cm
215/120	Ø 11 x 3,5

inox 18/10



Pepeljara, inox
Ashtray, s/s

Art.	dim. cm
537/100	Ø 10 x 3

inox 18/0



Novčanik konobarski, kožni, s mehanizmom
Waiters purse with mechanism, leather

Art.	dim. cm
2554	20 x 6,5 x 10,5

s mehanizmom za kovanice, kožni, crni;
4 pretinca za novčanice + 1 pretinac s cifom, s opasačem
with mechanism, leather, color: black
4 compartments for banknotes + one compartment with zipper, with girdle



Novčanik konobarski, rips, s mehanizmom
Waiters purse with with mechanism, RIPS

Art.	dim. cm
1928	20 x 6,5 x 10,5

s mehanizmom za kovanice, RIPS, crni,
4 pretinca za novčanice, s opasačem;
with mechanism, RIPS, color: black
4 compartments for banknotes, with girdle



Novčanik konobarski s cifom
Waiters purse

dim. cm
18,5 x 11,5

5 pretinaca za novčanice, kožni, crni, s cifom;
5 compartments for banknotes, leather, black, with zip



Novčanik konobarski s druckerom
Waiters purse

dim. cm
18,5 x 11

5 pretinaca za novčanice, kožni, crni, s druckerom;
5 compartments for banknotes, leather, black, with fastener



Futrola za konobarski novčanik
Waiters purse case

Art.	dim. cm
556	12,5 x 21

kožni, crne boje / *leather, colour: black*
uložak za novčanik 12x14 cm
inserted piece 12 x 14 cm
težina/weight 80 g



Futrola za konobarski novčanik
Waiters purse case

Art.	dim. cm
550	15 x 21

kožni, crne boje, sa uzicom za remen;
pretinici za notes, olovku i otvarač boca
leather, black colour, with latchet, compartments for pen, scratch pad and bottle opener;
uložak za novčanik 13,5x14 cm
inserted piece 13,5x14 cm
težina / weight 130 g

	Art.	Model	Opis / Description
	DOZATORI / <i>SPIRIT MEASURE</i>	Art. 01-01	Dozator krom 0,03 / <i>Chrome plated dispenser 0,03</i>
		Art. 01-02	Dozator krom 0,05 / <i>Chrome plated dispenser 0,05</i>
	DOZATORI / <i>SPIRIT MEASURE</i>	Art.01-05	Dozator mesing 0,03 / <i>Gold plated dispenser 0,03</i>
		Art. 01-06	Dozator mesing 0,05 / <i>Gold plated dispenser 0,05</i>
	DOZATORI / <i>SPIRIT MEASURE</i>	Art. 03-01	krom 0,03 s brojčanicom od 1 do 9999, s vraćanjem na 1 <i>chrome plated, 0,03, with counting device 1 to 9999 measures, with automatic return to 1</i>
	DOZATORI / <i>SPIRIT MEASURE</i>	Art. 03-03	mesing, 0,03 s brojčanicom od 1 do 9999, s vraćanjem na 1 <i>gold plated, 0,03, with counting device 1 to 9999 measures, with automatic return to 1</i>
	DOZATORI / <i>SPIRIT MEASURE</i>	Art. 08	Dozator VELOX 0,03 <i>Automatic dispenser plug VELOX, 0,03</i>
	DOZATORI / <i>SPIRIT MEASURE</i>	Art. 08	Dozator VELOX 0,05 <i>Automatic dispenser plug VELOX, 0,05</i>



Nosač dozatora
Shelf bracket

Art	Opis/ Description
Art. 04-01	Nosač dozatora, krom <i>chrome plated aluminium support</i>
Art. 04-02	Nosač dozatora, mesing <i>Gold plated aluminium support</i>



Nosač čaša, inox
Glass rack, s/s

Art	dim. cm
7560/450	45 x 31

žica 6 mm kromirana,
može se montirati ispod polica ili direktno na zid;
5 vilica za 4 čaše
*6 mm chrome plated wire, can be mounted
both under a shelf or directly onto the wall;
for 5 rows of 4 glasses*



APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA *COFFEE, TEA AND MILK HEATERS*

Aparati za filter kavu
Grijači vode za čaj
Grijači mlijeka
Grijači čokoladnog mlijeka,
s miješalicom
Kuhala za vodu
Termosice za tople napitke
Vrčevi za filter kavu
Filter papir

*Round Filtering Machines
Hot Water Machines
Milk Heaters
Chocolate Milk Heaters,
with Mixer
Water Cattle Heaters
Vacuum Flasks
Filter Coffee Decanters
Filter Paper*

Prepoznatljiva kvaliteta, mogućnost posluživanja većih količina mirisne, svježje filter kave.

Brzo i jednostavno!

Ponuda se odnosi i na ostale tople napitke: toplo mlijeko, čaj, topla čokolada.

Sve uređaje odlikuje profinjen dizajn, jednostavnost rukovanja, pouzdane slavine, sigurnosni mehanizmi...

Odluka je na Vama!

The distinctive taste and quality; it is possible to serve large quantities of fragrant and fresh filter coffee.

Fast and easy!

The offer includes other hot drinks as well as e.g. hot milk, tea, hot chocolate.

These devices are characterized by stylish design, simplicity in operation, reliable taps, safety devices, and similar.

It is up to you to make a decision!

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS

PROJECT TRADE

**BRAVOR
BONAMAT**

APARATI ZA FILTER KAVU / QUICK FILTER MACHINES

Filter aparati omogućuju brz i jednostavan rad na bilo kojem mjestu sa ili bez priključka na vodu. Brzim filtriranjem kava je ukusna, svježija i ne gubi na kvaliteti. Aparati sadrže LED upozorenja da je kava spremna, inox filter, signalni indikator za kamenac, grijane ploče za održavanje kave toplom.

Filter machines which allow quick and easy operation for any location with piped water supply or not. Quick filter: delicious, freshly brewed filter coffee and still ensure coffee quality. LED controlled operation, stainless steel filter pan, signals indicate when the coffee is ready and when the machine should be descaled, hot plates.

	Model	Opis / Description
	MONDO	1 grupa i 2 grijane ploče;
	8.010.020.31002	Kapacitet: 18 litara/h (144 šalice), 2 vrča (24 šalice) / vrijeme kuhanja: 5 min/1 vrč ne spaja se na dovod vode/without water connection <i>1 brewing system and 2 hot plates;</i> <i>Output: 18 litres/h (144 cups)</i> <i>2 decanters (24 cups) / brewing time: 5 min/1 decanter</i> 230V/50Hz/2140W dim. 195 x 406 x 446h mm
	MONDO TWIN	2 grupe i 4 grijane ploče;
	8.010.030.31002	Kapacitet: 28 litara/h (224 šalice), 4 vrča (48 šalice) / vrijeme kuhanja: 6 min / 2 vrča ne spaja se na dovod vode/without water connection <i>2 brewing systems and 4 hot plates:</i> <i>Output: 28 litres/h (224 cups),</i> <i>4 decanters (48 cups) / brewing time: 6 min/ 2 decanters</i> 230V/50Hz/3460W dim. 404 x 406 x 446h mm
	TH	Sa 1 grupom, kapacitet 2,2 litre,
	8.010.040.31002	direktno kuhanje u termos bocu vrijeme kuhanja: 7 minuta / 2,2 litre 19 litara/h (152 šalice), nije spojen na dovod vode <i>1 brewing system, capacity 2,2 litres,</i> <i>direct brewing into airtot</i> <i>brewing time: 7 min / 2,2 litres</i> <i>Output: 19 litres/h (152 cups), without water connection</i> 230V/50Hz/2310W; dim. 235 x 406 x 545h mm U cijenu nije uključena termos boca <i>Vacuum flask not included.</i>

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS

PROJECT TRADE

**BRVILOR
BONAMAT**

APARATI ZA FILTER KAVU / QUICK FILTER MACHINES

Percolator aparati za filter kavu izrađeni su od inox dvostrukih stijenki, bez spajanja na dovode vode. Opremljeni su mjernim stakalcem, sigurnosnim sustavom da ne dođe do kuhanja bez vode, inox slavinom i filterom.

Percolator coffe machines are made of double walled stainless steel without connection for mains water supply. Fitted with gauge glass, boiling-dry safety mechanism, stainless steel tap and filter.

	Model	Opis / Description
	PERCOLATOR 45 8.060.110.31002	Kapacitet 6 litara, kuha 10 litara kave/sat <i>Capacity 6 litres, hour capacity coffee: 10 litres</i> 950W/230V/50Hz dim. Ø 233 x 425 mm

	PERCOLATOR 75 8.060.120.31002	Kapacitet 10 litara, kuha 15 litara kave/sat <i>Capacity 10 litres, hour capacity coffee: 15 litres</i> 1500W/230V/50Hz dim. Ø 282 x 430 mm
--	----------------------------------	---



Aparati Brewstation za filter kavu jedinstveni su po tome što omogućuju pripremu kave direktno u šalicu.

Aparati se ne spajaju na dovod vode, izrađeni su od inoxa, s odvojivim spremnikom, mjernim stakalcem, inox filterom, sigurnosnim sustavom da ne dođe do kuhanja bez vode, dvostrukim sustavom grijača: središnji grijač kuha kavu, dok drugi održava kavu toplom, s odvojivom ladicom za kapanje, te oznakom za bezkofeinsku kavu.

Brewstation coffe makers are unique in that they allow coffee to be prepared directly into a cup. Without water connection supply, stainless steel construction and basket, with removable tank, gauge glass, boil-dry protection, dual heater system; centerheater brews coffe, gentle warming heater keeps coffe at a constant serving temperature, removable drip tray, decaf indicator.

	Model	Opis / Description
	HCU065S	9,6 litara (65 šalica) kapacitet: 11,8 litara (80 šalica)/sat <i>9,6 liters (65 cups) capacity: 11,8 litre (80 cups/hour)</i> 220-240V/50/60Hz neto težina/ <i>net weight</i> : 6,3 kg dim. Ø 275x540 mm

	HCU110S	16,2 litara (110 šalica) kapacitet: 11,8 litara (80 šalica)/sat <i>16,2 liters (110 cups) capacity: 11,8 litre (80 cups/hour)</i> 220-240V/50/60Hz neto težina/ <i>net weight</i> : 6,8 kg dim. Ø 275x670 mm
---	---------	---

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS

PROJECT TRADE

**BRAVOR
BONAMAT**

APARATI ZA FILTER KAVU – B SERIJA / ROUND FILTER MACHINES – B-SERIES

B serija idealna je za pripremu velike količine svježe filter kave na velikim okupljanjima ili u bolnicama. Spaja se na dovod vode, s LCD displayom, sustavom protiv nakupljanja vodenog kamena, brojačem, satom i sigurnosnim sustavom. Sastavni dijelovi su grupa za pripremu vode, spremnik, filteri, postolje i i ocjedna posudica.

B series is ideal for preparing large quantities of delicious fresh filter coffee at large gatherings or hospitals. With connection for mains water supply, LCD display, descaling system, counter, built-in clock, safety mechanisms. Includes brewing column, containers, filterunit, base and drip-tray.

Model	Opis / Description
	B 5 1 grupa sa 2 spremnika od 5 litara kapacitet: 30 litara/sat (240 šalice); vrijeme kuhanja: 10 minuta/5 litara <i>1 brewing system and 2 containers of 5 litres</i> <i>Output: 30 litres/h (240 cups)</i> <i>Brewing time: 10 minutes/5 litres</i> 4.100.103.110 4.100.101.110 230V/50Hz/3130W 400V/50Hz/3130W dim. 635 x 440 x 799h mm
	B 10 1 grupa sa 2 spremnika od 10 litara kapacitet: 60 litara/sat (480 šalice); vrijeme kuhanja: 10 minuta/10 litara <i>1 brewing system and 2 containers of 10 litres</i> <i>Output: 60 litres/h (480 cups)</i> <i>Brewing time: 10 minutes/10 litres</i> 4.210.001.110 400V/50Hz/6180W dim. 955 x 512 x 840h mm
	B 20 1 grupa sa 2 spremnika od 20 litara kapacitet: 90 litara/sat (720 šalice) vrijeme kuhanja: 14 minuta/20 litara <i>1 brewing system and 2 containers of 20 litres</i> <i>Output: 90 litres/h (720 cups)</i> <i>Brewing time: 14 minutes/20 litres</i> 4.320.501.110 400V/50Hz/ 9240W dim. 1173 x 600 x 947h mm

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS

PROJECT TRADE

**BRVILOR
BONAMAT**

APARATI ZA FILTER KAVU – B HW SERIJA / ROUND FILTER MACHINES – B HW-SERIES

B HW serija idealna je za pripremu velike količine svježe filter kave na velikim okupljanjima ili u bolnicama. Spaja se na dovod vode, sa slavinom i spremnikom za toplu vodu, LCD displayom, sustavom protiv nakupljanja vodenog kamenca, brojačem, satom i sigurnosnim sustavom. Sastavni dijelovi su grupa za pripremu vode, spremnici, filteri, postolje i ocjedna posudica.

B HW series is ideal for preparing large quantities of delicious fresh filter coffe at large gatherings or hospitals. With connection for mains water supply, with integrated hot water section, LCD display, descaling system, counters, built-in clock, safety mechanisms. Includes brewing column, containers, filterunit, base and drip-tray.

Model	Opis / Description
	B 10 HW 1 grupa sa 2 spremnika od 10 litara Kapacitet spremnika za toplu vodu: 3,3 litre Kapacitet: 60 litara/sat (480 šalica) Vrijeme kuhanja: 10 minuta/10 litara <i>1 brewing system and 2 containers of 10 litres hot water 3 litres</i> <i>Output: 60 litres/h (480 cups)</i> <i>Brewing time: 10 minutes/10 litres</i>
	4.213.101.110 400V/50Hz/8380W dim. 989 x 570 x 840h mm

	B 20 HW 1 grupa sa 2 spremnika od 20 litara Kapacitet spremnika za toplu vodu: 4,6 litara Kapacitet: 90 litara/sat (720 šalica) Vrijeme kuhanja: 14 minuta/20 litara <i>1 brewing system and 2 containers of 20 litres hot water 4,6 litres</i> <i>Output: 90 litres/h (720 cups)</i> <i>Brewing time: 14 minutes/20 litres</i>
	4.323.001.110 400V/50Hz/11440W dim. 1173 x 600 x 947h mm

Modeli spremnika od 5,10,20,40 litara:

Models containers 5,10,20, 40 litres:

VG- izolirani spremnik / *Completely insulated*

VHG- izolirani spremnik s grijačem / *Electrical heating*

VHG T- izolirani spremnik s grijačem i termostatom / *Electrical heating and thermostatically controlled*

VHG D- izolirani spremnik s grijačem i dodatnom slavinom / *Electrical heating and extra non-drip tap*

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS

PROJECT TRADE

**BRAVILOR
BONAMAT**

SPREMNICI IZOLIRANI ZA TOPLE ILI HLADNE NAPITKE / *CONTAINERS INSULATED FOR HOT OR COLD DRINKS*

Spremnik s dvostrukim stijenkama, poklopcem, slavinom i mjernim stakalcem.

Double walled container includes lid, non-drip tap and gauge glass.

	Model	Opis / Description
	VG 5	5 litara
	8.410.901.520	dim. Ø 210 x 445h mm
	VG 10	10 litara
	8.420.901.520	dim. Ø 286 x 464h mm
	VG 20	20 litara
	8.430.901.520	dim. Ø 374 x 510h mm
	VG 40	40 litara
	8.440.901.520	dim. Ø 423 x 629h mm

SPREMNICI S ELEKTRIČNIM GRIJAČEM / *CONTAINERS WITH ELECTRICAL HEATING*

Spremnik s dvostrukim stijenkama, grijačem, poklopcem, slavinom i mjernim stakalcem.

Double walled container includes lid, electrical heating, non-drip tap and gauge glass.

	Model	Opis / Description
	VHG 5	5 litara, 230V/50Hz/65W
	8.410.101.720	dim. Ø 210 x 445h mm
	VHG 10	10 litara, 230V/50Hz/90W
	8.420.101.720	dim. Ø 286 x 464h mm
	VHG 20	20 litara, 230V/50Hz/120W
	8.430.101.720	dim. Ø 374 x 510h mm
	VHG 40	40 litara, 230V/50Hz/160W
	8.440.101.720	dim. Ø 423 x 629h mm

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS

PROJECT TRADE

**BRAVILOR
BONAMAT**

GRIJAČ MLIJEKA **HM SERIJA** / ČOKOLADNOG MLIJEKA **HCM SERIJA** / MILK HEATERS **HM-SERIES** / CHOCOLATE MILK HEATERS **HCM SERIES**

Spremnik s dvostrukim stijenkama, podesivim termostatom (od +30°/+80°C) i kontrolnom lampicom, zaštita od pregrijavanja i grijanja bez mlijeka, slavinom i mjernim stakalcem. **HM serija** - Štapić za miješanje tj. sprječavanje mliječne kožice. **HCM serija** - mješač koji sprječava ljepljenje i taloženje čokoladnog mlijeka. Zagrijavanje mlijeka metodom tople kupke, mlijeko se ne lijepi za stjenke niti zagara.

Double walled container includes adjustable thermostat (+30°/+80°C) with control indicator lamp, temperature and boiling-dry protection, non-drip tap and gauge glass. HM- series a dipstick to prevent milk skin. HCM- series with stirring system, which prevents the chocolate milk from sticking and settling. Heater heats the milk indirectly by the bainmarie method, is that it prevents the milk sticking and burning.

	Model	Opis / Description
	HM 505 8.513.001.310	5 litara 230V/50Hz/2090W ; Vrijeme grijanja / Heating time: 20 min dim. Ø 210 x 423h mm
	HM 510 8.523.001.310	10 litara 230V/50Hz/2850W ; Vrijeme grijanja / Heating time: 25 min dim. Ø 290 x 438h mm
	HM 520 8.533.001.310	20 litara 230V/50Hz/2850W ; Vrijeme grijanja / Heating time: 55 min dim. Ø 377 x 458h mm

GRIJAČ ČOKOLADNOG MLIJEKA S MIJEŠALICOM **HCM SERIJA** / CHOCOLATE MILK HEATER WITH SITTING SYSTEM **HCM**

	Model	Opis / Description
	HCM 510 8.523.501.510	10 litara 230V/50Hz/2850W Vrijeme grijanja / Heating time: 25 min dim. Ø 290 x 438h mm

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS


PROJECT TRADE

**BRAVILOR
BONAMAT**

KUHALO ZA VODU HWA SERIJA / HOT WATER CONTAINERS HWA SERIES

Spremnik za vodu s duplim stijenkama izrađen od inoxa, slavinom, ocjednom posudicom, izoliranim poklopcem, inox odvodnim ventilom. Može se ručno puniti ili priključiti na vodu 3/4". Podesiva temperatura od +45°C do +95°C. Narančasti gumb dovodi do točke vrenja na +100°C. ECO funkcija omogućuje grijanje samo 4 litre vode. Zaštita od pregrijavanja i grijanja bez vode.

Doble walled container is made of stainless steel, non-drip tap, drip tray, insulated lid, stainless steel drain vavle. Can be with and without water supply 3/4 inch. Temperature adjustable from +45°C to +95°C. 100°C knob quickly brings water to boiling point. ECO function which ensures that the container is only filled with 4 litres of water. Boil-dry and over-current protection.

Model	Opis / Description
	8 litara
	230V/50Hz/2500W ; Kapacitet / <i>Output</i> : 25 litara/h dim. 317 X 407 x 456h mm
HWA 12 8.060.320.31002	12 litara 230V/50Hz/2500W ; Kapacitet / <i>Output</i> : 25 litara/h dim. 317 X 407 x 540h mm


Art.	Model	Opis / Description
	HP 2	DODACI / <i>ACCESSORIES</i>
		2 grijane ploče / 2 <i>hot plates</i> 230V/50Hz/140W dim. 404 x 195 x 61h mm

	VRČ ZA FILTER KAVU <i>Decanter</i>	7.170.602.101	1,7 litara, staklo <i>preklopni poklopac, ručka plastična</i> 1,7 litres, glass, with tip-up lid, plastic handle
---	---------------------------------------	---------------	--

	VRČ ZA FILTER KAVU <i>Decanter</i>	7.171.701.101	1,7 litara, lexan/inox <i>preklopni poklopac, ručka plastična</i> 1,7 litres, lexan/stainless steel with tip-up lid, plastic handle
---	---------------------------------------	---------------	--

Art.	Model	Opis / Description
	VRČ ZA FILTER KAVU <i>Decanter</i> 7.170.901.401	Volumen 1,7 litara, inox preklopni poklopac, ručka plastična <i>1,7 litres, stainless steel with tip-up lid, plastic handle</i>

	TERMOS BOCA <i>Vacuum flask</i> N5084 	1,9 litara, inox iznutra i izvana, termos boca s pumpom; 15 šalice, visina: 32 cm; neto težina: 1,3 kg <i>1,9 litres, stainless steel inner bowl, stainless steel with pump action; 15 cups height: 32 cm net weight: 1,3 kg</i>
---	---	---

	TERMOS BOCA <i>Vacuum flask</i> N5088 	3 litre, inox iznutra i izvana, termos boca sa pumpom; 24 šalice, visina: 35 cm neto težina: 2 kg <i>3 litres, stainless steel inner bowl, stainless steel with pump action; 24 cups height: 35 cm net weight: 2 kg</i>
---	---	--

	TERMOS BOCA <i>Vacuum flask</i> N5089 	4 litre, inox iznutra i izvana, termos boca sa pumpom; 32 šalice, visina: 38 cm neto težina: 2,2 kg <i>4 litres, stainless steel inner bowl, stainless steel with pump action; 32 cups height: 38 cm net weight: 2,2kg</i>
---	---	---

APARATI ZA FILTER KAVU I ČAJ, GRIJAČI MLIJEKA ROUND FILTERING MACHINES FOR COFFEE/TEA AND MILK HEATERS

PROJECT TRADE

**BRAVILOR
BONAMAT**

TERMOS BOCA AIRPOT / AIRPOT

Termos boca od 2,2 litre, s pumpom. Inox izvana i iznutra, drži dugo kavu ili čaj toplim ne gubeći na aromi. Kava se može kuhati izravno u termos boci pomoću aparata za filter kavu TH serije.

Airpot with pump action 2,2 litre. Stainless steel inner bowl, stainless steel. Airpot Furento unit keeps up to 2.2 litres of coffee or tea at the right temperature ensuring its aromatic flavour. Coffee can be brewed directly into the Airpot Furento from TH Quick Filter Coffee Machines.

Art.	Model	Opis / Description
	TERMOS BOCA AIRPOT / <i>Airpot</i>	Airpot Furento 7.171.331.101 2,2 litre <i>2,2 litres</i> dim. Ø 164 x 378h mm
	TERMOS BOCA AIRPOT / <i>Airpot</i>	Airpot Furento 7.171.331.114 2,2 litre, metalik crna <i>2,2 litres, black metallic</i> dim. Ø 164 x 378h mm
	TERMOS BOCA AIRPOT / <i>Airpot</i>	Airpot Furento 7.171.331.113 2,2 litre, metalik crvena <i>2,2 litres, red metallic</i> dim. Ø 164 x 378h mm
	TERMOS BOCA AIRPOT / <i>Airpot</i>	Airpot Furento 7.171.331.111 2,2 litre, metalik ljubičasta <i>2,2 litres, purple metallic</i> dim. Ø 164 x 378h mm
	TERMOS BOCA AIRPOT / <i>Airpot</i>	Airpot Furento 7.171.331.110 2,2 litre, metalik zelena <i>2,2 litres, green metallic</i> dim. Ø 164 x 378h mm

Art.	Model	Opis / Description
	TERMOS BOCA AIRPOT / <i>Airpot</i> Airpot Furento 7.171.331.112	2,2 litre, metalik žuta <i>2,2 litres, yellow metallic</i> dim. Ø 164 x 378h mm



POSTOLJE ZA TERMOS BOCU
 AIRPOT / *Airpot station*

7.211.005.201

Za 2 airpot termos boce i pribor
For 2 airpots and ingredients
 dim. 615 x 325 x 155h mm


	Art.	Model	Opis / Description
	FILTER PAPIRI, konusni	7.150.101.101	Mondo/TH, Ø 85/245 mm
	250 filtera u kutiji	7.150.102.301	B 5, Ø 110/360 mm
	<i>Filter cups for baskets</i>	7.150.103.301	B 10, Ø 152/437 mm
	<i>250 filters per carton</i>	7.150.104.301	B 20, Ø 203/535 mm

	DRŽAČ KONUSNOG FILTER PAPIRA, inox <i>Filter pan, stainless steel</i>	7.090.102.101	Mondo/TH
---	---	---------------	----------

	FILTER PAPIRI, ravni		
	250 filtera u kutiji	7.150.503.301	Za B 5, Ø172 mm
	<i>Flat filter paper</i>	7.150.507.301	Za B 10, Ø244 mm
	<i>250 filters per carton</i>		

	PRAH ZA UKLANJANJE KAMENCA <i>Descaling product</i>	7.190.101.212	RENEGITE 15/1 (15 gr) RENEGITE 1 kg
---	--	---------------	--

	CLEANER Za uklanjanje ostataka kave i čaja <i>For removal of coffee and tea stains</i>	7.191.101.102	CLEANER 12/1 (15 gr)
---	---	---------------	----------------------



STROJEVI ZA KRUH / MIJEŠALICE ZA TIJESTO / IZRADA TJESTENINE *BREAD SLICERS / PASTRY MIXERS / PASTRY*

Kruhoreznice
Miješalice spiralne za tijesto
Miješalice spiralne za tijesto s
podiznom glavom
Miješalice planetarne
Izrada tjestenine

*Bread Slicers
Spiral Dough Mixers
Spiral Dough Mixer,
with a Lifting Head
Planetary Mixers
Pastry*

Robusni, snažni i tihi strojevi namijenjeni modernim pekarskim i slastičarskim obrtima. Jednostavna, precizna i učinkovita mehanika, minimalno održavanje i dugotrajnost odlike su ovih proizvoda. **UVJERITE SE!**

*Robust, powerful and quietly operating devices are designed for modern bakery and pastry trades. Simple, precise and efficient mechanics, minimum maintenance and long service are their key features. **CHECK IT OUT YOURSELF!***

Art.	Model	Opis / Description
	KRUHOREZNICE / <i>Breadslicers</i> 49831-00	nož inox podesiva debljina rezanja od 5 do 85 mm, plastični štitnik za prste, postolje drveno na nožicama, <i>stainless steel blade, adjustable cut thickness from 5 to 85 mm, plastic finger protection wooden base with feet</i> neto težina / <i>net weight</i> : 3,5 kg dim. 40 x 25 x 21 cm
	KRUHOREZNICE / <i>Breadslicers</i> 250TP	oštrica Ø 250 mm debljina rezanja 34 mm kapacitet rezanja: Ø 170 mm ili 140x220 mm 0,3kW/230V/50Hz neto težina: 19 kg <i>blade Ø 250 mm</i> <i>thickness adjuster 34 mm</i> <i>cut's capacity: Ø 170 mm ili 140x220 mm</i> <i>0,3kW/230V/50Hz</i> <i>net weight: 19 kg</i> dim. 45 x 63 x 46,5 cm
	KRUHOREZNICE / <i>Breadslicers</i> KLARA 24/15 stolna / <i>table top</i>	24 noža / <i>blades</i> 15 mm debljina rezanja šnite / <i>cut thickness</i> 380 mm širina rezanja kruha / <i>cutting width</i> 50-150 mm visina rezanja kruha / <i>cutting height</i> IP54 stupanj zaštite motora / <i>level protection</i> 0,55kW/230V/50Hz neto težina / <i>net weight</i> : 105 kg dim. 550 x 680 x 640 mm
	KRUHOREZNICE / <i>Breadslicers</i> KLARA 32/15 B	32 noža / <i>blades</i> 15 mm debljina rezanja šnite / <i>cut thickness</i> 490 mm širina rezanja kruha / <i>cutting width</i> 32-180 mm visina rezanja kruha / <i>cutting height</i> 300 kg/h kapacitet stroja / <i>Output</i> IP54 stupanj zaštite motora / <i>level protection</i> 24V upravljanje / <i>control</i> 0,55kW/230V/50Hz neto težina / <i>net weight</i> : 150 kg dim. 670 x 865 x 1110 mm
	KRUHOREZNICE / <i>Breadslicers</i> KLARA 32/15 B T	380V/50Hz, 0,55kW; trofazna / <i>threephase</i>

MIJEŠALICE ZA TIJESTO SPIRALNE S FIKSNOM GLAVOM I POSUDOM / *Pastry spiral mixers*

Posuda, spirala i osovina napravljene su od vrlo čvrstog nehrđajućeg čelika. Zaštitna rešetka od nehrđajućeg čelika. Lanačni motorni prijenos. Mehanički tajmer za modele od 12 do 50 kg, sigurnosni prekidač, kotači.

The steel-bowl, the spiral and the shaft are made in strong high stainless steel. The protection grilled cover is made in stainless steel. For the chain drive system has been used a geared motor. Mechanical timer for 12 to 50 kg, safety microswitch, wheels.

Art.	Model	Opis / Description
	MIJEŠALICE ZA TIJESTO SPIRALNE S FIKSNOM GLAVOM I POSUDOM <i>Pastry spiral mixers</i>	12SB 16 l posuda / <i>bowl</i> 12 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 320 x 210h mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 56 kg dim. 632x320x750/932h mm
	MIJEŠALICE ZA TIJESTO SPIRALNE S FIKSNOM GLAVOM I POSUDOM <i>Pastry spiral mixers</i>	18SB 22 l posuda / <i>bowl</i> 18 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 360 x 210h mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 57 kg dim. 653x380x750/951h mm
	MIJEŠALICE ZA TIJESTO SPIRALNE S FIKSNOM GLAVOM I POSUDOM <i>Pastry spiral mixers</i>	25SB 32 l posuda / <i>bowl</i> 25 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 400 x 260h mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 96 kg dim. 762x420x864/1123h mm
	MIJEŠALICE ZA TIJESTO SPIRALNE S FIKSNOM GLAVOM I POSUDOM <i>Pastry spiral mixers</i>	38SB 42 l posuda / <i>bowl</i> 38 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 450 x 260h mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 97 kg dim. 800x474x866/1148h mm
	MIJEŠALICE ZA TIJESTO SPIRALNE S FIKSNOM GLAVOM I POSUDOM <i>Pastry spiral mixers</i>	50SB 62 l posuda / <i>bowl</i> 50 kg tijesta / <i>dough</i> , 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 500 x 310h mm 3,5/2,5/400V/50Hz neto težina / <i>net weight</i> : 185 kg dim. 927x520x1074/1393h mm

MIJEŠALICE ZA TIJESTO SPIRALNE S PODIZNOM GLAVOM I UKLONJIVOM POSUDOM / *Pastry spiral mixers with liftable head and removable bowl*
 Posuda, spirala i osovina napravljene su od vrlo čvrstog nehrđajućeg čelika. Zaštitna rešetka od nehrđajućeg čelika. Lanačni motorni prijenos.
 Mehanički tajmer za modele od 12 do 50 kg, sigurnosni prekidač, kotači.

*The steel-bowl, the spiral and the shaft are made in strong high stainless steel. The protection grilled cover is made in stainless steel.
 For the chain drive system has been used a geared motor. Mechanical timer for 12 to 50 kg, safety microswitch, wheels.*

Art.	Model	Opis / Description
	MIJEŠALICE SPIRALNE S PODIZNOM GLAVOM <i>Pastry spiral mixers with liftable head</i>	12SR 16 l posuda / <i>bowl</i> 12 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 320 x 210 mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 56 kg dim. 632x320x750/932h mm
	MIJEŠALICE SPIRALNE S PODIZNOM GLAVOM <i>Pastry spiral mixers with liftable head</i>	18SR 22 l posuda / <i>bowl</i> 18 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 360 x 210 mm 0,75/0,55kW/400V/50Hz neto težina / <i>net weight</i> : 57 kg dim. 653x380x750/951h mm
	MIJEŠALICE SPIRALNE S PODIZNOM GLAVOM <i>Pastry spiral mixers with liftable head</i>	25SR 32 l posuda / <i>bowl</i> 25 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 400 x 260 mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 96 kg dim. 762x420x864/1123h mm
	MIJEŠALICE SPIRALNE S PODIZNOM GLAVOM <i>Pastry spiral mixers with liftable head</i>	38SR 42 l posuda / <i>bowl</i> 38 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 452 x 260 mm 1,5/1,1kW/400V/50Hz neto težina / <i>net weight</i> : 97 kg dim. 800x474x866/1148h mm
	MIJEŠALICE SPIRALNE S PODIZNOM GLAVOM <i>Pastry spiral mixers with liftable head</i>	50SR 62 l posuda / <i>bowl</i> 50 kg tijesta / <i>dough</i> ; 2 brzine / <i>2 speeds</i> dim. posude / <i>bowl</i> : Ø 500 x 310 mm 3,5/2,5/400V/50Hz neto težina / <i>net weight</i> : 185 kg dim. 927x520x1074/1393h mm

PLANETARNE MIJEŠALICE / *Planetary mixers*

Model	Opis	Description
NIKO SP 500A-B	5 litara posuda, inox 10 brzina: od 71 - 490 okr/min kućište: legura aluminija polikarbonatni štitnik/ lijevak posude 0,75 kW/220V/50Hz, neto težina: 15 kg dim. 345 x 389 x 434h mm	5 l bowl, stainless steel 10 speeds: from 71 - 490 rpm anodized aluminium alloy cast polycarbonate shield 0,75 kW/220V/50Hz net weight: 15 kg dim. 345 x 389 x 434h mm



kuka, inox
spiral dough hook, stainless



lopatica, inox
flat beater, stainless



mutilica, inox
wire whip, s/s

PLANETARNE MIJEŠALICE / *Planetary mixers*

Model	Opis	Description
NIKO SP 800A-B	8 litara posuda, inox 3 brzine: 132/234/421 okr/min kućište: legura aluminija polikarbonatni štitnik/lijevak posude 15-minutni digitalni timer dugme za početak rada, prekidač za slučaj opasnosti termička zaštita motora 0,18kW/220V/50Hz, neto težina: 26 kg dim. 300 x 360 x 580h mm	8 l bowl, stainless steel 3 speeds: 132/234/421 rpm anodized aluminium alloy cast polycarbonate shield digital timer 15 min START button, alert switch thermal overload protection 0,18kW/220V/50Hz, net weight : 26 kg dim. 300 x 360 x 580h mm



kuka, aluminij
spiral dough hook, aluminium



lopatica, aluminij
flat beater, aluminium



mutilica, inox
wire whip, s/s

PLANETARNE MIJEŠALICE / *Planetary mixers*

Model	Opis	Description
NIKO SP100 NHB	10 litra posuda, inox	10 l bowl, stainless steel
	3 brzine: 106/196/358 okr/min	3 speeds: 106/196/358 rpm
	kućište: lijevano željezo,	rigid cast iron body,
	čelični štitnik/lijevak posude	stainless steel shield
	15-minutni timer	timer 15 min
	dugme za početak rada,	START button,
	prekidač za slučaj opasnosti	alert switch, thermal overload protection
	termička zaštita motora	0,25kW/220V/50Hz
	neto težina: 65 kg	net weight : 65 kg
	dim. 367 x 445 x 757h mm	dim. 367 x 445 x 757h mm

kuka, aluminij
spiral dough hook, aluminiumlopatica, aluminij
flat beater, aluminiummutilica, inox
wire whip, s/sPLANETARNE MIJEŠALICE / *Planetary mixers*

Model	Opis	Description
NIKO SP-200/A-B	20 litara posuda, inox	20 l bowl, stainless steel
	3 brzine: 106/196/358 okr/min	3 speeds: 106/196/358 rpm
	čelični štitnik/lijevak posude	rigid cast iron body,
	15-minutni timer	stainless steel shield
	dugme za početak rada,	timer 15 min, START button
	prekidač za slučaj opasnosti,	alert switch, thermal overload protection
	termička zaštita motora	0,37kW/220V/50Hz
	neto težina: 80 kg	net weight: 80 kg
	dim. 40 x 49,5 x 87h cm	dim. 40 x 49,5 x 87h cm

kuka, aluminij
spiral dough hook, aluminiumlopatica, aluminij
flat beater, aluminiummutilica, inox
wire whip, s/s

PLANETARNE MIJEŠALICE / *Planetary mixers*

Model	Opis	Description
NIKO SP-30-HA B	30 litara posuda, inox 3 brzine: 99/176/320 okr/min čelični štitnik/lijevak posude 15-minutni timer dugme za početak rada, prekidač za slučaj opasnosti termička zaštita motora neto težina: 180 kg dim. 56,8 x 66,5 x 115,6h cm	30 l bowl, stainless steel 3 speeds: 99/176/320 rpm rigid cast iron body, stainless steel shield timer 15 min, START button alert switch, thermal overload protection 0,75kW/230V/50Hz/1 net weight: 180 kg dim. 56,8 x 66,5 x 115,6h cm



kuka, aluminij
spiral dough hook, aluminium



lopatica, aluminij
flat beater, aluminium



mutilica, inox
wire whip, s/s

PLANETARNE MIJEŠALICE / *Planetary mixers*

Model	Opis	Description
NIKO SP-50HA-E	Kapacitet posude 50 litara, 3 brzine: 99/176/320 okr/min čelični štitnik/lijevak posude 15-minutni timer dugme za početak rada, prekidač za slučaj opasnosti, termička zaštita motora 1,5kW/380V/50Hz neto težina: 270 kg dim. 63,2 x 72,1 x 130h cm	50 l bowl, stainless steel 3 speeds: 99/176/320 rpm rigid cast iron body, stainless steel shield timer 15 min, START button alert switch, thermal overload protection 1,5kW/380V/50Hz net weight: 270 kg dim. 63,2 x 72,1 x 130h cm



kuka, aluminij
spiral dough hook, aluminium



lopatica, aluminij
flat beater, aluminium



mutilica, inox
wire whip, s/s

	Model	DODATNA OPREMA / ACCESSORIES
	800/BL	Posuda za miješalicu 8 litara, inox - NIKO SP 800A-B <i>Bowl for 8 l mixer, stainless steel - NIKO SP 800A-B</i>
	SP100/BL dim. Ø 245 x 220 mm	Posuda za miješalicu 10 litara, inox - NIKO SP100 NHB <i>Bowl for 10 l mixer, stainless steel - NIKO SP100 NHB</i>
	SP200/BL dim. Ø 320 x 300 mm	Posuda za miješalicu 20 litara, inox - NIKO SP200 NHB <i>Bowl for 20 l mixer, stainless steel - NIKO SP200 NHB</i>
	PT	Postolje inox NIKO SP100NHB / Base inox NIKO SP100NHB: dim. 450 x 500 x 650 mm
	PT	Postolje inox NIKO SP200NHB / Base inox NIKO SP200NHB: dim. 450 x 500 x 550h mm
	30032/32QT	Posuda za miješalicu 30 litara, inox - NIKO SP-30HA-B <i>Bowl for 30 l mixer, stainless steel - NIKO SP-30HA-B</i>
	50 BOWL	Posuda za miješalicu 50 litara, inox - NIKO SP-50I-E <i>Bowl for 50 l mixer, stainless steel - NIKO SP-50I-E</i> dim. Ø 420 x 420 mm
	200/SCRP	Strugač za planetarnu miješalicu NIKO SP200 NHB <i>Bowl scraper for planetary mixer NIKO SP200 NHB</i>
	30/SCRP	Strugač za planetarnu miješalicu NIKO SP-30-HA B <i>Bowl scraper for planetary mixer NIKO SP-30-HA B</i>

	Art.	Model	Opis / Description
	UREDAJ ZA RUČNU IZRADU TJESTENINE <i>Manual pasta machine</i>	ATLAS 150 CLASSIC	Za valjanje tijesta, rezance 1,5 mm široke rezance 6 mm širina valjka 150 mm 9 numeriranih položaja otvora valjka od 2,5 do 0,3 mm materijal: kromirani inox, valjci anodizirani aluminij <i>Three pasta shapes: lasagne, fettuccine 6 mm tagliatelle 1,5 mm</i> <i>roller width: 150 mm</i> <i>Regulating knob with 9 position form 2,5 to 0,3 mm</i> <i>materials: chrome-plated steel, rollers anodised aluminium alloy</i> neto težina / <i>net weight</i> 2,5 kg dim. 200 x 200 x 130 mm
	UREDAJ ZA RUČNU IZRADU TJESTENINE <i>Manual pasta machine</i>	AMPIA 180 CLASSIC	Za valjanje tijesta, rezance 1,5 mm, široke rezance 6 mm širina valjka 180 mm 10 numeriranih položaja otvora valjka od 2,5 do 0,3 mm materijal: kromirani inox, valjci anodizirani aluminij <i>Three pasta shapes: lasagne, fettuccine 6 mm tagliatelle 1,5 mm</i> <i>roller width: 180 mm</i> <i>Regulating knob with 10 position form 2,5 to 0,3 mm.</i> <i>materials: chrome-plated steel, rollers anodised aluminium alloy</i> neto težina / <i>net weight</i> 3 kg dim. 230 x 190 x 140 mm
	UREDAJ ZA IZRADU TJESTENINE ELEKTRIČNI <i>Electric pasta machine</i>	ATLASMOTOR 220V	Za valjanje tijesta, rezance 1,5 mm, široke rezance 6 mm, širina valjka 180 mm 10 numeriranih položaja otvora valjka od 2,5 do 0,3 mm; 2 brzine materijal: kromirani inox, valjci anodizirani aluminij <i>Three pasta shapes: lasagne, fettuccine 6 mm tagliatelle 1,5 mm</i> <i>roller width 180 mm</i> <i>Regulating knob with 10 position form 2,5 to 0,3 mm, 2 speeds</i> <i>materials: chrome-plated steel, rollers anodised aluminium alloy</i> neto težina / <i>net weight</i> 3 kg dim. 340 x 220 x 170 mm

	Art.	Model	Opis / Description
	PROFESIONALNI UREĐAJ ZA RUČNU IZRADU TJESTENINE <i>Professional Manual pasta machines</i>	Imperia Restaurant 010	Uključuje: inox valjci za valjanje tijesta, podešavanje debljine tijesta 0 - 5 mm, širina valjka 220 mm, <i>professional sheeter, stainless steel rollers, Regulating knob from 0 to 5 mm. Roller width 220 mm</i> neto težina / <i>net weight</i> : 10,9 kg dim. 300 x 220 x 250 mm
	PROFESIONALNI UREĐAJ ZA IZRADU TJESTENINE ELEKTRIČNI <i>Professional Electric pasta machines</i>	Imperia Restaurant 036	Uključuje: valjak za valjanje tijesta, podesiva debljina tijesta u 10 položaja (između 2,0 mm i 0,1 mm) broj okretaja valjaka: 45 okr/min, kapacitet 12 kg/sat, širina do 210 mm, kromirano kućište, poniklani ojačani noževi, <i>The package includes: professional sheeter, basic thickness: adjustable in 10 steps (between 2,0 mm and 0,1 mm), up to 210 mm wide, rotations 45/minute Capacity 12 kg/h chromed steel frame, nickle-plated reinforced knives; 160W/230V/50Hz; neto težina / net weight: 14,8 kg dim. 300 x 220 x 275 mm</i>
	PRIKLJUČCI / <i>Attachment</i> Imperia Restaurant 010 / Restaurant 036	Imperia 060	Andeoska kosa 1,5 mm Za Restaurant 010 i 036 <i>Capelli d'Angelo 1,5 mm</i>
		Imperia 070	Priključak za rezance 2 mm Za Restaurant 010 i 036 <i>Attachment for tagliatelle 2 mm</i>
		Imperia 080	Priključak za rezance 4 mm Za Restaurant 010 <i>Attachment for trenette 4 mm</i>
		Imperia 090	Priključak za rezance 6,5 mm Za Restaurant 010 <i>Attachment for fettuccine 6,5 mm</i>
		Imperia 098	Priključak za Reginette lasagnette 12 mm Za Restaurant 010 i 036 <i>Attachment for Reginette lasagnette 12 mm</i>



SNACK, PALAČINKE, VAFLE *SNACK / CREPES / WAFFLES*

Friteze stolne
Roštilji stolni
Tosteri
Hot-dog
Pekač palačinki
Pekač vafila
Grijane ploče
Salamander
Indukcijsko kuhalo
Lampa za uništavanje insekata
Topli most
Topla kupka, stolna

*Electric Fryers
Electric Fry-tops
Toasters
Hot-dog
Crepe Machine
Waffle Baker
Hot-plates
Salamander
Table-top Induction Unit
Insect catcher
Heating Bridge
Bain Marie*

Inovativnim pristupom i osluškivanjem savjeta profesionalaca, stvorene su nove linije uređaja kojima se postiže preciznost u pripremi jela brze hrane. Usluga je brza i kvalitetna, a gost zadovoljan.

By applying innovative approach and monitoring the professionals' needs, new lines of devices have been created in order to ensure precision in the preparation of meals and fast food. The fast and high-quality service makes every customer satisfied.

Art.	Model	Opis / Description
	FRITEZA ELEKTRIČNA ELECTRIC FRYER	FE 04S  kapacitet/ <i>volume</i> : 5 l 3kW/230V košarica dim./ <i>basket dim.</i> : 13 x 23,5 x 10 cm težina/ <i>weight</i> : 5,7 kg dim. 18 x 42 x 30h cm 
	FRITEZA ELEKTRIČNA ELECTRIC FRYER	FE 07E  kapacitet/ <i>volume</i> : 8 l 3kW/230V košarica dim./ <i>basket dim.</i> : 21x23,5x10h cm težina/ <i>weight</i> : 6,7kg dim. 27 x 42 x 30h cm 
	FRITEZA ELEKTRIČNA ELECTRIC FRYER	FE 07T  kapacitet/ <i>volume</i> : 8 l 6kW/400V košarica dim./ <i>basket dim.</i> : 21 x 23,5 x 10 cm težina/ <i>weight</i> : 9,4 kg dim. 27 x 42 x 30h cm 
	FRITEZA ELEKTRIČNA ELECTRIC FRYER	FE 07VT  sa ispuvom za ulje/ <i>drain pipe</i> kapacitet/ <i>volume</i> : 8 l 6kW/400V košarica dim./ <i>basket dim.</i> : 21 x 23,5 x 10 cm težina/ <i>weight</i> : 9,9 kg dim. 27 x 42 x 37h cm 
	FRITEZA ELEKTRIČNA ELECTRIC FRYER	FE 10T  sa ispuvom za ulje/ <i>drain pipe</i> kapacitet/ <i>volume</i> : 11 l 8,1kW/400V košarica dim./ <i>basket dim.</i> : 30x24x12 cm težina/ <i>weight</i> : 12,2 kg dim. 36 x 42 x 37h cm 

Art.

Model

Opis / Description



FRITEZA ELEKTRIČNA
ELECTRIC FRYER

FE 74



kapacitet/ **volume**: 5 l + 8 l,
2,1kW + 3,0kW/230V, (5,1kW),
košarica dim./**basket dim.**: 21 x 23,5 x 10h cm i
13 x 23,5 x 10 cm;
težina/**weight**: 11 kg
dim. 45 x 42 x 30h cm




FRITEZA ELEKTRIČNA
ELECTRIC FRYER

FE 77E



8+8 litara, 6kW/230V
košarica dim. / **basket dim.**: 21x23,5x10h cm
težina / **weight**: 11kg
dim. 60 x 51 x 39h cm



FRITEZA ELEKTRIČNA
ELECTRIC FRYER

FE 77V



sa ispustom za ulje/**drain pipe**
2 x 8 l, 6kW/230V;
košarica dim./**basket dim.**: 21 x 23,5 x 10h cm
težina/**weight**: 14,1 kg
dim. 54 x 42 x 37h cm



FRITEZA ELEKTRIČNA
ELECTRIC FRYER

FE 77 VT



sa ispustom za ulje/**drain pipe**
2 x 8 l, 12kW/400V;
težina/**weight**: 18,9 kg
dim. 54 x 42 x 37h cm
košarica dim./**basket dim.**: 21 x 23,5 x 10h cm




FRITEZA ELEKTRIČNA STOLNA
ELECTRIC FRYER

FE 1010T



sa ispustom za ulje/**drain pipe**
2 x 11 l, 16,2 kW/400V;
težina/**weight**: 23,4 kg
dim. 72 x 42 x 37 h cm
košarica dim./**basket dim.**: 30 x 24 x 12 h cm



Art.	Model	Opis / Description
		Košarica za fritezu FEC-4 / <i>Fryer basket FEC-4</i> dim. 17,6 x 32,5 x 20h cm
	408000101	Košarica za fritezu FE04S. / <i>Fryer basket FE04S</i>
	408000501	Košarica za fritezu FE07T / FE77V / <i>Fryer basket FE07T / FE77V</i>
	408000101 / 408000501	Košarica za fritezu FE74. / <i>Fryer basket FE74</i>
	ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTH 30 E glatka ploča debljine 10 mm, <i>smooth 10mm thick steel plate</i> regulacija temp./ <i>temperature</i> : 50 °-300 °C dim. ploče/ <i>plate dim.</i> : 32 x 48 cm 3kW/230V/50Hz, težina/ <i>weight</i> : 23,7 kg dim. 33 x 54 x 22 cm
	ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTHC 30 E glatka krom ploča debljine 10 mm, <i>smooth 10 mm thick chrome plate</i> regulacija temp./ <i>temperature</i> : 50 °-300 °C dim. ploče/ <i>plate dim.</i> : 32 x 48 cm 3kW/230V/50Hz, težina/ <i>weight</i> : 23,7 kg dim. 33 x 54 x 22 cm
	ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTR 30 E rebrasta ploča debljine 10 mm, <i>10 mm thick ribbed steel plate</i> regulacija temp./ <i>temperature</i> : 50 °-300 °C dim. ploče/ <i>plate dim.</i> : 32 x 48 cm 3kW/230V/50Hz, težina/ <i>weight</i> : 23,7 kg dim. 33 x 54 x 22 cm
	ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTRC 30 E rebrasta krom ploča debljine 10 mm, <i>10 mm thick ribbed chrome plate</i> regulacija temp./ <i>temperature</i> : 50 °-300 °C dim. ploče/ <i>plate dim.</i> : 32 x 48 cm 3kW/230V/50Hz, težina/ <i>weight</i> : 23,7 kg dim. 33 x 54 x 22 cm
	ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTH 60 E glatka ploča debljine 10 mm, odvojena termoregulacija svake polovice <i>smooth 10 mm thick plate</i> regulacija temp./ <i>temperature</i> : 50 °-300 °C <i>2 separate termoregulators</i> dim. ploče/ <i>plate dim.</i> : 65 x 48 cm 6kW/400V/3N/50Hz, težina/ <i>weight</i> : 40,6 kg dim. 66 x 54 x 22 cm

Art.	Model	Opis / Description
 ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTHC 60 E	glatka krom ploča debljine 10 mm, odvojena termoregulacija svake polovice <i>smooth 10 mm thick chrome plate</i> regulacija temp./temperature: 50 °-300 °C <i>2 separate thermoregulators</i> dim. ploče/<i>plate dim.</i>: 65 x 48 cm 6kW/400V/3N/50Hz, težina/<i>weight</i>: 40,6 kg dim. 66 x 54 x 22 cm
 ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTHR 60 E	1/2 glatka ploča + 1/2 reb. ploča, odvojena termoregulacija svake polovice, <i>1/2 smooth + 1/2 ribbed plate</i> regulacija temp./temperature: 50 °-300 °C <i>2 separate thermoregulators</i> ploča debljine/<i>plate thickness</i>: 10 mm dim. ploče/<i>plate dim.</i>: 65 x 48 cm 6kW/400V/3N/50Hz, težina/<i>weight</i>: 40,6 kg dim. 66 x 54 x 22 cm
 ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTHRC 60 E	1/2 glatka krom + 1/2 reb. krom ploča, odvojena termoregulacija svake polovice, <i>1/2 smooth chrome + 1/2 ribbed chrome plate</i> regulacija temp./temperature: 50 °-300 °C <i>2 separate thermoregulators</i> ploča debljine/<i>plate thickness</i>: 10 mm dim. ploče/<i>plate dim.</i>: 65 x 48 cm 6kW/400V/3N/50Hz, težina/<i>weight</i>: 40,6 kg dim. 66 x 54 x 22 cm
 ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTH 90 E	glatka ploča debljine 10 mm, odvojena termoregulacija svake polovice, <i>smooth 10 mm thick plate</i> <i>2 separate thermoregulators</i> regulacija temp./temperature: 50 °-300 °C dim. ploče/<i>plate dim.</i>: 97 x 48 cm 9kW/400V/3N/50Hz, težina/<i>weight</i>: 69 kg dim. 99 x 54 x 22 cm
 ROŠTILJ ELEKTRIČNI STOLNI <i>ELECTRIC FRY TOP</i>	FTHC 90 E	glatka krom ploča debljine 10 mm, odvojena termoregulacija svake polovice, <i>smooth 10 mm thick chrome plate</i> <i>2 separate thermoregulators</i> regulacija temp./temperature: 50 °-300 °C dim. ploče/<i>plate dim.</i>: 97 x 48 cm 9kW/400V/3N/50Hz, težina/<i>weight</i>: 69 kg dim. 99 x 54 x 22 cm

Art.	Model	Opis / Description
 TOSTER 2 HVATALJKE <i>Toaster with 2 tongs</i>	MILANTOAST 7000	2 vertikalna utora s odvojenim grijačima, svaki grijač ima svoj tajmer do 4 minute i signalnu žaruljicu; 2 robusne inox hvataljke 14x14 x3 cm za profesionalnu upotrebu; tačna za mrvice periva u perilici suda, ergonomsko dugme za upravljanje, kapacitet do 60 šnita/h <i>2 independent vertical ovens, 4 minutes automatic timer on each single oven and control lights, stainless steel solid tongs for professional use (14x14x3 cm) removable crumb tray washable in dishwasher, soft-touch ergonomic knob, production up to 60 slices/h;</i> 1,37kW/230V, inox dim. 180 x 300 x 300h mm
 TOSTER 4 HVATALJKE <i>Toaster with 4 tongs</i>	MILANTOAST 7040	4 vertikalna utora s odvojenim grijačima, svaki grijač ima svoj tajmer do 4 minute i signalnu žaruljicu; 4 robusne inox hvataljke 14x14 x3 cm za profesionalnu upotrebu; tačna za mrvice periva u perilici suda, ergonomsko dugme za upravljanje, kapacitet do 120 šnita/h <i>4 independent vertical ovens, 4 minutes automatic timer on each single oven and control lights, stainless steel solid tongs for professional use (14x14x3 cm) removable crumb tray washable in dishwasher, soft-touch ergonomic knob, production up to 120 slices/h;</i> 2,4kW/230V, inox dim. 370 x 300 x 300h mm
 TOSTER 2 HVATALJKE CRVENI <i>Toaster with 2 tongs red</i>	MILANTOAST 7003	2 vertikalna utora s odvojenim grijačima, svaki grijač ima svoj tajmer do 4 minute i signalnu žaruljicu; 2 robusne inox hvataljke 14x14 x3 cm za profesionalnu upotrebu; tačna za mrvice periva u perilici suda, ergonomsko dugme za upravljanje, kapacitet do 60 šnita/h <i>2 independent vertical ovens, 4 minutes automatic timer on each single oven and control lights, stainless steel solid tongs for professional use (14x14x3 cm) removable crumb tray washable in dishwasher, soft-touch ergonomic knob, production up to 60 slices/h;</i> 1,37kW/230V, inox dim. 180 x 300 x 300h mm

Art.	Model	Opis / Description
 TOSTER 2 HVATALJKE CRNI <i>Toaster with 2 tongs black</i>	MILANTOAST 7005	2 vertikalna utora s odvojenim grijačima, svaki grijač ima svoj timer do 4 minute i signalnu žaruljicu; 2 robusne inox hvataljke 14x14 x3 cm za profesionalnu upotrebu; tačna za mrvice periva u perilici suda, ergonomsko dugme za upravljanje, kapacitet do 60 šnita/h <i>2 independent vertical ovens, 4 minutes automatic timer on each single oven and control lights, stainless steel solid tongs for professional use (14x14x3 cm) removable crumb tray washable in dishwasher, soft-touch ergonomic knob, production up to 60 slices/h</i> 1,37kW/230V, inox dim. 180 x 300 x 300h mm

 SKOČNI TOSTER 2 KRIŠKE ZLATNI <i>2 Slice toaster gold</i>	MILANTOAST 7201	2 vertikalna utora s odvojenim grijačima, svaki grijač ima svoj tajmer do 4 minute i signalnu žaruljicu; ručica za ručno izbacivanje kriške, tačna za mrvice periva u perilici suda, ergonomsko dugme za upravljanje, kapacitet do 80 šnita/h <i>2 independent vertical ovens, 4 minutes automatic timer on each single oven and control lights, removable crumb tray washable in dishwasher, manual pop-up, soft-touch ergonomic knob, production up to 80 slices/h;</i> 1,37kW/230V, obojeni aluminij / <i>colored aluminium</i> dim. 180 x 300 x 220h mm
---	--------------------------------------	--

 SKOČNI TOSTER 2 KRIŠKE PLAVI <i>2 Slice toaster blue</i>	MILANTOAST 7204	2 vertikalna utora s odvojenim grijačima, svaki grijač ima svoj tajmer do 4 minute i signalnu žaruljicu; ručica za ručno izbacivanje kriške, tačna za mrvice periva u perilici suda, ergonomsko dugme za upravljanje, kapacitet do 80 šnita/h <i>2 independent vertical ovens, 4 minutes automatic timer on each single oven and control lights, removable crumb tray washable in dishwasher, manual pop-up, soft-touch ergonomic knob, production up to 80 slices/h;</i> 1,37kW/230V, obojeni aluminij / <i>colored aluminium</i> dim. 180 x 300 x 220h mm
---	--------------------------------------	--

 TRAČNI TOSTER HATCO <i>Conveyor toaster HATCO</i>	TM3-5H	Tračni toster za kruh i peciva, kapacitet 190-230 šnita/sat inox kućište u crnoj boji <i>Conveyor toaster, for bread and buns capacity 190-230 slices/hour stainless steel, black color</i> 1320-1575W/230V/50Hz/1 dim. 290 x 460 x 412 mm
--	---------------	---

Art.	Model	Opis / Description
 TRAČNI TOSTER HATCO <i>Conveyor toaster HATCO</i>	TM3-10H	Tračni toster za kruh i peciva, kapacitet 290-350 šnita/sat inox kućište u crnoj boji <i>Conveyor toaster, for bread and buns capacity 290-350 slices/hour stainless steel, black color</i> 1920-2285W/230V/50Hz/1 dim. 338 x 464 x 411 mm
 GRILL TOSTER <i>GRILL TOASTERS</i>	PM1015L	GRILL TOSTER JEDNOSTRUKI PREKLONNI <i>Contact grill grooved</i> Lijevana ploča za pečenje, gornja ploča rebrasta, donja ploča glatka za peciva, hamburgere, sendviče, kobasice, ribu itd.. temperatura podesiva do 300°C <i>Cast iron hot-plate, ribbed/smooth for rolls, hamburgers, sausages, sandwiches, fish etc. heat control up to 300 ° C</i> 2,1kW/230V težina/weight: 21 kg dim. 380 x 400 x 240h mm
 GRILL TOSTER <i>GRILL TOASTERS</i>	PD1020R	GRILL TOSTER DVOSTRUKI PREKLONNI <i>Contact grill grooved</i> Lijevana ploča za pečenje, rebrasta za peciva, hamburgere, sendviče, kobasice, ribu itd.. temperatura podesiva do 300°C <i>Cast iron hot-plate, ribbed for rolls, hamburgers, sausages, sandwiches, fish etc. heat control up to 300° C</i> 3,3 kW/230V težina/weight: 27 kg dim. 515 x 400 x 240h mm


Art.	Model	Opis / Description
	REDFOX HOT-DOG	HD - 01 - dim. 220 x 220 x 250h mm HD - 02 - dim. 220 x 220 x 250h mm HD - 03 - dim. 220 x 220 x 250h mm HD - 04 - dim. 260 x 300 x 290h mm 1 šiljak/ <i>1 spike</i> / 0,11kW/230V / težina/ <i>weight</i> : 2 kg 2 šiljka / <i>2 spikes</i> / 0,11kW/230V / težina/ <i>weight</i> : 2,3 kg 3 šiljka / <i>3 spikes</i> / 0,11kW/230V / težina/ <i>weight</i> : 3,6 kg 4 šiljka/ <i>4 spikes</i> / 0,11kW/230V/ / težina/ <i>weight</i> : 4,5 kg 

	REDFOX HOT-DOG	HD - 03 N/K L3 šiljka+ kuhalo / <i>3 spikes with container</i> regulacija temp. / <i>temperature</i> : +30°C/+90°C 1,1kW/230V/50Hz, težina/ <i>weight</i> : 10 kg dim. 480 x 300 x 350 mm 
---	--------------------------	---

	REDFOX HOT-DOG	HD - 04 N/K 4 šiljka + kuhalo / <i>4 spikes with container</i> , regulacija temp. / <i>temperature</i> : +30°C/+90°C, 1,1kW/230V/50Hz, težina/ <i>weight</i> : 11,1 kg dim. 480 x 300 x 350 mm 
---	--------------------------	--

	HOT DOG KUHALO S KOŠAROM <i>HOT DOG CONTAINER WITH BASKET</i> Dodaci/ <i>Accessories</i>	HD - N/K 1,0kW/230V, regulacija temp./ <i>temperature</i> : +30°C/+90°C, težina/ <i>weight</i> : 7,3 kg dim. 260 x 300 x 350h mm 
---	--	---

	HOT DOG KUHALO S KOŠAROM <i>HOT DOG CONTAINER WITH BASKET</i> Dodaci/ <i>Accessories</i>	Rezervna staklena posuda, <i>Spare Glass Bowl</i> težina/ <i>weight</i> : 1,4 kg dim. Ø 19,35 x 24 cm
---	--	--

	HOT DOG KUHALO S KOŠAROM <i>HOT DOG CONTAINER WITH BASKET</i> Dodaci/ <i>Accessories</i>	Rezervna košarica za HD <i>Spare Basket for HD</i> težina/ <i>weight</i> : 0,6 kg dim. 90 x 220 mm
---	--	---

Art.	Model	Opis / Description
	KUHALO ZA RIŽU <i>RICE COOKER / WARMER</i> 37540-CE - (TYPE GR04) dim: Ø 41 x 33,5 cm	drži toplinu nakon kuhanja kućište inox, unutarnja posuda alu /teflon skidljivi unutarnji poklopac posudica za kondenzat, mjerica i žlica za rižu za kuhanje bijele, smeđe i basmati riže <i>shifts to keep warm after cooking</i> <i>durable stainless steel housing, nonstick pot</i> <i>hinged lid, measuring cup and rice spatula</i> <i>cooks white, brown, basmati and jasmine rice</i> Kapacitet 9 litara/40 šalica, / <i>capacity: 9 liters / 40 cups</i> težina bruto / <i>weight gross: 7 kg,</i> 1250W/230V/50Hz

	LAMPA ZA UNIŠTAVANJE INSEKATA <i>INSECT CATCHER</i> PZ30	Za prostor od 80 m² ; <i>area of coverage: 80 m² ;</i> 230V/50Hz/1 ; 30 W, težina/weight: 2,5 kg dim. 514 x 130 x 262 mm
---	--	---

	STALAK IZLOŽBENI ZA SENDVIČE, inox 18/10 <i>SNACKPRESENTER,</i> <i>stainless steel 18/10</i> NIKO/2	Za dva sendviča <i>for 2 baguettes</i> težina/weight: 230 g dim. 200 x 100 x 50 mm
---	---	---

	STALAK IZLOŽBENI ZA SENDVIČE, inox 18/10 <i>SNACKPRESENTER,</i> <i>stainless steel 18/10</i> NIKO/3	Za tri sendviča <i>for 3 baguettes</i> težina/weight: 400 g dim. 300 x 100 x 50 mm
---	---	---

	STALAK IZLOŽBENI ZA SENDVIČE, inox 18/10 <i>SNACKPRESENTER,</i> <i>stainless steel 18/10</i> NIKO/5	Za pet sendviča <i>for 5 baguettes</i> težina/weight: 520 g dim. 500 x 100 x 50 mm
---	---	---

	STALAK IZLOŽBENI ZA SENDVIČE, inox 18/10 <i>SNACKPRESENTER,</i> <i>stainless steel 18/10</i> NIKO/6	Za šest sendviča <i>for 6 baguettes</i> težina/weight: 680 g dim. 600 x 100 x 50 mm
---	---	--

	Art.	Model	Opis / Description
	BOČICE ZA UMAK, polyeten, perive u perilici posuđa <i>SAUCE BOTTLE, polyethylene, dishwasher-proof</i>	1460/351	kapacitet/ <i>volume</i> : 0,35 l, prozirna/ <i>transparent</i> , dim. Ø 5,5 x 21cm
		1460/701	kapacitet/ <i>volume</i> : 0,7 l, prozirna/ <i>transparent</i> , dim. Ø 6,5 x 24 cm
	BOČICE ZA UMAK, polyeten, perive u perilici posuđa <i>SAUCE BOTTLE, polyethylene, dishwasher-proof</i>	1460/352	kapacitet/ <i>volume</i> : 0,35 l, crvena/ <i>red</i> , dim. Ø 5,5 x 21cm
		1460/702	kapacitet/ <i>volume</i> : 0,7 l, crvena/ <i>red</i> , dim. Ø 6,5 x 24 cm
	BOČICE ZA UMAK, polyeten, perive u perilici posuđa <i>SAUCE BOTTLE, polyethylene, dishwasher-proof</i>	1460/353	kapacitet/ <i>volume</i> : 0,35 l, žuta/ <i>yellow</i> , dim. Ø 5,5 x 21cm
		1460/703	kapacitet/ <i>volume</i> : 0,7 l, žuta/ <i>yellow</i> , dim. Ø 6,5 x 24 cm

Niko



SET ZA UMAKE, inox
SAUCE BAR, s/s

SU-CON 2

2 dispenzera CON-SP-W
1 kontejner, 1 ladica, 1 hladeni uložak;
2 pumps CON-SP-W
1 box, 1 drawer, 1 ice pack
(keep cold for a long time due to a special gel)
2 GN 1/6 h=200 mm
dim. 332 x 178 x 240/400 mm


Niko



SET ZA UMAKE, inox
SAUCE BAR, s/s

SU-EDU 2

2 dispenzera EDU GN 1/6
1 kontejner, 1 ladica, 1 hladeni uložak;
2 pumps EDU GN 1/6
1 box, 1 drawer, 1 ice pack
(keep cold for a long time due to a special gel)
2 GN 1/6 h=200 mm
težina/ *weight*: 8,70 kg
dim. 332 x 178 x 240/400 mm


Art.	Model	Opis / Description
 SET ZA UMAKE, inox SAUCE BAR, s/s <i>Niko</i>	SU-CON 3	3 dispenserza CON-SP-W 1 kontejner, 1 ladica, 2 hladena uloška; 3 pumps CON-SP-W 1 box, 1 drawer, 2 ice packs <i>(keep cold for a long time due to a special gel)</i> 3 GN 1/6 h=200 mm težina/ weight: 10 kg dim. 497 x 178 x 260/400 mm

 SET ZA UMAKE, inox SAUCE BAR, s/s <i>Niko</i>	SU-EDU 3	3 dispenserza EDU GN 1/6 1 kontejner, 1 ladica, 2 hladena uloška; 3 pumps EDU GN 1/6 1 box, 1 drawer, 2 ice packs <i>(keep cold for a long time due to a special gel)</i> 3 GN 1/6 h=200 mm dim. 497 x 178 x 260/400 mm
--	----------	--

 PEKAČ PALAČINKI PLINSKI GAS CREPE MAKER	 CSRS4MA-KR	termoregulacija od 50°C do 300°C <i>heat control 50°C to 300°C</i> 1 ploča Ø 40 cm/ 1 griddle Ø 40 cm 5000W, 6 plamenika težina/weight: 16 kg dim. 400 x 420 x 200h mm
--	---	---

 PEKAČ PALAČINKI PLINSKI GAS CREPE MAKER	 CSCS4MA-KR	1 ploča Ø 40 cm/ 1 griddle Ø 40 cm 5000W, 6 plamenika težina/weight: 18 kg dim. 430 x 480 x 200h mm
--	---	--

 PEKAČ PALAČINKI PLINSKI GAS CREPE MAKER	 CSCS8MA-KR	2 ploče Ø 40 cm / 2 griddles Ø 40 cm 2 x 5kW / 230V/ 6 plamenika plin / gas: butan / propan težina/weight: 35 kg dim. 860 x 485 x 200h mm
--	---	--

Art.	Model	Opis / Description
 PEKAČ PALAČINKI ELEKTRIČNI <i>ELECTRIC CREPE MAKER</i>	CSR03AA-KR	termoregulacija od 50°C do 300°C <i>heat control 50°C to 300°C</i> 1 ploča Ø35 cm/ <i>1 griddle Ø 35 cm</i> 230V/2500W težina/weight: 12,5 kg dim. Ø 350 x 159,5h mm
 PEKAČ PALAČINKI ELEKTRIČNI <i>ELECTRIC CREPE MAKER</i>	CSR04AA-KR	termoregulacija od 50°C do 300°C <i>heat control 50°C to 300°C</i> 1 ploča Ø40 cm/ <i>1 griddle Ø 40 cm</i> 230V/3000W težina/weight: 17 kg dim. Ø 400 x 160h mm
 PEKAČ PALAČINKI ELEKTRIČNI <i>ELECTRIC CREPE MAKER</i>	CSCA8AA-KR	termoregulacija od 50°C do 300°C <i>heat control 50°C to 300°C</i> 2 ploče Ø 40 cm/ <i>2 griddles Ø 40 cm</i> 230V/2 x 3000W težina/weight: 37 kg dim. 860 x 470 x 180h mm
 PEKAČ PALAČINKI - 7 kalupa, ELEKTRIČNI / PANCAKES MAKER - 7 pancakes moulds	CSRP4AA	termoregulacija od +50°C do +300°C <i>heat control +50 °C to +300°C</i> 1 ploča Ø40 cm/ <i>1 griddle Ø40 cm</i> 7 kalupa za male palačinke Ø 12 cm x 3 mm <i>7 pancakes moulds</i> 3000W/230V/50Hz težina/weight: 16 kg dim. 400 x 420 x 160 mm
 PEKAČ VAFLI <i>ELECTRIC WAFFLE MAKER</i>	WECAFC	Za 2 vafle 4x5 Liégé, jednostavno otvaranje 90°, kućište inox, ploča ljevana, <i>for 2 waffles 4x5 Liégé,</i> <i>single 90° C opening</i> <i>stainless steel frame, iron plate</i> veličina vafle/ <i>waffle size:</i> 148 x 107 x 32 mm, temperatura/ <i>temperature:</i> 50°C - 300°C, 1400W/230V/50Hz težina/weight: 17 kg 260 x 315 x 220 mm  4x5 Liégé

	Art.	Model	Opis / Description
	PEKAČ VAFLI "SRCE" 180° <i>WAFFLE MAKER HEART 180°</i>	WECAQAA00	Za 5 vafli jednostavno otvaranje 180°, kućište inox, ploča ljevano željezo "Pack grijač" - savršeno širenje topline signalna žaruljica <i>for 4 waffles</i> <i>180° opening</i> <i>stainless steel frame, iron plate</i> <i>indicator light</i> <i>„Heating Element Pack“ technology for</i> <i>perfect heat diffusion</i> temperatura/temperature: 50°C - 300°C, 1800W/230V/50Hz težina/weight: 24 kg 440 x 260 x 220 mm
	PEKAČ ZA MINI PALAČINKE <i>ELEKTRIC POFFERTJES</i> <i>MAKER</i>	WECIALQA	50 mini palačinki promjera 4 cm kućište inox, ploča ljevano željezo signalna žaruljica "Pack grijač" - savršeno širenje topline <i>50 holes of 4 cm diameter</i> <i>stainless steel frame, iron plate</i> <i>„Heating Element Pack“ technology for</i> <i>perfect heat diffusion</i> <i>indicator light</i> temperatura/ temperature: 50°C - 300°C, 2400W/220V/50Hz težina/weight: 24 kg 500 x 260 x 192 mm
	PEKAČ VAFLI NA DRVENOM ŠTAPIĆU "LIZALICE" 180° <i>WAFFLE POPS MAKER 180°</i>	WECASAOA	Za 4 vafle na drvenom štapiću, jednostavno otvaranje 180°, kućište inox, ploča ljevano željezo "Pack grijač" - savršeno širenje topline signalna žaruljica <i>for 4 sucette waffles</i> <i>180°C opening</i> <i>stainless steel frame, iron plate</i> <i>indicator light</i> <i>„Heating Element Pack“ technology for</i> <i>perfect heat diffusion</i> temperatura/ temperature: 50°C - 300°C, 1800W/230V/50Hz težina/weight: 20 kg 440 x 260 x 220 mm * isporučuje se sa 40 drvenih štapića <i>*supplied with a set of 40 wooden sticks</i>

	Art.	Model	Opis / Description
	Mazalica drvena ravna 18 cm <i>Batter flat spreader 18 cm</i>	ARH18	
	Mazalica drvena ravna 22 cm <i>Batter flat spreader 22 cm</i>	ARH22	
	Mazalica drvena okrugla 18 cm <i>Batter round spreader 18 cm</i>	ART18	
	Paleta drvena 40 cm, za okretanje palačinki <i>Beech spatula 40 cm, for pancakes</i>	ASH40	
	Abrazivni kamen za pekač palačinki <i>Abrasive stone</i>	APA1	za čišćenje crepiere <i>for cleaning crepe maker</i>
	Jastučić za pripremu, mačenje i brisanje ploče pekača palačinki <i>Seasoning, greasing and wiping</i>	ATE1	
	Uložak jastučića za pekač palačinki <i>Spare feltpad for seasoning, greasing and wiping</i>	ATE2	
	Pribor za palačinke "Easy crep" <i>Spreading kit "Easy crep"</i>	AKE 84	set 6/1: mazalica, grabilica, valjčić drveni, lopatica drvena, posuda za ispiranje, kist za čišćenje mazalice <i>set 6/1: s/s spreader, ladle, spreader wood spatula wood, container, brush</i> za pekač palačinki Ø 40 cm <i>for crepemaker dia. 40 cm</i>

	Art.	Model	Opis / Description
	ABH1		drveni štapići za vafle lizalice, 500/1 <i>wooden sticks for waffle pops, 500/1</i>
	APS3		stalak za 6 vafli lizalica, inox <i>waffle pops holder, for six sticks, s/s</i> dim. 300 x 112 x 31 mm
	GRIJAČ ZA PRELJEVE S DVIJE BOČICE TOPPING WARMER WITH TWO BOTTLES	BECIC2	Za slatke i pikantne preljeve: čokolada, karamela, ketchup, curry, slatki umaci kod palačinki, vafli, sladoleda itd. S dvije bočice za preljeve volumen bočice s tri otvora: 1000 ml <i>For savory of sweet sauces, chocolate, caramel spread, ketchup, curry sauce, sweet sauce...</i> <i>wide variety of specialties: crepes, waffles, churros, gelato...</i> <i>with two bottles</i> <i>3 spouts lead bottle of 1000 ml</i> temperatura / temperature: 0°C - 90°C 2 x 170 W/230V/50hz težina/weight: 3,9 kg dim. 272 x 224 x 200 mm
	GRIJAČ ZA PRELJEVE S TRI BOČICE TOPPING WARMER WITH TREE BOTTLES	BECIC 3	Za slatke i pikantne preljeve: čokolada, karamela, ketchup, curry, slatki umaci kod palačinki, vafli, sladoleda itd. S tri bočice za preljeve volumen bočice s tri otvora: 1000 ml <i>For savory of sweet sauces, chocolate, caramel spread, ketchup, curry sauce, sweet sauce..</i> <i>wide variety of specialties: crepes, waffles, churros, gelato...</i> <i>with three bottles</i> <i>3 spouts lead bottle of 1000 ml</i> temperatura / temperature: 0°C - 90°C 3 x 170 W/230V/50hz težina/weight : 5,3 kg dim. 397 x 224 x 200 mm
	BOČICA ZA PRELJEVE S 3 OTVORA 3 SPOUTS LEAD BOTTLE	ABM2	plastična bočica i čep / <i>plastic bottle and cap</i> 1000 mL, graduirana / <i>graduated</i>


Art.	Model	Opis / Description
	SALAMANDER / SALAMANDER SE 40 S	sa vodicama za rešetku, 3 nivoa za rešetku <i>3 fixed positions for grid</i> 2,2 kW/230V, unutarnje dim./inner dim.: 410 x 350 mm težina/weight: 17 kg dim. 600 x 370 x 380 mm
	SALAMANDER / SALAMANDER SE 40 M	sa podesivom rešetkom, 4 podesiva položaja za rešetku, <i>4 pre-set positions of movable grid</i> <i>smooth and comfortable adjustment</i> 2,2 kW/230V, unutarnje dim./inner dim.: 390 x 310 mm težina/ weight: 17,9 kg dim. 600 x 370 x 380 mm
	SALAMANDER / SALAMANDER SE 70 S	sa vodicama za rešetku, 3 nivoa za rešetku <i>3 fixed positions for grid</i> 4,4 kW/400V, unutarnje dim./inner dim.: 680 x 350mm težina/weight: 23,3 kg dim. 880 x 370 x 380 mm
	SALAMANDER / SALAMANDER SE 70 M	sa podesivom rešetkom, 4 podesiva položaja za rešetku, <i>4 pre-set positions of movable grid</i> <i>smooth and comfortable adjustment</i> 4,4 kW/400V, unutarnje dim./inner dim.: 650 x 310 mm težina/ weight: 25,7 kg dim. 880 x 370 x 380 mm
	SALAMANDER / SALAMANDER SE 70 M/230V	sa podesivom rešetkom, 4 podesiva položaja za rešetku, <i>4 pre-set positions of movable grid</i> <i>smooth and comfortable adjustment</i> 3,2 kW/230V, unutarnje dim./inner dim.: 650 x 310 mm težina/ weight: 25,6 kg dim. 880 x 370 x 380 mm

Art.	Model	Opis / Description
 INDUKCIJSKA KUHALA INDUCTION / TABLE TOP UNITS	 IND2 NEW	kućište inox izvedba (XCrNi), staklena ploča dim. 280x280 mm za lonce Ø 12/26 cm <i>chrome nickel steel casing (XCrNi)</i> <i>glass dim. 280x280 mm</i> <i>for pots Ø 12/26 cm</i> temp. +60°C/+240°C 3,5kW/230V/50Hz neto težina / <i>net weight</i>: 5 kg dim. 340 x 425 x 105 mm
 INDUKCIJSKA KUHALA INDUCTION / TABLE TOP UNITS	 IND4	kućište inox izvedba (XCrNi), staklena ploča dim. 360x360 mm za lonce Ø 12/40 cm <i>chrome nickel steel casing (XCrNi)</i> <i>glass dim. 360x360 mm</i> <i>for pots Ø 12/40 cm</i> temp. +60°C/+240°C 3,5kW/230V/50Hz neto težina / <i>net weight</i>: 9 kg dim. 440 x 540 x 130 mm
 INDUKCIJSKA KUHALA INDUCTION / TABLE TOP UNITS	 PIS 30	kućište inox, digitalno upravljanje staklenokeramička ploča dim. 280x280x4 mm <i>stainless steel casing, digital control,</i> <i>vetroc ceramic plate dim. 280x280x4 mm</i> 3kW/230V/50Hz težina / <i>weight</i>: 6 kg dim. 315 x 380 x 102 mm
 INDUKCIJSKA KUHALA INDUCTION / TABLE TOP UNITS	 PID 30	kućište inox, digitalno upravljanje staklenokeramička ploča dim. 550x280x4 mm 2 električna kabla <i>stainless steel casing, digital control,</i> <i>vetroc ceramic plate dim. 550x280x4 mm</i> <i>2 electric cords</i> 2 x 3kW/230V/50Hz težina / <i>weight</i>: 11 kg dim. 590 x 380 x 102 mm

Art.	Model	Opis / Description
 INDUKCIJSKA KUHALA <i>INDUCTION / TABLE TOP UNITS</i>	 PIC 25	Za čokoladu kućište inox, digitalno upravljanje staklenokeramička ploča dim. 280x280x4 mm For chocolate <i>stainless steel casing, digital control, vetroceramic plate dim. 280x280x4 mm</i> 2,5kW/230V/50Hz težina / <i>weight</i>: 6 kg dim. 315 x 380 x 102 mm

 ORMARIĆI GRIJANI ZA TANJURE inox, na kotačima <i>PLATE WARMERS</i> <i>stainless steel, with castors</i>	MS1860RF2 	S unutarnjom policom kapacitet 60 tanjura Ø31cm <i>with 1 intermediate shelf</i> <i>capacity: 60 plates Ø31 cm</i> temperatura/ <i>temperature</i>: 30° - 85°C 0,75kW/230V; neto težina / <i>net weight</i>: 48 kg dim. 390 x 420 x 850h mm
--	---	--

 ORMARIĆI GRIJANI ZA TANJURE inox, na kotačima <i>PLATE WARMERS</i> <i>stainless steel, with castors</i>	MS1866RF2 	S unutarnjom policom kapacitet 120 tanjura Ø31 cm <i>with 1 intermediate shelf</i> <i>capacity: 120 plates Ø31 cm</i> temperatura/ <i>temperature</i>: 30° - 85°C 1,2 kW/230V; neto težina / <i>net weight</i>: 75 kg dim. 700 x 420 x 850h mm
--	---	---

 TOPLI MOST s grijaćim elementom, inox <i>1-tier overshelf with heating unit, stainless steel</i>	TM100 0,5kW/230V/50Hz dim. 1000 x 350 x 400 mm TM110 0,5kW/230V/50Hz dim. 1100 x 350 x 400 mm TM120 0,5kW/230V/50Hz dim. 1200 x 350 x 400 mm TM130 0,75kW/230V/50Hz dim. 1300 x 350 x 400 mm TM140 0,75kW/230V/50Hz dim. 1400 x 350 x 400 mm TM150 0,75kW/230V/50Hz dim. 1500 x 350 x 400 mm TM160 1kW/230V/50Hz dim. 1600 x 350 x 400 mm TM170 1kW/230V/50Hz dim. 1700 x 350 x 400 mm TM180 1kW/230V/50Hz dim. 1800 x 350 x 400 mm TM190 1kW/230V/50Hz dim. 1900 x 350 x 400 mm TM200 1kW/230V/50Hz dim. 2000 x 350 x 400 mm
---	---

Art.	Model	Opis / Description
 VIŠEĆE LAMPE, grijače, infracrvene, u različitim bojama <i>Infrared hanging heating lamps, i n different colours</i>		 250W/230V/50Hz temp. +30°C/+90°C Ø 270 mm
	HLFN	crna / black
	HLFA	srebrna / silver
	HLEFD	zlatna / gold
	HLEFB	bakrena / copper


 GRIJANA PLOČA, s dugmetom za podešavanje temperature +30/+70°C, inox <i>HOT PLATES with adjustable thermostat, +30/+70°C, s/s frame</i>	2xGN1/1	300W/230V / dim. 660 x 530 x 60 mm
	3xGN1/1	500W/230V / dim. 990 x 530 x 60 mm
	4xGN1/1	650W/230V / dim. 1320 x 530 x 60 mm

 GRIJANA PLOČA, +30/+70°C, inox, s LCD prikazom temperature <i>HOT PLATES, +30/+70°C, s/s frame, with LCD temperature display</i>	GPE - 50	dim. 500 x 350 x 60h mm / 200W/220V/50Hz
	GPE - 60	dim. 600 x 400 x 60h mm / 300W/220V/50Hz
	GPE - 80	dim. 800 x 400 x 60h mm / 375W/220V/50Hz
	GPE - 90	dim. 900 x 450 x 60h mm / 400W/220V/50Hz
	GPE - 100	dim. 1000 x 400 x 60h mm / 500W/220V/50Hz

 GRIJANA PLOČA SA STAKLOM, +30/+70°C, inox, s LCD prikazom temperature <i>HOT PLATES WITH TEMPERED GLASS TOP, +30/+70°C, s/s frame, with LCD temperature display</i>	GPES - 60	dim. 600 x 400 x 60h mm / 300W/220V/50Hz
	GPES - 80	dim. 800 x 400 x 60h mm / 375W/220V/50Hz
	GPES - 90	dim. 900 x 450 x 60h mm / 400W/220V/50Hz
	GPES - 100	dim. 1000 x 400 x 60h mm / 500W/220V/50Hz

 GRIJANA PLOČA, s dugmetom za podešavanje temperature +30/+90°C, inox <i>HOT PLATES with adjustable thermostat, +30/+90°C, s/s frame</i>		
	PC4750	dim. 500 x 350 x 60h mm 250W/220V/50Hz
	PC5050	dim. 500 x 500 x 60h mm 600W/220V/50Hz
	PC6040	dim. 600 x 400 x 60h mm 600W/220V/50Hz
	PC8060	dim. 800 x 600 x 60h mm 1000W/220V/50Hz
	PC4752	dim. 900 x 450 x 60h mm 450W/220V/50Hz
	PC4754	dim. 1000 x 500 x 60h mm 600W/220V/50Hz

Art.	Model	Opis / Description
		GRIJANA PLOČA SA STAKLOM, s dugmetom za podešavanje temperature +30/+90°C, inox <i>HOT PLATES WITH TEMPERED GLASS TOP, with adjustable thermostat, +30/+90°C, s/s frame</i>
	PVC 4760	 dim. 500 x 500 x 70h mm 600W/220V/50Hz
	PVC 4763	dim. 600 x 400 x 70h mm 600W/220V/50Hz
	PVC 4765	dim. 810 x 610 x 70h mm 1000W/220V/50Hz

	GRIJAČI PLADNJEVA <i>HOT PLATES SET</i>	 SP-5	90 - 180°C Vrijeme držanja topline do 60 minuta <i>Holds temperature up to 60 minutes</i> dim. ploče/panel dim.: 285 x 165 x 10 mm 0,7kW/230V težina/weight: 19 kg dim. 37 x 25 x 32h

	GRIJAČI PLADNJEVA <i>HOT PLATES SET</i>	 SP-10	90 - 180°C Vrijeme držanja topline do 60 minuta <i>Holds temperature up to 60 minutes</i> dim. ploče/panel dim.: 285 x 165 x 10 mm 1,4kW/230V težina/weight: 34 kg dim. 37 x 25 x 53h

Art.	Model	Opis / Description
	TOPLE KUPKE STOLNE ELEKTRIČNE <i>BAIN-MARIE</i> SV-12 <i>Niko</i>	1 x GN 1/2 150h 0,83kW/230V/50Hz težina/weight: 6 kg dim. 29,5 x 41 x 22h
	TOPLE KUPKE STOLNE ELEKTRIČNE <i>BAIN-MARIE</i> SV-23 <i>Niko</i>	1 x GN 2/3 150h 1,19kW/230V/50Hz težina/weight: 7 kg dim. 38 x 41 x 22h
	TOPLE KUPKE STOLNE ELEKTRIČNE <i>BAIN-MARIE</i> SV-11 <i>Niko</i>	1 x GN 1/1 150h 1,66kW/230V/50Hz težina/weight: 9 kg dim. 56 x 41 x 22h
	TOPLE KUPKE STOLNE ELEKTRIČNE <i>BAIN-MARIE</i> SV-113 <i>Niko</i>	1 x GN1/1 + 1 x GN1/3 150h 2,49kW/230V/50Hz težina/weight: 11 kg dim. 73,5 x 41 x 22h
	TOPLE KUPKE STOLNE ELEKTRIČNE <i>BAIN-MARIE</i> SV-123 <i>Niko</i>	1 x GN1/1 + 1 x GN2/3 150h 2,49kW/230V/50Hz težina/weight: 14 kg dim. 91 x 41 x 22h



REVOLUCIONARAN SUSTAV SAMOČIŠĆENJA

**UGRAĐEN U LEDOMAT,
JAMČI POTPUNU ČISTOĆU I HIGIJENU.**

XSafe

THE REVOLUTIONARY SELF-CLEANING SYSTEM

LEDOMATI ICE MACHINES

- Scotsman – vrhunska kvaliteta kao imperativ, od prvog dana usmjeren ka razvoju tehnologija za izradu leda.
- Led Gourmet – kocka leda kristalno bistra, čista i čvrsta koja se sporo otapa.
- Led u obliku kocke – šesterostrana kocka leda koja svojom površinom omogućuje brzo hlađenje napitaka.
- Led u obliku štapića i pločica – za gazirane napitke, smoothije, izlaganje hrane.
- Led u granulama – za izložbene vitrine za ribu, za pripremu smrznutih i hladnih napitaka...
- Lističasti led – za izlaganje i prijevoz ribe, morskih plodova i kvarljive robe.
- *Scotsman – a top-class must, from the first day focused single-mindedly on development of ice making technologies.*
- *Gourmet ice – crystal clear, pure, hard and long lasting ice cube.*
- *Dice ice – six sides ice cube with its surface allows fast chilling of drinks.*
- *Nugget & Cubelet ice – for carbonated drinks, smoothies and food display.*
- *Flake ice – for fish display counters, and preparation of frozen and cold drinks.*
- *Scale ice – for display and transportation of fish, sea food and perishable goods*

Oblik leda: Gurman
Ice shape: Gourmet



S - Mali Gurman / *Small Gourmet* = 8 g, Ø 21 x 25h mm
M - Srednji Gurman / *Medium Gourmet (standard)* = 20 g, Ø 30 x 34h mm
L - Veliki Gurman / *Large Gourmet* = 39 g, Ø 38 x 41h mm
XL - Vrlo veliki Gurman / *Extra Large Gourmet* = 60 g, Ø 44 x 46h mm

Scotsman
Ice Systems

Tehnologija sprej sistema / *Spray-system technology*

RASHLADNO SREDSTVO R290
(visoko rafinirani propan)

XSafe

Model		Opis / Description
AC - elektromehaničko upravljanje / <i>electromechanical control</i>		
 AC 47 R290 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i>	ACM 47 AS	kapacitet / <i>output</i> : 24 kg/24h spremnik za led / <i>storage bin</i> : 9 kg zračno hlađenje / <i>air cooled</i> 320W/230V/50Hz/1
	ACM 47 WS	vodeno hlađenje / <i>water cooled</i> 280W/230V/50Hz/1 neto težina / <i>net weight</i> : 35 kg dim. 386 x 600 x 645/778h mm

 AC 57 R290 Veličina kocke / <i>Cube size</i> S - mala / <i>small</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	ACS 57 AS	kapacitet / <i>output</i> : 32 kg/24h
	ACM 57 AS	spremnik za led / <i>storage bin</i> : 12 kg
	ACL 57 AS	zračno hlađenje / <i>air cooled</i> 370W/230V/50Hz/1
	ACM 57 WS	vodeno hlađenje / <i>water cooled</i> 300W/230V/50Hz/1 neto težina / <i>net weight</i> : 36 kg dim. 386 x 600 x 695/828h mm

Napomena: Kod modela AC47/57 na zahtjev moguć set nogica KITLEGSSOCKET

 AC 87 R290 Veličina kocke / <i>Cube size</i> S - mala / <i>small</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	ACS 87 AS	kapacitet / <i>output</i> : 39 kg/24h
	ACM 87 AS	spremnik za led / <i>storage bin</i> : 19 kg
	ACL 87 AS	zračno hlađenje / <i>air cooled</i> 580W/230V/50Hz/1 570W/230V/50Hz/1
	ACM 87 WS	vodeno hlađenje / <i>water cooled</i> 480W/230V/50Hz/1
	ACL 87 WS	neto težina / <i>net weight</i> : 44 kg dim. 531 x 600 x 785/875h mm

 AC 107 R290 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	ACM 107 AS	kapacitet / <i>output</i> : 50 kg/24h
	ACL 107 AS	spremnik za led / <i>storage bin</i> : 23 kg zračno hlađenje / <i>air cooled</i> 580W/230V/50Hz/1
	ACM 107 WS	vodeno hlađenje / <i>water cooled</i> 485W/230V/50Hz/1
	ACL 107 WS	neto težina / <i>net weight</i> : 47 kg dim. 531 x 600 x 840/930h mm

Oblik leda: Gurman
Ice shape: *Gourmet*



- S - Mali Gurman / *Small Gourmet* = 8 g, Ø 21 x 25h mm
M - Srednji Gurman / *Medium Gourmet (standard)* = 20 g, Ø 30 x 34h mm
L - Veliki Gurman / *Large Gourmet* = 39 g, Ø 38 x 41h mm
XL - Vrlo veliki Gurman / *Extra Large Gourmet* = 60 g, Ø 44 x 46h mm

Scotsman
Ice Systems

Tehnologija sprej sistema / *Spray-system technology*

RASHLADNO SREDSTVO R290
(visoko rafinirani propan)

XSafe

Model		Opis / Description
		AC - elektromehaničko upravljanje / <i>electromechanical control</i>
	ACM 127 AS	kapacitet / <i>output</i> : 74 kg/24h
	ACL 127 AS	spremnik za led / <i>storage bin</i> : 34 kg
		zračno hlađenje / <i>air cooled</i>
		650W/230V/50Hz/1
 AC 127 R290 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	ACM 127 WS	vodeno hlađenje / <i>water cooled</i>
	ACL 127 WS	490W/230V/50Hz/1
		neto težina / <i>net weight</i> : 65 kg
		dim. 680 x 600 x 920/1010h mm

		kapacitet / <i>output</i> : 85 kg/24h
		spremnik za led / <i>storage bin</i> : 41 kg
		zračno hlađenje / <i>air cooled</i>
		750W/230V/50Hz/1
 AC 177 R290 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	ACM 177 AS	830W/230V/50Hz/1
	ACL 177 AS	
	ACM 177 WS	vodeno hlađenje / <i>water cooled</i>
	ACL 177 WS	620W/230V/50Hz/1
		neto težina / <i>net weight</i> : 70 kg
		dim. 680 x 600 x 990/1080h mm

		kapacitet / <i>output</i> : 137 kg/24h
		spremnik za led / <i>storage bin</i> : 50 kg
		zračno hlađenje / <i>air cooled</i>
		1170W/ 230V/50Hz/1
 AC 207 R290 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i>	ACM 207 AS	neto težina / <i>net weight</i> : 82 kg
	ACL 207 AS	dim. 1250 x 620 x 780/870h mm
	ACM 207 WS	
	ACL 207 WS	

		kapacitet / <i>output</i> : 150 kg/24h
		spremnik za led / <i>storage bin</i> : 70 kg
		zračno hlađenje / <i>air cooled</i>
		1400W/230V/50Hz/1
 AC 227 R290 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i>	ACM 227 AS	neto težina / <i>net weight</i> : 96 kg
	ACL 227 AS	dim. 1078 x 715 x 1005/1096h mm
	ACM 227 WS	
	ACL 227 WS	

Oblik leda: Gurman
Ice shape: Gourmet



M - Srednji Gurman / Medium Gourmet (standard) = 20 g, Ø 30 x 34h mm
L - Veliki Gurman / Large Gourmet = 39 g, Ø 38 x 41h mm

Scotsman
Ice Systems

XSafe

Tehnologija sprej sistema / Spray-system technology

		Model	Opis / Description
MXG - elektronsko upravljanje / <i>electronic control</i>			
	 MXG 327 R290 MXG 328 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	MXG S 327 AS	kapacitet / <i>output</i> : 150 kg/24h
		MXG M 327 AS	zračno hlađenje / <i>air cooled</i>
		MXG L 327 AS	1150W/230V/50Hz/1
			vodeno hlađenje / <i>water cooled</i>
		MXG M 328 WS	950W/230V/50Hz/1
			neto težina / <i>net weight</i> : 66 kg
			dim. 568 x 704 x 721h mm
			Preporučeni spremnici za led / <i>Recommended bins</i> : SB 193, SB 322
	 MXG 427 R290 MXG 428 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	MXG S 427 AS	kapacitet / <i>output</i> : 195 kg/24h
		MXG M 427 AS	zračno hlađenje / <i>air cooled</i>
		MXG L 427 AS	1400W/230V/50Hz/1
			vodeno hlađenje / <i>water cooled</i>
		MXG M 427 WS	1400W/230V/50Hz/1
		MXG L 427 WS	neto težina / <i>net weight</i> : 66 kg
			dim. 568 x 704 x 721h mm
			Preporučeni spremnici za led / <i>Recommended bins</i> : SB 193, SB 322
	 MXG 437 R290 MXG 438 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	MXG M 437 AS	kapacitet / <i>output</i> : 195 kg/24h
			zračno hlađenje / <i>air cooled</i>
			1400W/230V/50Hz/1
			vodeno hlađenje / <i>water cooled</i>
		MXG M 437 WS	1400W/230V/50Hz/1
			1400W/230V/50Hz/2
			neto težina / <i>net weight</i> : 73 kg
			dim. 773 x 705 x 721h mm
			Preporučeni spremnici za led / <i>Recommended bins</i> : SB 393, SB 530
	 MXG 637 R290 MXG 638 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	MXG M 637 AS	kapacitet / <i>output</i> : 335 kg/24h
		MXG L 637 AS	zračno hlađenje / <i>air cooled</i>
			2500W/230V/50Hz/1
			vodeno hlađenje / <i>water cooled</i>
		MXG M 637 WS	2200W/230V/50Hz/1
			2200W/400V/50Hz/3
			neto težina / <i>net weight</i> : 116 kg
			dim. 773 x 705 x 1128h mm
			Preporučeni spremnici za led / <i>Recommended bins</i> : ESDB 03M93A, TISB 530

Oblik leda: Gurman
Ice shape: *Gourmet*



M - Srednji Gurman / *Medium Gourmet (standard)* = 20 g, Ø 30 x 34h mm
L - Veliki Gurman / *Large Gourmet* = 39 g, Ø 38 x 41h mm

Scotsman
Ice Systems

Tehnologija sprej sistema / *Spray-system technology*

XSafe

Model		Opis / Description
MXG - elektronsko upravljanje / <i>electronic control</i>		
 MXG 938 Veličina kocke / <i>Cube size</i> M - srednja / <i>medium</i> L - velika / <i>large</i>	MXG M 938 AS	kapacitet / <i>output</i> : 400 kg/24h
	MXG L 938 AS	zračno hlađenje / <i>air cooled</i>
		3200W/400V/50Hz/3
	MXG M 938 WS	vodeno hlađenje / <i>water cooled</i>
	MXG L 938 WS	2800W/400V/50Hz/3
		3000W/400V/50Hz/3
		neto težina / <i>net weight</i> : 143 kg
		dim. 773 x 704 x 1236h mm
		Preporučeni spremnici za led / <i>Recommended bins</i> : SB 393, SB 530

Oblik leda: KOCKA

kocka / *dice* = 10 g, 22x22x22 mm

pola kocke / *half large cube* = 6 g, 10x22x28 mm

velika kocka / *large dice* = 15 g, 28x22x28 mm

Vertikalni isparivač / *ice vertical evaporator*



Scotsman
Ice Systems

XSafe

Model		Opis / Description
NV - elektronsko upravljanje / <i>electronic control</i>		
 EcoX NW 307 R290 Veličina kocke / <i>Cube size</i> H - pola kocke / <i>half dice</i> D - kocka / <i>Dice</i> L - velika kocka / <i>large dice</i>	NW H 307 AS	kapacitet / <i>output</i> : 190 kg/24h
	NW D 307 AS	zračno hlađenje / <i>air cooled</i>
	NW L 307 AS	910W/230V/50Hz/1
		dim. 558 x 610 x 609 mm
		Preporučeni spremnici za led / <i>Recommended bins</i> : SB193 ; SB322; SB393 + CBT30EMCD; SB530 + CBT30EMCD



NW 457 R290

Veličina kocke / *Cube size*
H - pola kocke / *half dice*
D - kocka / *Dice*
L - velika kocka / *large dice*

NW H 457 AS
NW D 457 AS
NW L 457 AS

kapacitet / *output*: 216 kg/24h

zračno hlađenje / *air cooled*

960W/230V/50Hz/1

neto težina / *net weight*: 73 kg

dim. 760 x 620 x 575 mm

Preporučeni spremnici za led / *Recommended bins*:

SB393; SB530; SB948 + CBT48EAMCD

Oblik leda: KOCKA

kocka / *dice* = 10 g, 22x22x22 mm

pola kocke / *half large cube* = 6 g, 10x22x28 mm

velika kocka / *large dice* = 15 g, 28x22x28 mm

Vertikalni isparivač / *ice vertical evaporator*



Scotsman
Ice Systems

XSafe

Model		Opis / Description
NV - elektronsko upravljanje / <i>electronic control</i>		
		
	NW 507 R290	
	Veličina kocke / <i>Cube size</i>	kapacitet / <i>output</i> : 210 kg/24h
	H - pola kocke / <i>half dice</i>	zračno hlađenje / <i>air cooled</i>
	D - kocka / <i>Dice</i>	1210W/230V/50Hz/1
	L - velika kocka / <i>large dice</i>	neto težina / <i>net weight</i> : 67 kg
		dim. 558 x 610 x 609h mm
		Preporučeni spremnici za led / <i>Recommended bins</i> :
		SB193 ; SB322; SB393 + CBT30EMCD; SB530 + CBT30EMCD

			
	NW 607 R290		
	Veličina kocke / <i>Cube size</i>	kapacitet / <i>output</i> : 309 kg/24h	
	H - pola kocke / <i>half dice</i>	zračno hlađenje / <i>air cooled</i>	
	D - kocka / <i>Dice</i>	1050W/230V/50Hz/1	
	L - velika kocka / <i>large dice</i>	neto težina / <i>net weight</i> : 76 kg	
		dim. 760 x 620 x 575h mm	
		Preporučeni spremnici za led / <i>Recommended bins</i> :	
		SB393; SB530; SB948 + CBT48EAMCD	

Led u obliku pločica / *Cubelet ice*

1 - 5 g, vlažnost 8% / *residual water content 8%*

Isparivač leda s čeličnim svrdlom / *Ice evaporator with stainless steel auger*



Scotsman
Ice Systems

XSafe

	Model	Opis / Description
		AFC - elektronsko upravljanje / <i>electronic control</i> Led oblika pločica / <i>cubelet ice</i>
	AFC 87 AS	kapacitet / <i>output</i> : 74 kg/24h zračno hlađenje / <i>air cooled</i> kapacitet / <i>output</i> : 80 kg/24h
	AFC 87 WS	vodeno hlađenje / <i>water cooled</i> 360W/230V/50Hz/1; kapacitet spremnika za led / <i>storage bin</i> : 25 kg neto težina / <i>net weight</i> : 50 kg dim. 535 x 626 x 800/890 mm



AFC 137 R290

AFC 137 AS

kapacitet / *output*: 157 kg/24h
zračno hlađenje / *air cooled*
230V/50Hz/1
kapacitet spremnika za led / *storage bin*: 44 kg
neto težina / *net weight*: 68 kg;
dim. 950 x 605 x 872h mm

Led u obliku štapića / *Nugget ice*1 - 5 g, vlažnost 8% / *residual water content 8%*Isparivač leda s čeličnim svrdlom / *Ice evaporator with stainless steel auger*
Scotsman
Ice Systems

XSafe

		Model	Opis / Description
			MFN - elektronsko upravljanje / <i>electronic control</i> Led oblika štapića / <i>Nugget ice</i>
	 MFN 47 R290	MFN S 47 AS MFN M 47 AS	kapacitet / <i>output</i> : 290 kg/24h zračno hlađenje / <i>air cooled</i> 950W / 230V/50Hz/1 neto težina / <i>net weight</i> : 78 kg dim. 538 x 663 x 645h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB193, SB322

	 MFN 57 R290	MFN S 57 AS	kapacitet / <i>output</i> : 350 kg/24h zračno hlađenje / <i>air cooled</i> 1300W / 230V/50Hz/1 neto težina / <i>net weight</i> : 94 kg dim. 538 x 663 x 794h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB393, SB530
--	---	-------------	---

Oblik leda / Ice type: granule / flake
 vlažnost / residual water content: 25%



Scotsman
Ice Systems

XSafe

Model

Opis / Description

AF – elektronsko upravljanje / *electronic control*



AF 87 R290

AF 87 AS
 AF 87 WS
 AF 87 LAB AS
 AF 87 LAB WS

kapacitet / *Output*: 70 kg/24h
 zračno hlađenje / *zračno cooled*
 vodeno hlađenje / *water cooled*
 AF 87 AS LAB
 Za zdravstvene ustanove (sa setom za demineralizaciju vode)
For medical segment (demineralized water kit included)
 275W / 230V/50Hz/1
 dim. 535 x 620 x 797/890 mm



AF 107 R290

AF 107 AS
 AF 107 WS
 kapacitet / *output*: 130 kg/24h
 zračno hlađenje / *zračno cooled*
 kapacitet / *output*: 122 kg/24h
 vodeno hlađenje / *water cooled*
 405W / 230V/50Hz/1
 spremnik za led / *storage bin*: 30 kg
 neto težina / *net weight*: 66 kg
 dim. 592 x 622 x 997/1077h mm

Oblik leda / Ice type: granule / flake
 vlažnost / residual water content: 25%



Scotsman
Ice Systems

XSafe

Model

Opis / Description

AF - elektronsko upravljanje / *electronic control*



AF 127 R290

AF 127 AS

kapacitet / *output*: 126 kg/24h
 zračno hlađenje / *air cooled*
 kapacitet / *output*: 125 kg/24h

AF 127 WS

vodeno hlađenje / *water cooled*
 510W / 230V/50Hz/1
 spremnik za led / *storage bin*: 40 kg
 dim. 950 x 605 x 795/872h mm



AF 157 R290

AF 157 AS

kapacitet / *output*: 190 kg/24h
 zračno hlađenje / *air cooled*
 590W / 230V/50Hz/1
 spremnik za led / *storage bin*: 60 kg
 neto težina / *net weight*: 75 kg
 dim. 950 x 605 x 1006/1083h mm

Oblik leda / Ice type: vrlo suhe granule /super flake
vlažnost / residual water content: 12%



Scotsman
Ice Systems

XSafe

		Model	Opis / Description
		MXF - elektronsko upravljanje / <i>electronic control</i>	
	 MXF 327 R290	MXF 327 AS	kapacitet / <i>output</i> : 133 kg/24h vrlo suhe granule / <i>superflake</i> zračno hlađenje / <i>air cooled</i>
		MXF 327 WS	kapacitet / <i>output</i> : 125 kg/24h vodeno hlađenje / <i>water cooled</i> 470W / 230V/50Hz/1; neto težina / <i>net weight</i> : 44 kg dim. 560 x 615 x 450h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB193
	 MXF 427 R290	MXF 427 AS	kapacitet / <i>output</i> : 215 kg/24h vrlo suhe granule / <i>superflake</i> zračno hlađenje / <i>air cooled</i>
		MXF 427 WS	kapacitet / <i>output</i> : 240 kg/24h vodeno hlađenje / <i>water cooled</i> 750W / 230V/50Hz/1; neto težina / <i>net weight</i> : 51 kg dim. 560 x 615 x 600h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB322
	 MXF 627 R290	MXF 627 AS	kapacitet / <i>output</i> : 300 kg/24h vrlo suhe granule / <i>superflake</i> zračno hlađenje / <i>air cooled</i>
		MXF 627 WS	kapacitet / <i>output</i> : 280 kg/24h vodeno hlađenje / <i>water cooled</i> 939W / 230V/50Hz/1; neto težina / <i>net weight</i> : 51 kg dim. 560 x 615 x 600h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB322
	 MXF 1027 R290	MXF 1027 AS	kapacitet / <i>output</i> : 500 kg/24h vrlo suhe granule / <i>superflake</i> zračno hlađenje / <i>air cooled</i>
		MXF 1027 WS	vodeno hlađenje / <i>water cooled</i> 1570W / 230V/50Hz/1; neto težina / <i>net weight</i> : 80 kg dim. 560 x 735 x 615h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB530
	 MXF 1237 R290	MXF 1237 AS	kapacitet / <i>output</i> : 560 kg/24h vrlo suhe granule / <i>superflake</i> zračno hlađenje / <i>air cooled</i> 2025W / 230V/50Hz/1; 400V/50Hz/3
		MXF 1237 WS	vodeno hlađenje / <i>water cooled</i> 230V/50Hz/1 neto težina / <i>net weight</i> : 97 kg dim. 765 x 615 x 600h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB530

Oblik leda / Ice type: granule / flake


Scotsman
Ice Systems

XSafe

		Model	Opis / Description
		MF - elektronsko upravljanje / <i>electronic control</i>	
	 MF 37 R290 vlažnost <i>residual water</i> <i>content: 25%</i>	MF 37 AS	kapacitet / <i>output</i> : 200 kg/24h zračno hlađenje / <i>aircooled</i>
		MF 37 WS	vodeno hlađenje / <i>water cooled</i> 695W / 230V/50Hz/1 neto težina / <i>net weight</i> : 49 kg dim. 563 x 536 x 531h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB193; SB322
	 MF 47 R290 vlažnost <i>residual water</i> <i>content: 15%</i>	MF 47 AS	kapacitet / <i>output</i> : 330 kg/24h zračno hlađenje / <i>aircooled</i> 1000W / 230V/50Hz/1 neto težina / <i>net weight</i> : 78 kg dim. 538 x 663 x 650h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB193; SB322
	 MF 57 R290 vlažnost <i>residual water</i> <i>content: 15%</i>	MF 57 AS	kapacitet / <i>output</i> : 410 kg/24h zračno hlađenje / <i>aircooled</i> 1390W / 230V/50Hz/1 neto težina / <i>net weight</i> : 78 kg dim. 538 x 663 x 650h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB193; SB322

Oblik leda / Ice type: granule / flake
vlažnost / residual water content: 15%



Scotsman
Ice Systems

XSafe

	Model	Opis / Description
		MF - elektronsko upravljanje / <i>electronic control</i>
	 MF 46	MF 46 AS kapacitet / <i>output</i> : 320 kg/24h zračno hlađenje / <i>air cooled</i>
		MF 46 WS kapacitet / <i>output</i> : 330 kg/24h vodeno hlađenje / <i>water cooled</i> 1200W / 230V/50Hz/1 neto težina / <i>net weight</i> : 78 kg dim. 538 x 663 x 650h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB193; SB322
	 MF 56	MF 56 AS kapacitet / <i>output</i> : 600 kg/24h zračno hlađenje / <i>air cooled</i> 230V/50Hz/1; 400V/50Hz/3
		MF 56 WS kapacitet / <i>output</i> : 600 kg/24h vodeno hlađenje / <i>water cooled</i> 230V/50Hz/1; 400V/50Hz/3 2000W neto težina / <i>net weight</i> : 78 kg dim. 538 x 663 x 790h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB193; SB322
	MF 66	MF 66 AS kapacitet / <i>output</i> : 1150 kg/24h zračno hlađenje / <i>water cooled</i> 3900W / 230V50Hz/1 - 400V/50Hz/3
		MF 66 WS kapacitet / <i>output</i> : 1220 kg/24h vodeno hlađenje / <i>water cooled</i> 3300W/400V/50Hz/3 bruto težina / <i>gross weight</i> : 179 kg dim. 1064 x 697 x 860h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB948; SB1025; UBH1100; UBH1600
	MF 86	MF 86 AS kapacitet / <i>output</i> : 2400 kg/24h zračno hlađenje / <i>air cooled</i> 6100W / 230V/50Hz - 400V/50Hz
		MF 86 WS vodeno hlađenje / <i>water cooled</i> 5800W / 400V/50Hz/3: bruto težina / <i>gross weight</i> : 362 kg dim. 1080 x 965 x 1140/1255 mm Preporučeni spremnici za led / <i>Recommended bins</i> : UBH2250; SIS1350

Oblik leda / Ice type: granule / flake
vlažnost / residual water content: 15%



Scotsman
Ice Systems

XSafe

		Model	Opis / Description
		MF - elektronsko upravljanje / <i>electronic control</i>	
	MF 58 Split	MF 58 Split	kapacitet / <i>output</i> : 600 kg/24h 290W/230V/50Hz/1; bruto težina / <i>gross weight</i> : 71 kg dim. 538 x 663 x 790h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB530; SB948; SB1025
	MF 68 Split	MF 68 Split	kapacitet / <i>output</i> : 1150 kg/24h 400W/230V/50Hz/1; bruto težina / <i>gross weight</i> : 107 kg dim. 538 x 663 x 790h mm Preporučeni spremnici za led / <i>Recommended bins</i> : SB948; SB1025; UBH1100; UBH1600
	MF 88 Split	MF 88 Split	kapacitet / <i>output</i> : 2500 kg/24h 250W/400V/50Hz/3; bruto težina / <i>gross weight</i> : 223 kg dim. 540 x 780 x 1140/1254 mm Preporučeni spremnici za led / <i>Recommended bins</i> : UBH2250; SIS1350

Oblik leda / Ice type: listići / scale ice
vlažnost / residual water content: 2%



Scotsman
Ice Systems

	Model	Opis / Description
		MAR - elektronsko upravljanje / <i>electronic control</i>
		kapacitet / <i>output</i> : 380 kg/24h zračno hlađenje / <i>air cooled</i> 2200W / 400V/50Hz/3
	MAR 56 AS	
	MAR 56	
	MAR 56 WS	kapacitet / <i>output</i> : 400 kg/24h vodeno hlađenje / <i>water cooled</i> 2500W / 400V/50Hz/3 neto težina / <i>net weight</i> : 156 kg dim. 905 x 812 x 1125 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-chute</i> MAR56
		kapacitet / <i>output</i> : 510 kg/24h zračno hlađenje / <i>water cooled</i>
	MAR 76 AS	
	MAR 76	
	MAR 76 WS	vodeno hlađenje / <i>water cooled</i> 2500W/400V/50Hz/3 neto težina / <i>net weight</i> : 186 kg dim. 905 x 812 x 1125 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-chute</i> MAR76
	MAR 78 Split	kapacitet / <i>output</i> : 570 kg/24h 395W / 400V/50Hz/3 neto težina / <i>net weight</i> : 95 kg dim. 906 x 813 x 520 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-shute</i> MAR78 Split
		kapacitet / <i>output</i> : 700 kg/24h zračno hlađenje / <i>water cooled</i>
	MAR 106 AS	
	MAR 106	
	MAR 106 WS	vodeno hlađenje / <i>water cooled</i> 3500W/400V/50Hz/3 neto težina / <i>net weight</i> : 188 kg dim. 905 x 812 x 1125 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-shute</i> MAR106

Oblik leda / Ice type: lističi / scale ice
vlažnost / residual water content: 2%



Scotsman
Ice Systems

	Model	Opis / Description
		MAR – elektronsko upravljanje / <i>electronic control</i>
	MAR 108 Split	kapacitet / <i>output</i> : 700 kg/24h 170W / 400V/50Hz/3 neto težina / <i>net weight</i> : 95 kg dim. 906 x 813 x 520 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-shute</i> MAR108 Split
	MAR 126 AS	kapacitet / <i>output</i> : 1000 kg/24h zračno hlađenje / <i>water cooled</i>
	MAR 126 WS	vodeno hlađenje / <i>water cooled</i> 450W/400V/50Hz/3 neto težina / <i>net weight</i> : 211 kg dim. 905 x 812 x 1125 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-shute</i> MAR126
	MAR 128 Split	kapacitet / <i>output</i> : 1000 kg/24h 370W/400V/50Hz/3 neto težina / <i>net weight</i> : 95 kg dim. 906 x 813 x 520 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-shute</i> MAR128
	MAR 206 AS	kapacitet / <i>output</i> : 1570 kg/24 h zračno hlađenje / <i>water cooled</i>
	MAR 206 WS	kapacitet / <i>Output</i> : 1650 kg/24 h; vodeno hlađenje / <i>water cooled</i> 7000W/400V/50Hz/3 neto težina / <i>net weight</i> : 330 kg dim. 1326 x 676 + 177 x 1125 mm
	Cover MAR S	Poklopac/lijevak / <i>Plastic ice-shute</i> MAR206
	MAR 208 Split	kapacitet / <i>output</i> : 1850 kg/24h 370W/400V/50Hz/3; neto težina / <i>net weight</i> : 215 kg dim. 1326 x 621 + 192 x 520 mm
	Cover MAR L	Poklopac/lijevak / <i>Plastic ice-shute</i> MAR208

Oblik leda / Ice type: listići / scale ice
vlažnost / residual water content: 2%



Scotsman
Ice Systems

		Model	Opis / Description
		MAR - elektronsko upravljanje / <i>electronic control</i>	
	MAR 306 WS	MAR 306 WS	kapacitet / <i>output</i> : 2450 kg/24h vodeno hlađenje / <i>water cooled</i> 10000W/400V/50Hz/3 neto težina / <i>net weight</i> : 393 kg dim. 1326 x 676 + 177 x 1125 mm
	Cover MAR L Poklopac/lijevak / <i>Plastic ice-shute</i> MAR306		
	MAR 308 Split	MAR 308 Split	kapacitet / <i>output</i> : 2200 kg/24h 370W/400V/50Hz/3 neto težina / <i>net weight</i> : 215 kg dim. 1326 x 621 + 192 x 520 mm
	Cover MAR L Poklopac/lijevak / <i>Plastic ice-shute</i> MAR308		

SPREMNICI ZA LED - SB serija

Kosa prednja strana, rubovi iznutra zaobljeni, za dnevnu upotrebu leda, brtva se skida i može se mijenjati, ojačane šarke poklopca, spremnik je pogodan za sve vrste leda.

ICE STORAGE SYSTEM - SB series


Slope front bins, insulated, inside rounded corner, for daily turnover of ice, removable gaskets.

The reinforced hinges provide enhanced durability.

Compatible with any type of ice.



Scotsman
Ice Systems

	Art.	Opis / Description
	SB193	kapacitet / <i>capacity</i> : 129 kg neto težina / <i>net weight</i> : 36 kg dim. 569 x 841 x 1045 mm Za ledomate / <i>with ice machines</i> : MXG328; MXG428; MV306, MV426; MV430; MF26;MF36; MF46; MF47;MFNS46
	SB322	kapacitet / <i>capacity</i> : 168 kg neto težina / <i>net weight</i> : 48 kg dim. 568 x 872 x 1271h mm Za ledomate / <i>with ice machines</i> : MXG328; MXG428; MF26, NF36, MF46; MF47; MFNS46
	SB393	kapacitet / <i>capacity</i> : 181 kg neto težina / <i>net weight</i> : 43 kg dim. 768 x 843 x 1045h mm Za ledomate / <i>with ice machines</i> : MXG438; MXG468; MXG638, MXG938; MV456; MV460; MV606; MV806; MV1006
	SB530	kapacitet / <i>capacity</i> : 243 kg neto težina / <i>net weight</i> : 55 kg dim. 768 x 866 x 1274h mm Za ledomate / <i>with ice machines</i> : MXG438; MXG468; MXG638

	Model	Opis / Description
	SB550	kapacitet / output: 252 kg neto težina / net weight: 48 kg dim. 1083 x 824 x 968h mm Za ledomate / with ice machines: MV456; MV460; MV606, MV806, MV1006; MF26; MF36; MF46; MF47; MFNS46; MF56; MFNS56; MF58; MF59 POTREBAN DODATNI POKLOPAC SPREMNIKA <i>Need additional Bin Top</i>
	SB948	kapacitet / output: 406 kg neto težina / net weight: 73 kg dim. 1237 x 868 x 1274h mm Za ledomate / with ice machines: MV456; MV460; MV606, MV806, MV1006; MF26; MF36; MF46; MF47; MFNS46, MF56, MFNS56; MF58; MF59; MF68; MF69 POTREBAN DODATNI POKLOPAC SPREMNIKA/Need additional Bin Top
	SB1025	kapacitet / output: 478 kg. neto težina / net weight: 77 kg dim. 1331 x 881 x 1272h mm Za ledomate / with ice machines: MV456; MV460; MV606, MV806, MV1006; MF46; MF47; MFNS46; MF56; MFNS56, MF58; MF59; MF68; MF69

POKLOPCI ZA SPREMNIKE ZA LED / Tops for bins



	Model	Opis / Description
	CBT 22 EFCD	Za MF46-MFN46-MF47 MF56-MFN56-MF57 kada se koristi SB193 i SB 322 <i>For MF46-MFN46-MF47 MF56-MFN56-MF57 when used with SB193 and SB 322</i>
	CBT 30 EFSD	Za MF26-MF36-MF46 MFN46-MF47-MF56-MFN56-MF58-MF59-N622/N922 kada se koristi SB393 i SB530 <i>For MF26-MF36-MF46 MFN46-MF47-MF56-MFN56-MF58-MF59-N622/N923 when used with SB393 and SB530</i>
	CBT 30 EMCD	Za MV306-MV426 i MV430 kada se koristi SB393 i SB530 i za N622-N922 kada se koristi SB393 <i>For MV306-MV426 and MV430 when used with SB393 and SB530 and for N622-N922 when used with SB393</i>

	Model	Opis / Description
	CBT 42 EFSD	Za MF26-MF36-MF46 MFN46-MF47-MF56-MFN56-MF58-MF59-N622 i N922 kada se koristi SB550 <i>For MF26-MF36-MF46 MFN46-MF47-MF56-MFN56-MF58-MF59-N622 and N922 when used with SB550</i>
	CBT 42 EMCD	MV456-MV460 MV606-MV806 i MV1006 kada se koristi SB550 <i>MV456-MV460 MV606-MV806 and MV1006 when used with SB550</i>
	CBT 48 EAMCD	Za MXG638-MGX938-C530-C630-C830-C1030-NW 608-NW1008-NW1408 kada se koristi SB948 <i>For MXG638-MGX938-C530-C630-C830-C1030- NW 608-NW1008-NW1408 when used with SB948</i>
	CBT 48 FMCD	Za N622-N922-MF46 MFN46-MF47-MF56-MFN56-MF58-MF59-MF68-MF69 i NW608 kada se koristi SB948 <i>For N622-N922-MF46 MFN46-MF47-MF56-MFN56-MF58-MF59-MF68-MF69 and NW608 when used with SB948</i>
	CBT 52 EAMCD	Za MXG638-MGX938-C0530-C0630-C0830-C1030 kada se koristi SB1025 <i>For MXG638-MGX938-C0530-C0630-C0830-C1030 when used with SB1025</i>
	CBT 52 FMCD	Za MF46-MFN46 MF47-MF56-MFN56-MF58-MF59-MF68-MF69-N622-N922 i NW608 kada se koristi SB1025 <i>For MF46-MFN46 MF47-MF56-MFN56-MF58-MF59-MF68-MF69-N622-N922 and NW608 when used with SB1025</i>
	BINTOPMXGSB55	Za MXG428-MXG438-MXG468-MXG638-MXG938 kada se koristi SB550 <i>For MXG428-MXG438-MXG468-MXG638-MXG938 when used with SB550</i>
	SHOVELLARGE00	Lopata za led 42 x 26 x 112 cm težina: 1 kg Ice shovel 42 x 26 x 112 cm weight: 1 kg

	Model	Opis / Description
	DISPENZER ZA LED / <i>Dispensing unit</i> HD 30	kapacitet spremnika / <i>storage capacity</i> : 81 kg neto težina / <i>net weight</i> : 95 kg dim. 762 x 850 x 1353h mm Na dispenser za led se postavlja ledomat. <i>Dispensing unit to be combined with an ice maker.</i>



FONTANA, samostojeći model
Pressure water cooler
 SCW 14 B EVO
 R290

kapacitet 50 litara hladne vode /24h
Max cooled litres/hour: 50 litres
 230V/50Hz/1
 neto težina / *net weight*: 33 kg
 dim. 404 x 332 x 1034h mm



PERILICE ČAŠA, TANJURA, CRNOG SUĐA, OMEKŠIVAČI *GLASS WASHERS, DISHWASHER, WARE WASHERS, WATER SOFTENERS*

Strojevi za pranje čaša
Strojevi za pranje tanjura/pribora
Strojevi za pranje crnog suđa
Omekšivači za vodu

*Glass Washers
Dishwashers
Ware Washers
Water Softeners*

Profesionalni sustavi za pranje dizajnirani su i proizvedeni tako da se postigne što bolji rezultat kod pranja, higijene i sjaja kuhinjskog posuđa. To su visoko kvalitetni proizvodi koji štede energiju, s malom potrošnjom vode i deterdženta

Professional washing systems are designed and manufactured in order to achieve the best possible results in washing, hygiene and shine of cookware. These high quality products save energy and consume small quantity of water and detergents.

ADVANCE Line

Dip-Switch upravljačka ploča, kontrola i podešavanje temperature pranja i ispiranja, ugrađen dozator deterdženta i sjajila, sa ciklusom samoispiranja, inox mlaznice za pranje i ispiranje.

Dip-Switch power board, washing and rinsing temperatures adjustable, detergent and rinse-aid dispenser as standard equipment, with self-cleaning cycle, stainless steel washing and rinsing arms.



	C327 PERILICA ČAŠA - GLASSWASHERS	C432 PERILICA ČAŠA - GLASSWASHERS
Košara / Basket (cm)	35 x 35	40 x 40
Dimenzije / Dimensions (cm) š/d/v - L/P/H	42 x 50 x 66	47 x 55,5 x 70
Težina bruto / Gross weight (kg)	46	48
Ciklus pranja / Washing cycle (+55°C)	90/120/150/180 sec	90/120/150/180 sec
Broj košarica/sat / No. Baskets/hour	40	40
Maks. visina čaše / Height glass max	24 cm	28,5 cm
Ø maks. tanjura / Ø plate max.	-	30,5 cm
Snaga grijača spremnika - Volumen spremnika	2,6 kW	2,6kW
Tank heating element - Tank capacity	13 litara/litres	17 litara/litres
Snaga grijača bojlera - Volumen bojlera	2,5kW	2,5kW
Boiler heating element - Boiler capacity	3,2 litre/litres	3,2 litre/litres
Snaga pumpe - Washing pump power	0,19kW	0,26kW
Ukupna snaga - Struja / Total power input - Current	2,79kW / 16A	2,86kW / 16A
Napon - Voltage	230V/50Hz	230V/50Hz
Preporučena temperatura ulazne vode Recommended inlet water temperature	55°C	55°C
Tvrdoća vode / Water hardness	7 - 10°F	7 - 10°F
Potrošnja vode u jednom ciklusu Water consumption per cycle (2 bar)	2 litre/litres	2 litre/litres
Podesivi dozator deterdženta i sjajila / Adjustable detergent and rinse-aid dispenser	ELECTRIC	ELECTRIC

Standardna oprema - Standard equipment

207054 Košara za čaše / Basket for glasses dim. 35 x 35 x 15 cm	2	-
208054 Košara za čaše / Basket for glasses dim. 40 x 40 x 15 cm	-	2
1155 Košarica za pribor / Cutlery insert	1	1
1153 Nosač za 12 tanjurića / Saucer holder 12 pieces	1	1

ADVANCE Line



C327
PERILICA ČAŠA - GLASSWASHERS

C432
PERILICA ČAŠA - GLASSWASHERS

Dodatna oprema - Optionals

DP45 - Instalirana pumpa za izbacivanje vode 32W
/ Built-in drain pump 32W

DA / YES

DA / YES

208055 Košara za 9 tanjura - Basket for 9 dishes
dim. 40 x 40 x 10 cm

-

DA / YES

208052 Košara nagnuta za čaše za vino - Inclined
basket for wine glasses
dim. 40 x 40 x 17 cm

-

DA / YES

ADVANCE Line

Dip-Switch upravljačka ploča, kontrola i podešavanje temperature pranja i ispiranja, ugrađen dozator deterdženta i sjajila, sa ciklusom samoispiranja, inox mlaznice za pranje i ispiranje.

Dip-Switch power board, washing and rinsing temperatures adjustable, detergent and rinse-aid dispenser as standard equipment, with self-cleaning cycle, stainless steel washing and rinsing arms.



Košara / Basket (cm)

Dimenzije / Dimensions (cm) š/d/v - L/P/H

Težina bruto / Gross weight (kg)

Ciklus pranja / Washing cycle (+55°C)

Broj košarica/sat / No. Baskets/hour

Maks. visina čaše / Height glass max

Ø maks. tanjura / Ø plate max.

Tave GN1/1 / Trays GN1/1

Snaga grijača spremnika - Volumen spremnika

Tank heating element - Tank capacity

Snaga grijača bojlera - Volumen bojlera

Boiler heating element - Boiler capacity

Snaga pumpe / Washing pump power

Ukupna snaga - Struja / Total power input - Current

Napon / Voltage

Preporučena temperatura ulazne vode

Recommended inlet water temperature

Tvrdoća vode - Water hardness

Potrošnja vode u jednom ciklusu

Water consumption per cycle (2 bar)

Podesivi dozator deterdženta i sjajila

Adjustable detergent and rinse-aid dispenser

Standardna oprema - Standard equipment

800201 Košara za čaše / Basket for glasses

dim. 50 x 50 x 10 cm

800211 Košara za 18 tanjura / Basket for 18 dishes

dim. 50 x 50 x 10 cm

1154 Košarica za pribor / Cutlery insert

1155 Košarica za pribor / Cutlery insert

1201011 Ugradbeni filter korita / Integral tank filter

C537 PERILICA TANJURA / DISHWASHERS	C537T PERILICA TANJURA / DISHWASHERS	CH110 PERILICA TANJURA / DISHWASHERS
50 x 50	50 x 50	50 x 50
58,5 x 60 x 81,5	58,5 x 60 x 81,5	620 x 770 x 1400/1900
69	69	133
90/120/150/180 sec	90/120/150/180 sec	60/90/120/240
40	40	max 160
36,5 cm	36,5 cm	39 cm
39,5 cm	39,5 cm	41,5 cm
-	-	39 cm
4 kom/pcs	4 kom/pcs	GN1/1
2,6kW	2,6kW	4,5kW
24 litre/litres	24 litre/litres	37 litara/litres
2,5kW	5,4 kW	5,4kW
7,3 litara/litres	7,3 litara/litres	7,3 litara/litres
0,52kW	0,52kW	1,34kW
3,12kW/16A	5,92kW/16A	6,74kW
230V/50Hz	400V/3N+T/50Hz	400V/3N+T/50Hz
55°C	55°C	55°C
7 - 10°F	7 - 10°F	7 - 10°F
2 litre/litres	2 litre/litres	2 litre/litres
ELECTRIC	ELECTRIC	ELECTRIC
1	1	1
1	1	2
-	-	1
2	2	-
-	-	2

ADVANCE Line



C537	C537T	CH110
PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS

Dodatna oprema - Optionals



DP45 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

DP110 - Instalirana pumpa za izbacivanje vode 32W
/ Built-in drain pump 32W

KDW543 - Set za zvučnu / toplinsku izolaciju do
dvostrukih stijenki i poklopca / Thermo-acoustic
insulation double wall kit and upper cover

-	-	DA / YES
DA / YES	DA / YES	-
-	-	DA / YES
DA / YES	DA / YES	-

ADVANCE Line

Dip-Switch upravljačka ploča, kontrola i podešavanje temperature pranja i ispiranja, ugrađen dozator deterdženta i sjajila, sa ciklusom samoispiranja, inox mlaznice za pranje i ispiranje.

Dip-Switch power board, washing and rinsing temperatures adjustable, detergent and rinse-aid dispenser as standard equipment, with self-cleaning cycle, stainless steel washing and rinsing arms.



Košara / Basket (cm)

Dimenzije / Dimensions (cm) š/d/v - L/P/H

Težina bruto / Gross weight (kg)

Ciklus pranja / Washing cycle (+55°C)

Broj košarica/sat / No. Baskets/hour

Maks. visina čaše / Height glass max

Ø maks. tanjura / Ø plate max.

Maks. visina lonca / Height pot max

Tave GN1/1 / Trays GN1/1

Snaga grijača spremnika - Volumen spremnika

Tank heating element - Tank capacity

Snaga grijača bojlera - Volumen bojlera

Boiler heating element - Boiler capacity

Snaga pumpe / Washing pump power

Ukupna snaga - Struja / Total power input - Current

Napon / Voltage

Preporučena temperatura ulazne vode

Recommended inlet water temperature

Tvrdoća vode - Water hardness

Potrošnja vode u jednom ciklusu

Water consumption per cycle (2 bar)

Podesivi dozator deterdženta i sjajila

Adjustable detergent and rinse-aid dispenser

C640 PERILICA TANJURA / DISHWASHERS

50 x 60

58,5 x 715 x 86,5

84

90/120/150/180 sec

40

34 cm

37 cm

34 cm

GN1/1 - 60x40

2,6 kW

20 litara/litres

5,4kW

7,3 litara/litres

1,12kW

6,52kW/16A

400V/3N+T/50Hz

55°C

7 - 10°F

2 litre/litres

ELECTRIC



22 kom Ø 320



GN 1/1 h20-40



GN 1/1 h65



600x400 h70

CH150 PERILICA TANJURA / DISHWASHERS

50 x 60

72x77x143,5/190

162

60/90/120/240 sec

60

-

40

39,5

GN1/1 - 60x40

4,5kW

5,4kW

7,3 litara/litres

1,34kW

6,74kW/16A

400V/3N+T/50Hz

55°C

7 - 10°F

2 litre/litres

ELECTRIC

Standardna oprema - Standard equipment

640202 Košara za tave 10/12 mjesta / Basket for

trays 10/12 compartments

dim. 50 x 60 x 10 cm

1

640205 Košara za čaše / Basket for glasses

50 x 60 x 10 cm

1

640222 Košara za 22 tanjura / Basket for 22 dishes

dim. 50 x 60 x 10 cm

1

1155 Košarica za pribor / Cutlery insert

2

1154 Košarica za pribor / Cutlery insert

-

1201011 Ugradbeni filter korita / Integral tank filter

-

1

1

1

-

1

1

ADVANCE Line



C640
PERILICA TANJURA / DISHWASHERS



CH150
PERILICA TANJURA / DISHWASHERS

Dodatna oprema - Optionals

DP65 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

DA / YES

-

DP110 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

-

DA / YES

KORAL Line

Upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), serijski ugrađeni dozatori deterdženta i sjajila.

UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), detergent and rinse-aid dispenser as standard equipment



Košara / Basket (cm)

Dimenzije / Dimensions (cm) š/d/v - L/P/H

Težina bruto / Gross weight (kg)

Ciklus pranja / Washing cycle (+55°C)

Broj košarica/sat / No. Baskets/hour

Maks. visina čaše / Height glass max

Ø maks. tanjura / Ø plate max.

Snaga grijača spremnika - Volumen spremnika

Tank heating element - Tank capacity

Snaga grijača bojlera - Volumen bojlera

Boiler heating element - Boiler capacity

Snaga pumpe - Washing pump power

Ukupna snaga - Struja / Total power input - Current

Napon / Voltage

Preporučena temperatura ulazne vode

Recommended inlet water temperature

Tvrdoća vode / Water hardness

Potrošnja vode u jednom ciklusu

Water consumption per cycle (2 bar)

Podesivi dozator deterdženta i sjajila

Adjustable detergent and rinse-aid dispenser

Standardna oprema - Standard equipment

208054 - Košara za čaše / Basket for glasses, dim. 40 x 40 x 15 cm

1155 - Košarica za pribor / Cutlery insert

1153 - Nosač za 12 tanjurića / Saucer holder 12 pieces

Dodatna oprema - Optionals

DP45 - Instalirana pumpa za izbacivanje vode 32W /

Built-in drain pump 32W

208055 Košara za 9 tanjura / Basket for 9 dishes dim.

40 x 40 x 10 cm

208052 Košara nagnuta za čaše za vino / Inclined

basket for wine glasses

dim. 40 x 40 x 17 cm

K209E PERILICA ČAŠA / GLASSWASHERS

40 x 40

47 x 53,5 x 71

48

75/90/110/130 sec

Max 48

28,5 cm

30,5 cm

2,6kW

17 litara/litres

2,5kW

3,2 litre / litres

0,26kW

2,86kW/16A

230V/50Hz

+55°C

7 - 10°F

2 litre/litres

ELECTRIC

2

1

1

DA / YES

DA / YES

DA / YES

KORAL Line

Upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), serijski ugrađeni dozatori deterdženta i sjajila.

UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), detergent and rinse-aid dispenser as standard equipment



Košara / Basket (cm)

Dimenzije / Dimensions (cm) š/d/v - L/P/H

Težina bruto / Gross weight (kg)

Ciklus pranja / Washing cycle (+55°C)

Broj košarica/sat / No. Baskets/hour

Maks. visina čaše / Height glass max

Ø maks. tanjura / Ø plate max.

Visina lonca maks. / Height pot max.

Tave / Trays

Snaga grijača spremnika - Volumen spremnika

Tank heating element - Tank capacity

Snaga grijača bojlera - Volumen bojlera

Boiler heating element - Boiler capacity

Snaga pumpe / Washing pump power

Ukupna snaga - Struja / Total power input - Current

Napon / Voltage

Preporučena temperatura ulazne vode

Recommended inlet water temperature

Tvrdoća vode / Water hardness

Potrošnja vode u jednom ciklusu

Water consumption per cycle (2 bar)

Podesivi dozator deterdženta i sjajila

Adjustable detergent and rinse-aid dispenser

Standardna oprema - Standard equipment

800201 - Košara za čaše / Basket for glasses

dim. 50 x 50 x 10 cm

640205 - Košara za čaše / Basket for glasses

dim. 50 x 60 x 10 cm

800211 - Košara za 18 tanjura / Basket for 18 dishes

dim. 50 x 50 x 10 cm

640222 - Košara za 22 tanjura / Basket for 22 dishes

dim. 50 x 60 x 10 cm

640202 - Košara za tave / Basket for trays

dim. 50 x 60 x 10 cm

1155 - Košarica za pribor / Cutlery insert

	K540E	K560E	K840E
PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS
	50 x 50	50 x 50	50 x 60
	58,5 x 60 x 81,5	58,5 x 60 x 81,5	58,5 x 71,5 x 86,5
	69	69	84
	90/110/120/300 sec	90/110/120/300 sec	90/110/120/300 sec
	Max 40	Max 40	Max 40
	36,5 cm	36,5 cm	34 cm
	39,5 cm	39,5 cm	37 cm
	-	-	34 cm
	Special basket requested	Special basket requested	GN1/1 - 60x40
	2,6kW	2,6kW	2,6kW
	24 litre / litres	24 litre / litres	24 litre / litres
	2,5kW	5,4kW	5,4kW
	7,3 litara / litres	7,3 litara / litres	12 litara / litres
	0,52kW	0,52kW	1,12kW
	3,12kW/16A	5,92kW/16A	6,52kW/16A
	230V/50Hz	400V/3N+T/50Hz	400V/3N+T/50Hz
	+55°C	+55°C	+55°C
	7 - 10°F	7 - 10°F	7 - 10°F
	2 litre/litres	2 litre/litres	2 - 2,5 litre/litres
	ELECTRIC	ELECTRIC	ELECTRIC
800201 - Košara za čaše / Basket for glasses	1	1	-
dim. 50 x 50 x 10 cm			
640205 - Košara za čaše / Basket for glasses	-	-	1
dim. 50 x 60 x 10 cm			
800211 - Košara za 18 tanjura / Basket for 18 dishes	1	1	-
dim. 50 x 50 x 10 cm			
640222 - Košara za 22 tanjura / Basket for 22 dishes	-	-	1
dim. 50 x 60 x 10 cm			
640202 - Košara za tave / Basket for trays	-	-	1
dim. 50 x 60 x 10 cm			
1155 - Košarica za pribor / Cutlery insert	2	2	2

KORAL Line



K540E	K560E	K840E
PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS

Dodatna oprema - Optionals

DP45 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

DA / YES

DA / YES

DA / YES

DP65 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

-

-

DA / YES

800057 - Košara nagnuta za čaše za vino / *Inclined
basket for wine glasses*
dim. 50 x 50 x 17 cm

DA / YES

DA / YES

DA / YES

PT - Postolje stroja za pranje tanjura s vodilicama za
košare 500x500 mm / *Dishwasher support with
guidelines for basket 500x500 mm*
dim. 580 x 565 x 450 mm

DA / YES

DA / YES

-



KORAL Line

Upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), serijski ugrađeni dozatori deterdženta i sjajila.

UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), detergent and rinse-aid dispenser as standard equipment.



	
Košara / Basket (cm)	
Dimenzije / Dimensions (cm) š/d/v - L/P/H	
Težina bruto / Gross weight (kg)	
Ciklus pranja / Washing cycle (+55°C)	
Broj košarica/sat / No. Baskets/hour	
Maks. visina čaše / Height glass max	
Ø maks. tanjura / Ø plate max.	
Visina lonca maks / Height pot max.	
Visina košare maks / Height basket max.	
Tave / Trays	
Snaga grijača spremnika - Volumen spremnika	
Tank heating element - Tank capacity	
Snaga grijača bojlera - Volumen bojlera	
Boiler heating element - Boiler capacity	
Snaga pumpe / Washing pump power	
Ukupna snaga -/ Struja / Total power input - Current	
Napon - Voltage	
Preporučena temperatura ulazne vode	
Recommended inlet water temperature	
Tvrdoća vode / Water hardness	
Potrošnja vode u jednom ciklusu	
Water consumption per cycle (2 bar)	
Podesivi dozator deterdženta i sjajila	
Adjustable detergent and rinse-aid dispenser	

K1100E	K1500E
PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS
50 x 50	50 x 60
62 x 77 x 143,5/190	72 x 77 x 143,5/190
133	162
60/90/120/300	60/90/120/300
Max 60	Max 60
39 cm	-
41,5 cm	40 cm
39 cm	39,5 cm
40 cm	60 cm
GN 1/1	GN1/1 - 60x40
4,5kW	4,5kW
37 litara / litres	37 litara / litres
5,4kW	5,4kW
7,3 litara / litres	7,3 litara / litres
1,34kW	1,34kW
6,74kW/16A	6,74kW/16A
400V/3N+T/50Hz	400V/3N+T/50Hz
+55°C	+55°C
7 - 10°F	7 - 10°F
2,0 litara / litres	2,0 litara / litres
ELECTRIC	ELECTRIC

KORAL Line



K1100E	K1500E
PERILICA TANJURA / DISHWASHERS	PERILICA TANJURA / DISHWASHERS

Standardna oprema - Standard equipment

800201 - Košara za čaše / Basket for glasses
dim. 50 x 50 x 10 cm

1

-

800211 - Košara za 18 tanjura / Basket for 18 dishes
dim. 50 x 50 x 10 cm

2

-

640202 - Košara za tave / Basket for trays
dim. 50 x 60 x 10 cm

-

1

640205 - Košara za čaše / Basket for glasses
dim. 50 x 60 x 10 cm

-

1

640222 - Košara za 22 tanjura / Basket for 22 dishes
dim. 50 x 60 x 10 cm

-

1

Dodatna oprema - Optionals

DP110 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

DA / YES

DA / YES

CR100 - LCD upravljačka ploča na daljinu / Remote
control with LCD display

DA / YES

DA / YES

SOFT Line

S ugrađenim omekšivačem vode, pokazivač nivoa soli, automatska regeneracija, upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), serijski ugrađeni dozatori deterdženta i sjajila.

Built-in water softener, salt missing indicator, automatic regeneration, UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), detergent and rinse-aid dispenser as standard equipment.



	S209E PERILICA ČAŠA / GLASSWASHERS
Košara / Basket (cm)	40 x 40
Dimenzije / Dimensions (cm) š/d/v - L/P/H	47 x 59,5 x 71
Težina bruto / Gross weight (kg)	48
Ciklus pranja / Washing cycle (+55°C)	75/90/110/130 sec
Broj košarica/sat / No. Baskets/hour	Max 48
Maks. visina čaše / Height glass max	28,5 cm
Ø maks. tanjura / Ø plate max.	30,5 cm
Snaga grijača spremnika - Volumen spremnika Tank heating element - Tank capacity	2,6 kW 17 litara/litres
Snaga grijača bojlera - Volumen bojlera Boiler heating element - Boiler capacity	2,5kW 3,2 litre / litres
Snaga pumpe - Washing pump power	0,26kW
Ukupna snaga / Struja - Total power input / Current	2,86kW / 16A
Napon - Voltage	230V/50Hz
Preporučena temperatura ulazne vode Recommended inlet water temperature	+55°C
Tvrdoća vode / Water hardness	7 - 10°F
Potrošnja vode u jednom ciklusu Water consumption per cycle (2 bar)	2 litre/litres
Potrošnja vode u regeneraciji (2 bar) Water consumption for regeneration (2bar)	2,5 litre/litres
Podesivi dozator deterdženta i sjajila Adjustable detergent and rinse-aid dispenser	ELECTRIC
Ugrađen omekšivač vode - Built-in water softener	AUTOMATIC



SOFT Line



S209E
PERILICA ČAŠA / GLASSWASHERS

Standardna oprema - Standard equipment

208054 - Košara za čaše / Basket for glasses dim. 40 x 40 x 15 cm	2
1155 - Košarica za pribor / Cutlery insert	1
1153 - Nosač za 12 tanjurića / Saucer holder 12 pieces	1
3501 - Lijevak za sol / Salt funnel	1

Dodatna oprema - Optionals

DP45 - Instalirana pumpa za izbacivanje vode 32W / Built-in drain pump 32W	DA / YES
208055 - Košara za 9 tanjura / Basket for 9 dishes dim. 40 x 40 x 10 cm	DA / YES
208052 - Košara nagnuta za čaše za vino / Inclined basket for wine glasses, dim. 40 x 40 x 17 cm	DA / YES

SOFT Line

S ugrađenim omešivačem vode, pokazivač nivoa soli, automatska regeneracija, upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), serijski ugrađeni dozatori deterdženta i sjajila.

Built-in water softener, salt missing indicator, automatic regeneration, UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), detergent and rinse-aid dispenser as standard equipment.



Košara / Basket (cm)



Dimenzije / Dimensions (cm) š/d/v - L/P/H

Težina bruto / Gross weight (kg)

Ciklus pranja / Washing cycle (+55°C)

Broj košarica/sat / No. Baskets/hour

Maks. visina čaše / Height glass max

Ø maks. tanjura / Ø plate max.

Tave / Trays

Snaga grijača spremnika - Volumen spremnika

Tank heating element - Tank capacity

Snaga grijača bojlera - Volumen bojlera

Boiler heating element - Boiler capacity

Snaga pumpe - Washing pump power

Ukupna snaga - Struja / Total power input - Current

Napon / Voltage

Preporučena temperatura ulazne vode

Recommended inlet water temperature

Tvrdoća vode / Water hardness

Potrošnja vode u jednom ciklusu

Water consumption per cycle (2 bar)

Potrošnja vode u regeneraciji (2 bar)

Water consumption for regeneration (2bar)

Podesivi dozator deterdženta i sjajila

Adjustable detergent and rinse-aid dispenser

Ugrađen omešivač vode - Built-in water softener

S540E PERILICE SUĐA / DISHWASHERS	S560E PERILICE SUĐA / DISHWASHERS
50 x 50	50 x 50
58,5 x 60 x 81,5	58,5 x 60 x 81,5
69	69
90/110/120/300 sec	90/110/120/300 sec
Max 40	Max 40
36,5 cm	36,5 cm
39,5 cm	39,5 cm
Special basket requested	Special basket requested
2,6kW	2,6kW
26 litara / litres	26 litara / litres
2,5kW	5,4kW
7,3 litara / litres	7,3 litara / litres
0,52kW	0,52kW
3,12kW / 16A	5,92kW/ 16A
230V/50Hz	400V/3N+T/50Hz
+55°C	+55°C
7 - 10°F	7 - 10°F
2 litre/litres	2 litre/litres
2,5 litre / litres	2,5 litre / litres
ELECTRIC	ELECTRIC
AUTOMATIC	AUTOMATIC

SOFT Line



S540E
PERILICE SUĐA / DISHWASHERS

S560E
PERILICE SUĐA / DISHWASHERS

Standardna oprema - Standard equipment

800201 - Košara za čaše - Basket for glasses
dim. 50 x 50 x 10 cm

1

1

800211 - Košara za 18 tanjura / Basket for 18 dishes
dim. 50 x 50 x 10 cm

1

1

1155 - Košarica za pribor - Cutlery insert

2

2

3501 - Lijevak za sol - Salt funnel

1

1

Dodatna oprema - Optional installed

DP45 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

DA / YES

DA / YES

640200 - Košara za tave s 4 odjeljka / Basket for
trays with 4 compartments
dim. 500x500x200 mm

DA / YES

DA / YES

800052 - Košara nagnuta za čaše za vino / Inclined
basket for wine glasses
dim. 50 x 50 x 17 cm

DA / YES

DA / YES

PT - Postolje stroja za pranje tanjura s vodicama
za košare 500x500 mm / Dishwasher support with
guidelines for basket 500x500 mm
dim. 580 x 565 x 450 mm



DA / YES

DA / YES

ELITECH Line

Upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), break tank, stalna temperatura 83°C, stalni pritisak od 2,5 bara, stalni protok vode od 2,5 litre, serijski ugrađeni dozatori deterdženta i sjajila.

UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), break tank, constant temperature 83°C, constant pressure 2,5 bar, constant flow rate 2,5 lt, detergent and rinse-aid dispenser as standard equipment.



Košara / Basket (cm)
Dimenzije / Dimensions (cm) š/d/v - L/P/H
Težina bruto / Gross weight (kg)
Ciklus pranja / Washing cycle (+55°C)
Broj košarica/sat / No. Baskets/hour
Maks. visina čaše / Height glass max
Ø maks. tanjura / Ø plate max.
Snaga grijača spremnika - Volumen spremnika
Tank heating element - Tank capacity
Snaga grijača bojlera - Volumen bojlera
Boiler heating element - Boiler capacity
Snaga pumpe / Washing pump power
Ukupna snaga - Struja - Total power input - Current
Napon - Voltage
Preporučena temperatura ulazne vode
Recommended inlet water temperature
Tvrdoća vode / Water hardness
Potrošnja vode u jednom ciklusu
Water consumption per cycle (2 bar)
Podesivi dozator deterdženta i sjajila
Adjustable detergent and rinse-aid dispenser
Sustav ispiranja Acquatech
Acquatech system rinse

EL42E PERILICA ČAŠA / GLASSWASHERS

40 x 40
47 x 53,5 x 71
48
75/90/110/130 sec
Max 48
28,5 cm
30,5 cm
2,6kW
17 litara / litres
2,6kW
5,6 litara / litres
0,26kW
2,86kW/16A
230V/50Hz
+55°C
7 - 10°F
2 litre/litres
ELECTRIC
STANDARD
250W

ELITECH Line



EL42E
PERILICA ČAŠA / GLASSWASHERS

Standardna oprema - Standard equipment

208054 - Košara za čaše / Basket for glasses dim. 40 x 40 x 15 cm	2
1155 - Košarica za pribor / Cutlery insert	1
1153 - Nosač za 12 tanjurića Saucer holder 12 pieces	1

Dodatna oprema - Optional installed

208055 - Košara za 9 tanjura / Basket for 9 dishes dim. 40 x 40 x 10 cm	DA / YES
208052 - Košara nagnuta za čaše za vino / Inclined basket for wine glasses, dim. 40 x 40 x 17 cm	DA / YES
S03100K Reverzibilni sistem osmoze 180l/h / Reverse osmosis system	



DA / YES

ELITECH Line

Upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), break tank, stalna temperatura 83°C, stalni pritisak od 2,5 bara, stalni protok vode od 2,5 litre, serijski ugrađeni dozatori deterdženta i sjajila.

UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), break tank, constant temperature 83°C, constant pressure 2,5 bar, constant flow rate 2,5 lt, detergent and rinse-aid dispenser as standard equipment



Košara / Basket (cm)  - L/P/H
Dimenzije / Dimension:

Težina bruto / Gross weight (kg)

Ciklus pranja / Washing cycle (+55°C)

Broj košarica/sat / No. Baskets/hour

Maks. visina čaše / Height glass max

Ø maks. tanjura / Ø plate max.

Maks. visina lonca / Height pot max.

Maks. visina košare / Height basket max.

Tave / Trays

Snaga grijača spremnika - Volumen spremnika

Tank heating element - Tank capacity

Snaga grijača bojlera - Volumen bojlera

Boiler heating element - Boiler capacity

Snaga pumpe - Washing pump power

Ukupna snaga - Struja / Total power input - Current

Napon / Voltage

Preporučena temperatura ulazne vode

Recommended inlet water temperature

Tvrdoća vode / Water hardness

Potrošnja vode u jednom ciklusu

Water consumption per cycle (2 bar)

Podesivi dozator deterdženta i sjajila

Adjustable detergent and rinse-aid dispenser

Sustav ispiranja Acquatech

Acquatech system rinse

	EL50E PERILICE SUĐA / DISHWASHERS	EL51E PPERILICE SUĐA / DISHWASHERS	EL60E PERILICE SUĐA / DISHWASHERS
Košara / Basket (cm)	50 x 50	50 x 50	50 x 50
Dimenzije / Dimension:	58,5 x 60 x 81,5	58,5 x 60 x 81,5	62 x 77 x 140/190
Težina bruto / Gross weight (kg)	69	69	133
Ciklus pranja / Washing cycle (+55°C)	90/110/120/300 sec	90/110/120/300 sec	60/90/120/300 sec
Broj košarica/sat / No. Baskets/hour	Max 40	Max 40	Max 60
Maks. visina čaše / Height glass max	36,5 cm	36,5 cm	39 cm
Ø maks. tanjura / Ø plate max.	39,5 cm	39,5 cm	41,5 cm
Maks. visina lonca / Height pot max.	-	-	39 cm
Maks. visina košare / Height basket max.	-	-	40 cm
Tave / Trays	Special basket requested	Special basket requested	GN 1/1
Snaga grijača spremnika - Volumen spremnika	2,6kW	2,6kW	4,5kW
Tank heating element - Tank capacity	24 litara / litres	24 litara / litres	37 litara / litres
Snaga grijača bojlera - Volumen bojlera	2,5kW	5,4kW	5,4kW
Boiler heating element - Boiler capacity	9 litara / litres	12 litara / litres	7,3 litara / litres
Snaga pumpe - Washing pump power	0,52kW	0,52kW	1,12kW
Ukupna snaga - Struja / Total power input - Current	3,12kW / 16A	5,92kW / 16A	6,74kW / 16A
Napon / Voltage	230V+T/50Hz	400V/3N+T/50Hz	400V/3N+T (230V+T)/50Hz
Preporučena temperatura ulazne vode	+55°C	+55°C	+55°C
Recommended inlet water temperature			
Tvrdoća vode / Water hardness	7 - 10°F	7 - 10°F	7 - 10°F
Potrošnja vode u jednom ciklusu	2 litre/litres	2 litre/litres	2 litre/litres
Water consumption per cycle (2 bar)			
Podesivi dozator deterdženta i sjajila	ELECTRIC	ELECTRIC	ELECTRIC
Adjustable detergent and rinse-aid dispenser			
Sustav ispiranja Acquatech	STANDARD	STANDARD	STANDARD
Acquatech system rinse	250W	250W	250W

ELITECH Line



EL50E PERILICE SUĐA / DISHWASHERS	EL51E PPERILICE SUĐA / DISHWASHERS	EL60E PERILICE SUĐA / DISHWASHERS
--------------------------------------	---------------------------------------	--------------------------------------

Standardna oprema - Standard equipment

800201 - Košara za čaše / Basket for glasses
dim. 50 x 50 x 10 cm

1

1

1

800211 - Košara za 18 tanjura / Basket for 18 dishes
dim. 50 x 50 x 10 cm

1

1

2

1155 - Košarica za pribor / Cutlery insert

2

2

-

1154 - Košarica za pribor / Cutlery insert

-

-

1

1201011 - Ugradbeni filter korita / Integral tank filter

-

-

2

Dodatna oprema - Optional installed

DP45 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

DA / YES

DA / YES

-

DP110 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

-

-

DA / YES

640200 - Košara za tave s 4 odjeljka / Basket for
trays with 4 compartments
dim. 500x500x200 mm

DA / YES

DA / YES

-

S03100K - Reverzibilni sistem osmoze 180l/h /
Reverse osmosis system



DA / YES

DA / YES

DA / YES

PT Postolje stroja za pranje tanjura s vodicama
za košare 500x500 mm / Dishwasher support with
guidelines for basket 500x500 mm
dim. 580 x 565 x 450 mm



DA / YES

DA / YES

-

ELITECH Line

Upravljačka ploča UNIKO touch, automatsko podešavanje svih parametara kod prve instalacije, precizno podešavanje temperatura i doziranje, kontrola na daljinu pomoću IKLOUD Wi-Fi (opcija), break tank, stalna temperatura 83°C, stalni pritisak od 2,5 bara, stalni protok vode od 2,5 litre, serijski ugrađeni dozatori deterdženta i sjajila.

UNIKO touch display, automatic setting of all parameters during the first installation, precise setting of temperatures and detergent, IKLOUD remote control through Wi-Fi (optional), break tank, constant temperature 83°C, constant pressure 2,5 bar, constant flow rate 2,5 lt, detergent and rinse-aid dispenser as standard equipment.



Košara / Basket (cm)

Dimenzije / Dimensions (cm) š/d/v - L/P/H

Težina bruto / Gross weight (kg)

Ciklus pranja / Washing cycle (+55°C)

Broj košarica/sat / No. Baskets/hour

Ø maks. tanjura / Ø plate max.

Maks. visina lonca / Height pot max

Maks. visina košare / Height basket max.

Tave

Tave

Snaga grijača spremnika - Volumen spremnika

Tank heating element - Tank capacity

Snaga grijača bojlera - Volumen bojlera

Boiler heating element - Boiler capacity

Snaga pumpe / Washing pump power

Ukupna snaga - Struja / Total power input - Current

Napon / Voltage

Preporučena temperatura ulazne vode

Recommended inlet water temperature

Potrošnja vode u jednom ciklusu /

Water consumption per cycle (2 bar)

Podesivi dozator deterdženta i sjajila

Adjustable detergent and rinse-aid dispenser

Sustav ispiranja Acquatech

Acquatech system rinse

Dvostruke stijenke radi zvučne i toplinske izolacije

Double wall for thermal and acoustic insulation

EL951E CRNO SUĐE / WAREWASHERS

60 x 67

77,5 x 81 x 136

90

120/150/240/540 sec

Max 30

43 cm

44,5 cm

60 cm

GN 1/1 - 60x40

-

4,5kW

37 litara / litres

5,4kW

13,6 litara / litres

2,0kW

7,4kW / 16A

400V/3N+T/50Hz

+55°C

2-2,5 litre/litres

ELECTRIC

STANDARD 370w

STANDARD

EL991E CRNO SUĐE / WAREWASHERS

2 x 60 x 67

144,5 x 86 x 198

230

120/150/240/540 sec

Max 60

-

84 cm

2 x 100 cm

GN 1/1 - 60x40

GN 2/1 - 60x80

9,0kW

100 litara / litres

9,0kW

20,8 litara / litres

2 x 2,0kW

13,0kW / 32A

400V/3N+T/50Hz

+55°C

4 litre/litres

ELECTRIC

STANDARD 370w

STANDARD

ELITECH Line



EL951E
CRNO SUĐE / WAREWASHERS

EL991E
CRNO SUĐE / WAREWASHERS

Standardna oprema - Standard equipment

950201 - Košara inox / *Inox basket*
dim. 60x67x10 cm

1

2

1159 - Nosač za 5 tava / *Basket for trays with 5 compartments*

1

2

1154 - Košarica za pribor / *Cutlery insert*

1

2

1201011 - Ugradbeni filter korita / *Integral tank filter*

2

-

9911010 - 9911020 - Integralni filter korita -
Integral tank filter

-

1+1

Dodatna oprema - Optional installed

DP110 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

DA / YES

-

DP991 - Instalirana pumpa za izbacivanje vode 32W /
Built-in drain pump 32W

-

DA / YES


S03100K - Reverzibilni sistem osmoze 180l/h /
Reverse osmosis system



DA / YES

-

PT 950201 - Uložak inox perforirani za inox košaru
600x670 mm / *Insert s/s perforated for s/s basket*
600x670 mm



DA / YES

DA / YES

Art.	Model	Opis / Description
 Ulazno izlazni stol za pranje suda lijevi ili desni, inox <i>Inlet/outlet table, left or right, stainless steel</i>	UI - 60 UI - 80 UI - 100 UI - 120	600 x 740 x 850 mm 800 x 740 x 850 mm 1000 x 740 x 850 mm 1200 x 740 x 850 mm
 Ulazno izlazni stol za pranje suda lijevi ili desni, inox <i>Inlet/outlet table, left or right, stainless steel</i>	UI - 180	1800 x 740 x 850 mm
 Ulazno izlazni stol za pranje suda s policom lijevi ili desni, inox <i>Inlet/outlet table, bottom shelf, left or right, stainless steel</i>	UIP-60 UIP-80 UIP-100 UIP-120	600 x 740 x 850 mm 800 x 740 x 850 mm 1000 x 740 x 850 mm 1200 x 740 x 850 mm
 Ulazno izlazni stol za pranje suda s policom lijevi ili desni, inox <i>Inlet/outlet table, bottom shelf, left or right, stainless steel</i>	UIP - 180	1800 x 740 x 850 mm
 Ulazni stol lijevi ili desni s koritom 500 x 400 mm, inox <i>Inlet tabel, left or right, bottom shelf, with basin</i> <i>500x400 mm, stainless steel</i>	UIK - 120	1200 x 740 x 850 mm
 Ulazni stol lijevi ili desni s koritom 500 x 400 mm, inox <i>Inlet tabel, left or right, bottom shelf, with basin</i> <i>500x400 mm, stainless steel</i>	UIK - 150 UIK - 180	1500 x 740 x 850 mm 1800 x 740 x 850 mm
 Ulazni stol lijevi ili desni s otvorom za otpatke i koritom 500 x 400 mm, inox <i>Inlet table, left or right, with hole, bottom shelf, with basin</i> <i>500x400 mm, stainless steel</i>	UIKO - 150 UIKO - 180	1500 x 740 x 850 mm 1800 x 740 x 850 mm
 Kutni ulazno izlazni stol lijevi ili desni, inox <i>Angular inlet/outlet table, left or right, stainless steel</i>	KUI - 60	595 x 740 x 850 mm

Art.	Model	Opis / Description
	8 PL 80-F	800 x 770 x 850 mm
	8 PL 120-F	1200 x 770 x 850 mm
	9 PLV 120	1200 x 890 x 850 mm
	9 PLVF 150	1500 x 890 x 850 mm
	EVPR 110	1100 x 630 x 875 mm
	EVPR 160	1600 x 630 x 875 mm
	EVPR 210	2100 x 630 x 875 mm
	ES PCR 107	1070 x 1070 x 880 mm



Art. 70.50.12 - Košara za tanjure
Art. 70.50.12 - Basket for plates

za 14 tanjura / for 14 plates
dim. 500 x 500 x 100 mm



Art. 70.50.13 - Košara za pribor
Art. 70.50.13 - Basket for cutlery

dim. 500 x 500 x 100 mm



Art. 0804.00 - Košara za pribor
Art. 0804.00 - Cutlery insert

8 odjeljaka / 8 compartments



Art. 70.50.11.5502.25 - Košara za čaše
Art. 70.50.11.5502.25 - Basket for glasses

Za 25 čaša / for 25 glasses
odjeljak / compartment 89 x 89 mm
dim. 500 x 500 x 100 mm



Art. 70.50.11.5502.36 - Košara za čaše
Art. 70.50.11.5502.36 - Basket for glasses

Za 36 čaša / for 36 glasses
odjeljak / compartment 74 x 74 mm
dim. 500 x 500 x 100 mm



Art. 70.50.20 - Nastavak košare za čaše
Art. 70.50.20 - Extension for basket for glasses

Za 25 čaša / for 25 glasses
odjeljak / compartment 89 x 89 mm
dim. 500 x 500 x 50 mm



Art. 70.50.20 - Nastavak otvoreni za čaše
Art. 70.50.20 - Extension for basket for glasses

dim. 500 x 500 x 50 mm



Art. NORDCO - Poklopac
Art. NORDCO - Cover

dim. 500 x 500 x 25 mm



OMEKŠIVAČI ZA VODU

(za caffè aparate, ledomate, konvekcijske pećnice)

Water softener

(for caffè machines, ice machines, convection ovens)

DEP008

Kapacitet 8 litara / *Capacity 8 litres*

dim. Ø180 x 440h mm

DEP012

Kapacitet 12 litara / *Capacity 12 litres*

dim. Ø180 x 560h mm



AUTOMATSKI OMEKŠIVAČ ZA VODU

elektromehanički upravljački ventil, daje tvrdi vodu tijekom regeneracije, mogućnost ugradnje miješalice za vodu, mogućnost ugradnje prenosnice

Water softener (for dishwashers)

electromechanical steering valve; gives hard water during regeneration, water mixer-option, water by-pass - option

MIJAR KING B65

Omekšava vodu max. tvrdoće od 25° dh

Properly softens the water with max. hardness 25° dh

Kapacitet regeneracije pri 10° dh 1950 litara

potrošnja soli: 1 kg

kapacitet spremnika slane vode: 15kg

količina smole: 6,5 litara

ulaz / izlaz 3/4"

radni tlak: 1,5-6,0 bar

temp. vode: < 40 °C

dim. 410x280x535 mm

težina: 11 kg

potrošnja energije 3 W

procijenjena/maksimalna brzina

protoka 0-30/75 l/min

način regeneracije: automatsko vrijeme

System capacity between

regenerations at 10° dh 1950 liters

salt consumption: 1 kg

brine tank capacity: 15 kg

quantity of resin: 6,5 liters

connections (inch) 3/4"

operating pressure: 1,5-6,0 bar

inlet water temp.: < 40 °C

power consumption 3 W

dim. 410x280x535 mm

weight: 11 kg

nominal/maximum flow rate 0-30/75 l/min

regeneration mode: automatic time



FILTER/ FILTER

BLUE LINE 160

kapacitet do 1600 litara

protok 0-5 l/min

priključak 3/8", 1/2", 3/4"

namjena: Caffè aparati, mali konvektomati

dim 210 x 130 x 310 mm

efficiency 1600 liters

flow rate 0-5 l/min

connections 3/8", 1/2", 3/4"

(for coffee machines and small

combi steamer ovens)

dim 210 x 130 x 310 mm



FILTER/ FILTER

CUBE LINE

kapacitet 60000 litara

protok 0-8 l/min

priključak 3/4"

namjena: ledomati

dim 310 x 120 x h mm

Filter treba promijeniti nakon godinu dana.

quantity 60000 liters

nominal flow rate 0-8 l/min

connections 3/4"

(for ice cube devices)

dim 310 x 120 x h mm

The Filter has to be replaced after 1 year of service.



OBRADA MESA *MEAT PROCESSING*

Strojevi za mljevenje mesa
Miješalica za meso
Punilice za kobasice
Salamoreznice
Pila za kosti ručna i električna
Stroj za omekšavanje mesa
Sterilizatori noževa
Mesarske rukavice
Pregače mesarske
Kuke i reme za meso

*Meat Grinders
Meat Mixer
Sausage Stuffers
Salami Slicers
Manual and Electric Bone Saw
Meat tenderizer
Knife Sterilizers
Chain Mail Glove
Butcher apron
Hooks and flath bar*

Da bi se zadovoljili zahtjevi važnog tržišta za obradu mesa i mesnih prerađevina, dizajnirana je široka paleta strojeva. Pouzdanost i izdržljivost u zahtjevnim radnim okolnostima glavne su osobine ovih strojeva. Posebna pozornost posvećena je sigurnosti, jednostavnosti čišćenja i higijenskom održavanju najkritičnijih dijelova.

A wide range of devices has been designed in order to meet the requirements of a significant meat and meat products market. They provide reliability and durability in the most challenging operating conditions. Special focus is given to safety, easy cleaning and sanitation of the most critical segments.

STROJEVI ZA MLJEVENJE MESA / MEAT GRINDER

Model	Opis / Description
	NIKO - UH-12MEC Kapacitet 150 do 200 kg/sat s jednom pločicom i jednim nožem 0,55kW/230V <i>Output 150 to 200 kg/h standard enterprise (one plate and knife)</i> 0,55kW/230V težina / weight: 21 kg
	NIKO - UH-22MEC Kapacitet 230 do 250 kg/sat s jednom pločicom i jednim nožem 1,1 kW/400V <i>Output 230 to 250 kg/h standard enterprise (one plate and knife)</i> 1,1 kW/400V težina / weight: 35 kg
	A/E 32 - LA MINERVA kapacitet 400 kg/sat s jednom pločicom i jednim nožem 2,2kW/400V/3/50Hz; trofazni 2,2kW/230V/1/50Hz; jednofazni težina neto: 59 kg <i>output 400 kg/h standard enterprise (one plate and knife)</i> 2,2kW/400V/3/50Hz; threephase 2,2kW/230V/1/50Hz; monophase net weight: 59 kg
	C/E 32N - LA MINERVA kapacitet 500 kg/sat sa jednom pločicom i jednim nožem 2,2kW/400V/3/50Hz; trofazni 2,2kW/230V/1/50Hz; jednofazni težina neto: 50 kg kapacitet 500 kg/h <i>standard enterprise (one plate and knife)</i> 2,2kW/400V/3/50Hz; threephase 2,2kW/230V/1/50Hz; monophase net weight: 50 kg
	A/E 32 UNGER S5 LA MINERVA kapacitet 400 kg/sat puni unger (3 pločice i 2 noža) 2,2kW/400V/3/50Hz; trofazni 2,2kW/230V/1/50Hz; jednofazni težina neto: 45 kg <i>output 400 kg/h unger tot. (3 plates and 2 knives)</i> 2,2kW/400V/3/50Hz; threephase 2,2kW/230V/1/50Hz; monophase net weight: 45 kg



STROJEVI ZA MLJEVENJE MESA / MEAT GRINDER

Model	Opis / Description
 C/E 32N UNGER S5 LA MINERVA	kapacitet 500 kg/sat puni unger (3 pločice i 2 noža) 2,2kW/400V/3/50Hz; trofazni 2,2kW/230V/1/50Hz; jednofazni težina neto: 50 kg <i>output 500 kg/h</i> <i>unger tot. (3 plates and 2 knives)</i> 2,2kW/400V/3/50Hz; threephase 2,2kW/230V/1/50Hz; monophase <i>net weight: 50 kg</i> 

STROJEVI HLAĐENI ZA MLJEVENJE MESA / REFRIGERATED MEAT GRINDERS

Model	Opis / Description
 A-E 22R LA MINERVA	kapacitet 250 kg/sat / <i>output 250 kg/h</i> 1,1kW/400V/3/50Hz; trofazni / <i>threephase</i> s 1 pločicom i 1 nožem / <i>1 plate and 1 knife</i> s 2 pločice i 1 nožem (Unger S3) / <i>2 plates and 1 knife (Unger S3)</i> 1,1kW/230V/1/50Hz; jednofazni / <i>monophase</i> s 1 pločicom i 1 nožem / <i>1 plate and 1 knife</i> s 2 pločice i 1 nožem (Unger S3) / <i>2 plates and 1 knife (Unger S3)</i> težina neto / <i>net weight: 50 kg</i>

PLOČICE ZA STROJEVE ZA MLJEVENJE MESA / PLATES

Model	Opis / Description
 PLOČICE ZA TC-12 <i>Plates for TC-12</i>	Ø 2 mm Ø 3,5 mm Ø 4,5 mm Ø 6 mm Ø 8 mm Ø 10 mm Ø 12 mm Ø 14 mm Ø 16 mm Ø 18 mm

 PLOČICE ZA TC-22 <i>Plates for TC-22</i>	Ø 2 mm Ø 3 mm Ø 3,5 mm Ø 4,5 mm Ø 6 mm Ø 8 mm Ø 10 mm Ø 12 mm Ø 14 mm Ø 16 mm Ø 18 mm Ø 20 mm
---	--

PLOČICE ZA STROJEVE ZA MLJEVENJE MESA / PLATES

Model	Opis / Description
 PLOČICE ZA TC-32 <i>Plates for TC-32</i>	Ø 3,5 mm
	Ø 4 mm
	Ø 4,5 mm
	Ø 6 mm
	Ø 8 mm
	Ø 10 mm
	Ø 12 mm
	Ø 14 mm
	Ø 16 mm
	Ø 18 mm
	Ø 20 mm
	ZIG ZAG

 PLOČICE ZA TC-42 <i>Plates for TC-42</i>	Ø 4,5 mm	Ø 9 mm
---	----------	--------

 PLOČICE ZA TC-22 UNGER <i>Plates for TC-22 Unger</i>	Ø 3 mm	Ø 4,5 mm	Ø 6 mm	Ø 8 mm	Ø 10 mm	ZIG ZAG
--	--------	----------	--------	--------	---------	---------

 PLOČICE ZA TC-32 UNGER <i>Plates for TC-32 Unger</i>	Ø 2 mm	Ø 2,5 mm	Ø 3 mm	Ø 4 mm	Ø 4,5 mm	Ø 5 mm	Ø 6 mm	Ø 8 mm	Ø 10 mm	Ø 13 mm	ZIG ZAG
---	--------	----------	--------	--------	----------	--------	--------	--------	---------	---------	---------

NOŽEVI ZA STROJEVE ZA MLJEVENJE MESA / KNIVES

Model
 TC-12 TC-22 TC-32



TC-12 UNGER
TC-22 UNGER
TC-32 UNGER

	Art.	Opis / Description
	TACE MESARSKE, inox 18/8 <i>Butcher's tray, stainless steel 18/8</i>	dim. 260 x 230 x 15 mm dim. 320 x 230 x 15 mm dim. 350 x 240 x 15 mm dim. 410 x 310 x 15 mm dim. 500 x 350 x 15 mm dim. 610 x 410 x 15 mm

	TACE MESARSKE, inox 18/8 <i>Butcher's tray, stainless steel 18/8</i>	dim. 350 x 240 x 50 mm dim. 410 x 310 x 50 mm dim. 500 x 350 x 50 mm dim. 610 x 410 x 50 mm
---	---	--

	MESARSKE KADE PVC <i>Storage container, plastic</i>	DSP-1 - 20 l, s poklopcem / <i>with cover</i> , dim. vanjska / <i>outside</i> : 500x400x180h mm DSP-2 - 40 l, s poklopcem / <i>with cover</i> , dim. vanjska / <i>outside</i> : 500 x 400 x 340h mm DS-4 - 30 l, dim. vanjska / <i>outside</i> : 680x430x190h mm DS-8 - 80 l, dim. vanjska / <i>outside</i> : 855x480x280h mm DS-3 - 70 l, dim. vanjska / <i>outside</i> : 750 x 480 x 310h mm
---	--	--

	MJEŠALICE ZA MESO / <i>Meat mixers</i> C/E MM30 - LA MINERVA dim. 800x305x650 mm	Stolna mješalica s jednom osovinom lopatica kapacitet 30 kg nagibna posuda, 0,75kW/400V/3/50Hz; trofazna 0,75kW/230V/1/50Hz; jednofazna težina netto: 55 kg <i>Counter-top s/s one blade mixer</i> loading capacity 30 kg tipping pan 0,75kW/400V/3/50Hz 0,75kW/230V/1/50Hz net weight: 55 kg
---	--	--

Art.	Opis / Description
 MJEŠALICE ZA MESO / <i>Meat mixers</i> C/E MB50 - LA MINERVA dim. 815x500x1040 mm	Kapacitet 50 kg, na kotačima s dvije osovine lopatica, nagibna posuda 1,85kW/400V/3/50Hz; trofazna 1,85kW/230V/1/50Hz; jednofazna težina netto: 90 kg <i>Loading capacity 50 kg, with castors</i> two-blade mixer, tipping pan 1,85kW/400V/3/50Hz 1,85kW/230V/1/50Hz <i>net weight: 90 kg</i>

 PREŠA ZA HAMBURGER, aluminij, gumene nožice <i>Hamburger press, aluminium, rubber feet</i>	SA 100 - Ø 100 mm / težina/<i>weight</i>: 5,3 kg / dim. 140 x 230 x 260 mm SA 130 - Ø 130 mm / težina/<i>weight</i>: 6 kg / dim. 140 x 230 x 260 mm SA 150 - Ø 150 mm / težina/<i>weight</i>: 8,5 kg / dim. 140 x 260 x 275 mm SA 180 - Ø 180 mm / težina/<i>weight</i>: 9 kg / dim. 140 x 260 x 275 mm
---	---

 CELOFAN ZA HAMBURGERE <i>Cellophane disc</i>	Namijenjen za rad s ohlađenim namirnicama u temperaturnom području od 0°C do +40°C, materijal: NatureFlexNP (neobložena folija od regenerirane celuloze) <i>For work with refrigerated food in temperature range from 0°C to +40°C, materijal: NatureFlexNP (not coated foil of regenerated cellulose)</i> DP40D100 - Ø 100 mm, 1 kg 110/SIR - Ø 110 mm, 1 kg DP40D130 - Ø 130 mm, 1 kg DP40D150 - Ø 150 mm, 1 kg DP40D180 - Ø 180 mm, 1 kg
--	--

 PREŠA ZA HAMBURGER 11 cm, ručna <i>Hamburger Press 11 cm</i>	materijal: ABS s podizačem za jednostavnije rukovanje za izradu pljeskavica od mljevenog mesa, soje, žitarica i povrća u količini od oko 120 g; perivo u perilici posuda; materijal: ABS <i>with lifter easy removal</i> <i>for burger patties from minced meat, soya, grains and vegetables with filling quantity of approx. 120 g</i> <i>dishwasher safe</i> dim. 160 x 148 x 57 mm
---	--

C/E H LA MINERVA - AUTOMATSKI STROJ ZA PROIZVODNJU HAMBURGERA / HAMBURGER FORMING MACHINE

Za proizvodnju hamburgera, medaljona, mesnih kuglica, štapića i posebnih oblika. Može biti punjen smjesom od crvenog ili bijelog mesa, kao i s dodacima smjesi (povrće, ulje, sir, krušne mrvice). Stroj je učinkovit, višenamjenski, siguran, pouzdan, jednostavan za održavanje.

Upotreba: supermarketi, restorani, velike kuhinje, mesnice, prehrambena industrija.

To produce hamburgers, medallions, meatballs, sticks and special shapes. They can be fed with mixtures of red or white meat, even mixed with other ingredients: vegetables, oil, cheese, breadcrumbs...


Efficient, versatile, safe, reliable, compact, easy to maintain.

For supermarkets, hypermarkets, collective catering service, butchers, packaging centers and the food industry.




Opis	Description
posuda inox, 30 litara, koja se skida, 0,75kW/400V/3 proizvodnost: 2200 komada / sat s jednim standardnim kalupom Ø 90 ili Ø 100 ili Ø 110 ili Ø 120 mm; težina neto: 75 kg dim. 560 x 530 x 750 mm	30 litres stainless steel removable pan, 0,75kW/400V/3 productivity: 2200 pcs/h included nr. 1 standard hamburger cylinder Ø 90 or Ø 100 or Ø 110 ili Ø 120 mm; net weight: 75 kg dim. 560 x 530 x 750 mm
kućište inox, prozorna zaštitna ploča i poklopac posude od metakrila lopatice inox transportna traka materijali stroja prikladni za rad u prehrambenoj industriji, stroj se jednostavno rastavlja radi čišćenja i održavanja, sigurnost: mikromagnetski prekidači i fizička zaštita, koji sprečavaju pristup pokretnim dijelovima;	structure in stainless steel transparent methacrylate window and cover stainless steel paddles standard conveyor belt certified materials for food contact easy removable for cleaning and maintaining Safe! Codified magnetic micro-switches and safety guards to prevent access to moving parts.

AUTOMATSKI STROJ ZA PROIZVODNJO HAMBURGERA / HAMBURGER FORMING MACHINE

standardni kalupi / *standard forms:*kalupi na zahtjev / *special forms:*

kalupi s dvostranim učinkom:



Na upit:

posebna dužina transportne trake,
pedala za upravljanje,
dodatni standardni kalupi,
kalupi na zahtjev,
posuda od 50 litara,
automatski dodavač folije,
inox radni stol (na kotačima).

Upon request:

conveyor belt with personalized belt,
foot control
special forming rollers
personalized forming rollers
hopper 50 litres
Automatic paper distributor
stainless steel table with wheels

Art.	Model	Opis / Description
 PUNILICE ZA KOBASICE PROFESIONALNE, horizontalne, inox (4 punjača: Ø10 / 20 / 30 / 40 mm) dvije brzine za brže punjenje <i>Manual sausage fillers, stainless steel (4 funnels: Ø10 / 20 / 30 / 40 mm) double speed for faster filling</i>	5 Deluxe	Kapacitet 5 litara / Loading capacity 5 litres / težina neto / <i>net weight</i> : 10,5 kg / dim: 52 x 23 x 22 cm
	7 Deluxe	Kapacitet 7 litara / Loading capacity 7 litres / težina neto / <i>net weight</i> : 15 kg / dim: 60 x 24 x 22 cm
	10 Deluxe	Kapacitet 10 litara / Loading capacity 10 litres težina neto / <i>net weight</i> : 20,5 kg / dim: 73 x 24 x 22 cm
	15 Deluxe	Kapacitet 15 litara / Loading capacity 15 litres težina neto / <i>net weight</i> : 31 kg / dim: 80 x 29 x 28 cm

 PUNILICE ZA KOBASICE PROFESIONALNE, vertikalne, inox (4 punjača: Ø10 / 20 / 30 / 40 mm) s dvije brzine, idealan za mekane smjese <i>Manual sausage fillers, vertical, stainless steel (4 funnels: Ø10 / 20 / 30 / 40 mm) double piston speed for faster filling, ideal for soft mixtures</i>	7/V Deluxe	Kapacitet 7 litara / Loading capacity 7 litres težina / <i>weight</i> : 16,5 kg / dim: 32 x 26 x 69,5 cm
	10/V Deluxe	Kapacitet 10 litara / Loading capacity 10 litres težina / <i>weight</i> : 17 kg / dim: 32 x 26 x 80 cm

 HIDRAULIČNA PUNILICA ZA KOBASICE upravljanje koljenom, podesiva brzina, posuda inox, na dva kotačića 3 polietilenska punjača Ø 11 / 20 / 24 mm <i>HYDRAULIC SAUSAGE FILLER knee control, adjustable speed, stainless steel hopper, with 2 wheels 3 polyethylene funnels Ø 11 / 20 / 24 mm</i> Dodaci / <i>Accessories</i> Upravljanje pedalom / <i>Foot control pedal</i> Set od 3 inox punjača / <i>Set of 3 inox funnels</i> (12 mm, 20 mm i 32 mm)	C/E SF 22 - LA MINERVA	Kapacitet 22 litre / Loading capacity 22 litres 0,52kW/400V/3/50Hz; 0,52kW/230V/1/50Hz težina neto / <i>net weight</i> : 100 kg
	C/E SF 32 - LA MINERVA	Kapacitet 32 litre / Loading capacity 32 litres 0,52kW/400V/3/50Hz; 0,52kW/230V/1/50Hz težina neto / <i>net weight</i> : 105 kg
	C/E SF 45 - LA MINERVA	Kapacitet 45 litara / Loading capacity 45 litres 0,52kW/400V/3/50Hz težina neto / <i>net weight</i> : 115 kg

 SALAMOREZNICE / <i>Slice machines</i>		Oštrica Ø 195 mm, anodizirani aluminij, baza lakirana, dužina reza 210 mm, visina rezanja 200 x 130 mm, debljina rezanja od 0-15 mm, uklonjiv oštrač 110W/230V/50Hz, jednofazna težina neto: 11 kg
		Blade Ø 195 mm, cast aluminium structure, lacquered base, carriage stroke 210 mm, cutting capacity 200 x 130 mm, slicing thickness up to 0-15 mm removable sharpener 110W/230V/50Hz, singlephase <i>net weight</i>: 11 kg

 Gravitacijske salamoreznice, anodizirani aluminij, s ugrađenim oštlačem noža <i>Gravity slicer, aluminium alloy, built-in sharpener</i>		Oštrica Ø 220 mm, dužina jednog reza 245 mm, Ø reza 135 (+/-5) mm, visina rezanja 200 x 125 mm, podesiva debljina rezanja od 0 do 14-16 mm, 140W/230V/50Hz; jednofazna, težina neto: 15 kg
		Blade Ø 220 mm, carriage stroke 245 mm, Ø cutting 135 (+/-5) mm, cutting height 200 x 125 mm, cutting thickness adjustable from 0 to 14-16 mm 140W/230V/50Hz; singlephase, <i>net weight</i>: 15 kg
	TEFLON 220	Teflonski nož 220 mm / <i>Teflon surface treatment blade 220 mm</i>

 Gravitacijske salamoreznice, anodizirani aluminij, s ugrađenim oštlačem noža <i>Gravity slicer, aluminium alloy, built-in sharpener</i>		Oštrica Ø 250 mm, dužina jednog reza 250 mm, Ø reza 155 (+/-5) mm, visina rezanja 195 x 145 mm, podesiva debljina rezanja od 0 do 14-16 mm, 140W/230V/50Hz; jednofazna, težina neto: 15,5 kg
		Blade Ø 250 mm, carriage stroke 250 mm, Ø cutting 155 (+/-5) mm, cutting height 195 x 145 mm, cutting thickness adjustable from 0 to 14-16 mm 140W/230V/50Hz; singlephase, <i>net weight</i>: 15,5 kg
	TEFLON 250	Teflonski nož 250 mm / <i>Teflon surface treatment blade 250 mm</i>

Art.	Model	Opis / Description
 R.G.V. Since 1962 Gravitacijske salamoreznice, anodizirani aluminij, s ugrađenim oštlačem noža Gravity slicer, aluminium alloy, built-in sharpener	KELLY 275/S-K	Oštrica Ø 275 mm, dužina jednog reza 265 mm, Ø reza 190 (+/-5) mm, visina rezanja 225 x 180 mm, podesiva debljina rezanja od 0 do 14-16 mm, 150W/230V/50Hz; jednofazna, težina neto: 16 kg
	TEFLON 275	Blade Ø 275 mm, carriage stroke 265 mm, Ø cutting 190 (+/-5) mm, cutting height 225 x 180 mm, cutting thickness adjustable from 0 to 14-16 mm, 150W/230V/50Hz; singlephase, net weight: 16 kg Teflonski nož 275 mm / Teflon surface treatment blade 275 mm
 R.G.V. Since 1962 Gravitacijske salamoreznice, anodizirani aluminij, s ugrađenim oštlačem noža Gravity slicer, aluminium alloy, built-in sharpener	KELLY 300/S-K	Oštrica Ø 300 mm, dužina jednog reza 265 mm, Ø reza 200 (+/-5) mm, visina rezanja 230 x 190 mm, podesiva debljina rezanja od 0 do 14-16 mm, 180W/230V/50Hz; jednofazna, težina neto: 17,5 kg
	TEFLON 300	Blade Ø 300 mm, carriage stroke 265 mm, Ø cutting 200 (+/-5) mm, cutting height 230 x 190 mm, cutting thickness adjustable from 0 to 14-16 mm, 180W/230V/50Hz; singlephase, net weight: 17,5 kg Teflonski nož 300 mm / Teflon surface treatment blade 300 mm
 R.G.V. Since 1962 Gravitacijske salamoreznice, anodizirani aluminij, s ugrađenim oštlačem noža Gravity slicer, aluminium alloy, built-in sharpener	KELLY 350/M-S	Oštrica Ø 350 mm, dužina jednog reza 325 mm, Ø reza 230 (+/-5) mm, visina rezanja 280 x 220 mm, podesiva debljina rezanja od 0 do 14-16 mm, 300W/230V/50Hz; jednofazna, težina neto: 35 kg
	TEFLON 350	Blade Ø 350 mm, carriage stroke 325 mm, Ø cutting 230 (+/-5) mm, cutting height 280 x 220 mm, cutting thickness adjustable from 0 to 14-16 mm, 300W/230V/50Hz; singlephase, net weight: 35 kg Teflonski nož 350 mm / Teflon surface treatment blade 350 mm
 R.G.V. Since 1962 Automatska salamoreznica postolje inox, kućište lijevani aluminij, oštrica inox, štitnik oštrice i taca od aluminija, s blokadom klizača i njegovog ležaja radi sigurnijeg rastavljanja. Automatic gravity slicer lower structure in stainless steel, upper structure in die-cast aluminium, stainless steel blade, blade cover and food tray in die-cast aluminium, block of sliding carriage which allows to disassemble the food tray and its bearing.	DOLLY AU-300/S PROF CEP+BLC RGV	Oštrica Ø 300 mm, dužina jednog reza 270 mm, visina rezanja Ø 205 mm, visina rezanja 245 x 195 mm, 40 šnita / min., podesiva debljina rezanja do 15 mm, 230W/230V/1/50Hz; jednofazna težina neto: 49 kg dim. 630/510 x 295/480 x 630 mm
	TEFLON	Blade Ø 300 mm, carriage stroke 270 mm, cutting height Ø 205 mm, cutting height 245 x 195 mm, 40 slices / min cutting thickness adjustable to 15 mm, 230W/230V/1/50Hz; singlephase, netto weight: 49 kg dim. 630/510 x 295/480 x 630 mm Teflonski nož za sir 300 mm / Teflon surface treatment blade 300 mm

Art.	Model	Opis / Description
	PILA ZA KOSTI, inox, ručka plastična <i>Butcher Saw, stainless steel, plastic handle</i>	9102835 - DICK dužina lista / <i>blade length</i> l = 35 cm
	PILA ZA KOSTI RUČNA, inox 18/8, ručka plastična <i>Butchers Saw, stainless steel 18/8, plastic handle</i>	9100750 - DICK dužina lista / <i>blade length</i> l = 50 cm
	LIST PILE ZA KOSTI, inox <i>SAW BLADE, stainless steel</i>	9100835 - DICK dužina lista / <i>blade length</i> l = 35 cm
	LIST PILE ZA KOSTI, inox <i>SAW BLADE, stainless steel</i>	9100852 - DICK dužina lista / <i>blade length</i> l = 50 cm
	PILA ZA KOSTI ELEKTRIČNA, stolna izvedba, inox <i>Bone saw for counter, stainless steel</i>	C/E 165 OMEGA Pilna traka l = 1650 mm visina rezanja = 240 mm širina rezanja = 190 mm radni stol 470 x 485 mm 1,1kW/400V/3/50Hz 1,1kW/230V/1/50Hz neto težina: 47 kg dim. 495 x 485 x 915h mm <i>Band length 1650 mm</i> <i>usable cut height 240 mm</i> <i>cut width 190 mm</i> <i>working table 470 x 485 mm</i> <i>1,1kW/400V/3/50Hz</i> <i>1,1kW/230V/1/50Hz</i> <i>net weight: 47 kg</i> <i>dim. 495 x 485 x 915h mm</i>
	PILA ZA KOSTI ELEKTRIČNA, inox <i>Bone saw, stainless steel</i>	C/E 205 OMEGA Pilna traka l = 2050 mm visina rezanja = 330 mm širina rezanja = 230 mm radni stol 600 x 570 mm 1,1kW/400V/3/50Hz 1,1kW/230V/1/50Hz neto težina: 86 kg dim. 650 x 630 x 1810h mm <i>Band length 2050 mm</i> <i>usable cut height 330 mm</i> <i>cut width 230 mm</i> <i>working table 600 x 570 mm</i> <i>1,1kW/400V/3/50Hz</i> <i>1,1kW/230V/1/50Hz</i> <i>net weight: 86 kg</i> <i>dim. 650 x 630 x 1810h mm</i>

Art.	Model	Opis / Description
	C/E 243 F OMEGA	Pilna traka l = 2430 mm visina rezanja = 350 mm širina rezanja = 290 mm radni stol 715 x 695 mm 1,1kW/400V/3/50Hz neto težina: 138 kg dim. 735 x 715 x 1870h mm <i>Band length 2430 mm usable cut height 350 mm cut width 290 mm working table 715 x 695 mm 1,1kW/400V/3/50Hz net weight: 138 kg dim. 735 x 715 x 1870h mm</i>



PILNA TRAKA / Band

l = 1520/20
 l = 1600/16
 l = 1650/20
 l = 1700/16
 l = 1700/20
 l = 1830/16
 l = 1830/20
 l = 1980/20

OMEKŠIVAČ ZA MESO
Meat tenderizer

78A

Ručka polipropilen,
 bodlje inox;
 dim. 150 x 35 x 100h mm

*Polypropylene handle,
 stainless steel pins
 dim. 150 x 35 x 100h mm*

STROJ ZA OMEKŠAVANJE MESA
Meat tenderizer

TSC 300

Kućište inox, s oštricama za omekšavanje i plastičnom posudom,
 otvor za ubacivanje mesa dim. 30 x 170 mm
*Stainless steel structure, tenderizing blade assembly,
 with plastic pan,
 entry product slot dim. 30 x 170 mm*
 0,18 kW/230V/1/50Hz
 neto težina / *net weight*: 24 kg
 dim. 497 x 231 x 541 mm

STROJ ZA OMEKŠAVANJE/
REZANJE MESA NA PRUTIĆE /
Meat tenderizer/Strip cutting machine

TSC 600
 oštrice nisu uključene
 u cijenu/
 blade assembly
 not included

Kućište inox, s plastičnom posudom,
 otvor za ubacivanje mesa dim. 30 x 170 mm
*Stainless steel structure, with plastic pan entry
 product slot dim. 30 x 170 mm*
 0,37kW/230V/1/50Hz
 neto težina / *net weight*: 24 kg

Art.	Model	Opis / Description
 DODATAK/ <i>Accessories:</i> naručiti sa strojem / <i>to be ordered with the machine</i>	R PAN/TSC300-X BLADES/TSC	Inox posuda/ <i>stainless steel pan</i> Nastavak za omekšavanje mesa/ <i>Tenderizing blade assembly</i> Nastavak za rezanje mesa na prutiće/ <i>strip cutting blade assembly (for meat)</i>
	BLADES TSC5-M	5 mm
	BLADES TSC10-M	10 mm
	BLADES TSC15-M	15 mm
		Nastavak za rezanje ribe i povrća na prutiće/ <i>strip cutting blade assembly (for fish and vegetables)</i>
	BLADES TSC5-V	5 mm
	BLADES TSC10-V	10 mm
	BLADES TSC15-V	15 mm

 STROJ ZA REZANJE SIROVOG MESA, stolna izvedba <i>/ Raw doner meat slicer, table-top</i>	ST45	veličina oštrice 45 cm na debljina rezanja 0,5 - 6 mm kapacitet: 400 - 450 kg/sat 180W/220V/50Hz, jednofazni težina: 70 kg dim. 85 x 80 x 55 cm <i>blade size 45 cm</i> <i>slice thickness 0,5 - 6 mm</i> <i>capacity: 400 - 450 kg/h</i> <i>180W/220V/50Hz, singlephase</i> <i>weight: 70 kg</i> <i>dim. 85 x 80 x 55 cm</i>
---	------	--


 KUKE ZA MESO, inox 18/8 <i>Hooks, stainless steel 18/8</i>	Art. 50	Kuka za meso "S" / Hook "S" - dim. 120 x 5 mm
	Art. 50	Kuka za meso "S" / Hook "S" - dim. 160 x 6 mm
	Art. 50	Kuka za meso "S" / Hook "S" - dim. 180 x 8 mm
	Art. 50	Kuka za meso "S" / Hook "S" - dim. 220 x 10 mm
	Art. 50	Kuka za meso "S" / Hook "S" - dim. 250 x 12 mm

 KUKE ZA MESO, inox 18/8 <i>Hooks, stainless steel 18/8</i>	Art. 73	Kuka za meso "L" za remu <i>Hook "L" for flat bar</i> dim. 170 x 15 mm
---	---------	--

 KUKE ZA MESO, inox 18/8 <i>Hooks, stainless steel 18/8</i>	Art. 131	Kuka za meso "V" za remu <i>Hook "V" for flat bar</i> dim. 230 x 20 mm
---	----------	--

 KUKE ZA MESO, inox 18/8 <i>Hooks, stainless steel 18/8</i>	Art. 68	Kuka za meso "S" za remu <i>Hook "S" for flat bar</i> dim. 120 x 9 mm
---	---------	---

 KUKE ZA MESO, inox 18/8 <i>Hooks, stainless steel 18/8</i>	Art. 108	Kuka klizna za ovis, inox klizač kuke pocinčani <i>Zinc-plated pulley with hook</i> dim. 360 x Ø18 mm
---	----------	--

Art.	Model	Opis / Description
	PT	REME ZA MESO, inox 18/10 <i>Flat bar, stainless steel 18/10</i> dužina / <i>length</i> : 2 m, sa 9 kuka / <i>with 9 hook</i>
	PT	REME ZA MESO, inox 18/10 <i>Flat bar, stainless steel 18/10</i> dužina / <i>length</i> : 2 m, cijena reme je bez kuka za meso, predviđena kuka Art. 68 <i>flat bar price is without hooks, provided hook Art. 68</i>
 	E STN+P	STERILIZATOR NOŽEVA I BRUSEVA s preljevnom cijevi, električni (puni se tekućinom), inox <i>Knife and sharpener sterilizer with overflow pipe,</i> <i>stainless steel</i> elektronska regulacija s pokazivačem temperature do 90°C 230V/800W/50Hz volumen: 18 litara dim. 400/480 x 130 x 380 mm težina: 5,5 kg <i>electronic version with temperature</i> <i>display up to 90°C</i> <i>230V/800W/50Hz</i> <i>volume: 18 litres</i> <i>dim. 400/480 x 130 x 380 mm</i> <i>weight: 5,5 kg</i>
 	XYLOQUAT	Sredstvo za dezinfekciju / <i>Disinfectant</i> 3 litre / <i>3 litres</i> (koncentrat / <i>concentrate</i>)
 	E STNP+P - E	STERILIZATOR NOŽEVA, PILA ZA KOSTI, SATARA I BRUSEVA, S PRELJEVNOM CIJEVI, inox električni (puni se tekućinom) <i>Knife, sharpener and bone saw sterilizer with</i> <i>overflow pipe, stainless steel</i> elektronska regulacija s pokazivačem temperature do 90°C 230V/800W/50Hz volumen: 25 litara dim. 400/480 x 130 x 550 mm težina: 7 kg <i>electronic version with temperature</i> <i>display to 90°C</i> <i>220V/800W/50Hz</i> <i>volume: 25 litres</i> <i>dim. 400/480 x 130 x 550 mm</i> <i>weight: 7 kg</i>
 	XYLOQUAT	Sredstvo za dezinfekciju / <i>Disinfectant</i> 3 litre / <i>3 litres</i> (koncentrat / <i>concentrate</i>)

Art.	Model	Opis / Description
 STERILIZATORI NOŽEVA S RUKOPEROM <i>Knife sterilizer with wash basin</i>	PTK + ESTNP	Sterilizator noževa s rukoperom, regulacija rukopera koljenom na pritisak, korito dim. 390/320 x 285 x 135 mm, s mješalicom za vodu i sifonom za vodu, električni sterilizator noževa 800W/230V/50Hz, (za mesarske noževe i pile za kosti) s prelivnom cijevi, elektronska regulacija temperature sterilizatora do +90°C; težina: 25 kg dim. 700 x 500 x 850/950 <i>Knife sterilizer with wash basin with knee control basin dim. 390/320 x 285 x 135 mm, water mixer + syphone electric knife sterilizer 800W/230V/50Hz, (for butcher's knife and bone saw) with overflow pipe digital termoregulation up to +90°C weight: 25 kg dim. 700 x 500 x 850/950</i>

 STERILIZATORI NOŽEVA S RUKOPEROM <i>Knife sterilizer with wash basin</i> dim. 700 x 500 x 850/950	PTKK + ESTNP	Sterilizator noževa s rukoperom, regulacija rukopera koljenom na pritisak, korito dim. 390/320 x 285 x 135 mm, s mješalicom za vodu, sifonom za vodu i kiperom za papirati otpad električni sterilizator noževa 800W/230V/50Hz, (za mesarske noževe i pile za kosti) s prelivnom cijevi, elektronska regulacija temperature sterilizatora do +90°C, težina: 25 kg <i>Knife sterilizer with wash basin with knee control basin dim. 390/320 x 285 x 135 mm, water mixer + syphone and with swinging hopper electric knife sterilizer 800W/230V/50Hz, (for butcher's knife and bone saw) with overflow pipe digital termoregulation up to +90°C weight: 25 kg</i>
---	--------------	--

 STERILIZATOR NOŽEVA I BRUSEVA UV <i>Knife and sharpener UV sterilizer</i>	SUV 10	Za 10 noževa, kućište inox, vrata plexi prozirni s mikroprekidačem UV lamp 230V/50Hz/36W timer 60 minuta sa signalnom žaruljicom dim. 41 x 16 x 61 cm <i>Capacity 10 knives frame stainless steel door in transparent perspex with safety microswitch UV lamp 230V/50Hz/36W, timer 60 min with signal lamp dim. 41 x 16 x 61 cm</i>
--	--------	---

 STERILIZATOR NOŽEVA I BRUSEVA UV <i>Knife and sharpener UV sterilizer</i>	SUV 14	Za 14 noževa, kućište inox, vrata plexi prozirni s mikroprekidačem UV lamp 230V/50Hz/36W timer 60 minuta sa signalnom žaruljicom dim. 51 x 16 x 61 cm <i>Capacity 14 knives frame stainless steel door in transparent perspex with safety microswitch UV lamp 230V/50Hz/36W, timer 60 min with signal lamp dim. 51 x 16 x 61 cm</i>
--	--------	---

Art.	Model	Opis / Description
		Kratka 5 prstiju, inox 18/10, mreža 0,55 mm crvena (M) plava (L) žuta (XL)
		Short model 5 fingers, stainless steel 18/10 0,55 mesh, red (M) blue (L) yellow (XL)

RUKAVICE MESARSKE / Chain Mail Glove

		Dugačka, inox, 5 prstiju inox 18/10, mreža 0,55 mm crvena (M) plava (L) žuta (XL)
		Long model 5 fingers, stainless steel 18/10 0,55 mesh, red (M) blue (L) yellow (XL)

RUKAVICE MESARSKE / Chain Mail Glove

	PVC	PVC/polyester, bijela / <i>PVC/polyester, white</i> dim. 75 x 125 cm
	PVC 45 V	Nylon/PVC, bijela / <i>Nylon/PVC, white</i> dim. 84 x 112 cm

PREGAČE MESARSKE / Butcher apron

ORMARIĆ ZIDNI ZATVORENI ZA MESARSKI PRIBOR, inox
*Overhead butcher's cupboard with swing door,
stainless steel*

OZM

Za noževe, sjekirice mesarske, pile za kosti,
oštrače noževa*For knives, choppers, butcher saws,
knife sharpeners*
dim. 640 x 240 x 1000 mm



OBRADA POVRĆA *FOOD PROCESSORS*

Strojevi za obradu povrća
Diskovi za strojeve za
obradu povrća
Sjeckalice
Blixeri
Stroj za pasiranje povrća/voća
Ljuštilica krumpira

*Vegetable Preparation Machines
Vegetable Preparation
Machine Discs
Cutters
Blixers
Automatic Sieves/Juicers
Potato Peelers*

Usavršeni do najsitnijih pojedinosti kako bi se u velikim kuhinjama postigli što bolji rezultati u radu s voćem i povrćem, ovi robusni strojevi prepoznatljiva dizajna omogućavaju potpunu sigurnost i higijenu.

Developed in great detail in order to achieve the best possible results in processing fruit and vegetables in large kitchens, these devices of distinctive design and robust structure provide full-scale security and hygiene.

STROJ ZA OBRADU POVRĆA/ SJECKALICA / *CUTTER & VEGETABLE SLICER*

2 stroja u jednom/objedinjuje dvije uloge: usitnjavanje (cutter) i obradu povrća. Koristi se u malim ugostiteljskim objektima.

2 Machines in 1/ combines two roles: cutters & vegetable slicers. Users: Small-scale catering – takeaway outlest.



R 201 XL
Ref. 22570
dim. 220 x 280 x 495h mm

Opis / *Description*

1brzina, 1500 okr/min, PULSE dugme, kućište ABS;
SJECKALICA:
posuda ABS 2,9 litara s ručkom, s oštricom,
max. količina za obradu u sjeckalici: 1 kg
OBRADA POVRĆA:
XL lijevak u koji stane do 6 rajčica odjednom,
cilindrični lijevak za dugo povrće,
isporučuje se s dva inox diska: za ploške 2 mm i
i za ribanje 2 mm;
max. kapacitet/sat: 80 kg/sat
broj obroka: do 20
težina bruto: 10,5 kg

*One speed 1500 rpm, Pulse function, ABS;
CUTTER:
2,9 litre ABS cutter bowl with handle and blade,
max. quantities processed 1 kg,
VEGETABLE PREPARATION:
XL hopper can hold up to 6 tomatoes in one go,
cylindrical hopper for long vegetables,
supplied with two stainless steel discs: 2 mm slicer
and 2 mm grater;
max. output per hour: 80 kg/h
up to 20 covers
230V/50/1; 550W;
gross weight: 10,5 kg*



R 301 Ultra
Ref. 2547
dim. 325 x 300 x 550h mm

1 brzina, 1500 okr/min, PULSE dugme, kućište ABS;
SJECKALICA:
posuda inox, 3,7 litre s ručkom, s oštricom,
max. količina za obradu u sjeckalici: 1,5 kg
OBRADA POVRĆA:
sjeckalica povrća s dva otvora:
polumjesec i cilindrični za dugo povrće
max. kapacitet/sat: 200 kg/sat
broj obroka: 10 - 80
diskovi nisu u cijeni stroja
težina bruto: 17 kg

*One speed 1500 rpm, Pulse function, ABS;
CUTTER:
3,7 litre s/s cutter bowl with handle and blade,
max. quantities processed 1,5 kg,
VEGETABLE PREPARATION:
with two hoppers: halfmoon and cylindrical
hopper for long vegetables,
max. output per hour: 200 kg/h
number of covers: 10 - 80
discs not included
230V/50/1; 650W;
gross weight: 17 kg*

DODACI ZA R201 XL I R301 ULTRA / *OPTIONS FOR R201 XL AND R301 ULTRA*

	Model	Opis / Description
	Ref. 27138	grubo nazubljeni nož (za mljevenje i gnječenje) <i>coarse serrated blade (special grinding- pastry)</i>
	Ref. 27061	fino nazubljeni nož (začinsko bilje) <i>finne serrated blade (special herbs & spices)</i>
KUHINJSKI SET / <i>CUISINE KIT:</i>		
	R201 XL Ref. 27393	Za umake / guste sokove <i>Coulis</i>
	R301 Ultra Ref. 27396	
+		
	R201 XL Ref. 27392	Za cijeđenje citrusa <i>Citrus press</i>
	R301 Ultra Ref. 27395	

STROJEVI ZA OBRADU POVRĆA/ SJECKALICA / *CUTTER & VEGETABLE SLICER*

Model	Opis / Description
 R402 Ref. 2433 2 brzine: 750 / 1500 okr/min, 400V/50/3, trofazna Ref. 2453 2 brzine: 500 / 1500 okr/min, 230V/50/1, monofazna	PULSE dugme, kućište metalno SJECKALICA: posuda inox, 4,5 litara s ručkom i glatkom oštricom, OBRADA POVRĆA: sjeckalica povrća s dva otvora: polumjesec i cilindrični za dugo povrće broj obroka: 1 - 100 diskovi nisu u cijeni stroja, Two speeds: 750 / 1500 rpm, 400V/50Hz/3 Two speeds: 500 / 1500 rpm, 230V/50Hz/1 Pulse function, motor base metal CUTTER: 4,5 liter s/s cutter bowl with handle and smooth blade, VEGETABLE PREPARATION: with two hoopers: halfmoon and cylindrical hopper for long vegetables, number of covers: 1 - 100 discs not included težina neto / net weight: 21 kg težina bruto / gross weight: 23 kg



dim. 320 x 305 x 590 mm

Uključen D-Clean Kit / *Included D-Clean Kit*

 R402 V.V. Ref. 2444 230V/50-60/1, monofazna	PULSE dugme, kućište metalno SJECKALICA: 300 do 3500 okr/min posuda inox, 4,5 litara s ručkom i glatkom oštricom OBRADA POVRĆA: 300 do 1000 okr/min sjeckalica povrća s dva otvora: polumjesec i cilindrični za dugo povrće broj obroka: 1 - 100 diskovi nisu u cijeni stroja Pulse function, motor base metal CUTTER: 300 to 3500 rpm 4,5 liter s/s cutter bowl with handle and smooth blade, VEGETABLE PREPARATION: 300 to 1000 rpm with two hoopers: halfmoon and cylindrical hopper for long vegetables, number of covers: 1 - 100 1000W discs not included težina neto / net weight: 22 kg težina bruto / gross weight: 23 kg
--	--



dim. 320 x 305 x 590 mm

Uključen D-Clean Kit / *Included D-Clean Kit*

STROJEVI ZA OBRADU POVRĆA/ SJECKALICA / *CUTTER & VEGETABLE SLICER*

Model	Opis / <i>Description</i>
 R502 Ref. 2382 400V/50/3, trofazna	PULSE dugme, kućište metalno 750 do 1500 okr/min SJECKALICA: posuda inox, 5,9 litara s ručkom i glatkom oštricom OBRADA POVRĆA: sjeckalica povrća s dva otvora: polumjesec i cilindrični za dugo povrće s potiskivačem i strugačem broj obroka: 50 - 300 diskovi nisu u cijeni stroja, <i>discs not included</i> <i>Pulse function, motor base metal</i> <i>750 to 1500 rpm</i> <i>CUTTER:</i> <i>5,9 liter s/s cutter bowl with handle and smooth blade</i> <i>VEGETABLE PREPARATION:</i> <i>with two hoopers:</i> <i>halfmoon and cylindrical hopper for long vegetables,</i> <i>with exactitube pusher and scraper arm</i> <i>number of covers: 50 - 300</i> 900W težina neto / <i>net weight</i>: 29 kg težina bruto / <i>gross weight</i>: 34 kg



dim. 280 x 365 x 540 mm
Uključen D-Clean Kit / *Included D-Clean Kit*

 R502 V.V. Ref. 2390 230V/50-60/1, monofazna	PULSE dugme, kućište metalno SJECKALICA: 300 do 3500 okr/min posuda inox, 5,9 litara s ručkom i glatkom oštricom OBRADA POVRĆA: 300 do 1000 okr/min sjeckalica povrća s dva otvora: polumjesec i cilindrični za dugo povrće s potiskivačem i strugačem broj obroka: 50 - 300 diskovi nisu u cijeni stroja, <i>discs not included</i> <i>Pulse function, motor base metal</i> <i>CUTTER:</i> <i>300 to 3500 rpm</i> <i>5,9 liter s/s cutter bowl with handle and blade</i> <i>VEGETABLE PREPARATION:</i> <i>300 to 1000 rpm</i> <i>with two hoopers:</i> <i>halfmoon and cylindrical hopper for long vegetables, with exacti-</i> <i>tube pusher and scraper arm</i> <i>number of covers: 50 - 300</i> 1500W težina neto / <i>net weight</i>: 30 kg težina bruto / <i>gross weight</i>: 35 kg
--	---



dim. 280 x 365 x 540 mm
Uključen D-Clean Kit / *Included D-Clean Kit*

STROJEVI ZA OBRADU POVRĆA/ SJECKALICA / *CUTTER & VEGETABLE SLICER*

Model	Opis / Description
 R752 Ref. 2113 400V/50/3, trofazna	PULSE dugme, kućište metalno 750 do 1500 okr/min SJECKALICA: posuda inox, 7,5 litara s ručkom i glatkom oštricom OBRADA POVRĆA: sjeckalica povrća s dva otvora: polumjesec i cilindrični za dugo povrće s potiskivačem i strugačem broj obroka: 200 – 600 diskovi nisu u cijeni stroja, <i>discs not included</i> <i>Pulse function, motor base metal</i> <i>750 to 1500 rpm</i> <i>CUTTER:</i> <i>7,5 liter s/s cutter bowl with handle and smooth blade</i> <i>VEGETABLE PREPARATION:</i> <i>with two hoopers:</i> <i>halfmoon and cylindrical hopper for long vegetables, with exactitude pusher and scraper arm</i> <i>number of covers: 200 – 600</i> 1800W težina neto / <i>net weight</i>: 33 kg težina bruto / <i>gross weight</i>: 38 kg



dim. 280 x 365 x 570 mm
Uključen D-Clean Kit / *Included D-Clean Kit*

 R752 V.V. Ref. 2115 230V/50-60/1, monofazna	PULSE dugme, kućište metalno SJECKALICA: 300 do 3500 okr/min posuda inox, 7,5 litara s ručkom i glatkom oštricom OBRADA POVRĆA: 300 do 1000 okr/min sjeckalica povrća s dva otvora: polumjesec i cilindrični za dugo povrće s potiskivačem i strugačem broj obroka: 200 – 600 diskovi nisu u cijeni stroja, <i>discs not included</i> <i>Pulse function, motor base metal</i> <i>CUTTER:</i> <i>300 to 3500 rpm</i> <i>7,5 liter s/s cutter bowl with handle and smooth blade</i> <i>VEGETABLE PREPARATION:</i> <i>300 to 1000 rpm</i> <i>with two hoopers:</i> <i>halfmoon and cylindrical hopper for long vegetables, with exactitude pusher and scraper arm</i> <i>number of covers: 200 – 600</i> 1500W težina neto / <i>net weight</i>: 34 kg težina bruto / <i>gross weight</i>: 38 kg
--	---



dim. 280 x 365 x 570 mm
Uključen D-Clean Kit / *Included D-Clean Kit*

STROJEVI ZA OBRADU POVRĆA / *VEGETABLE PREPARATION MACHINE*

Čvrsti, učinkoviti, lagani za čišćenje, pružaju široki izbor rezanja i ribanja. Koriste se u restoranima, sendvič barovima, ugostiteljstvu, raznim ustanovama.

Rugged, efficient, easy to clean and offering the widest variety of cuts and grating. Users: restaurants, bars, sandwich bars, caterers, institutions.

Model	Opis / Description
 CL 20 Ref. 22394 dim. 325 x 310 x 570h mm	kapacitet: 40 kg/sat broj obroka: 20 do 80 kućište ABS; 1500 okr/min diskovi nisu u cijeni stroja (23 diska) težina bruto: 12 kg  <i>output: 40 kg/h number of meals: 20 to 80 vegetable bowl and motor base: ABS 1500 rpm discs not included (23 discs) 230V/50/1; 400W gross weight: 12 kg</i>
 CL 30 BISTRO Ref. 24432 dim. 320 x 304 x 590h mm	broj obroka: do 80 obroka glava i kućište motora ABS; 375 okr/min diskovi nisu u cijeni stroja (28 diskova) <i>number of meals: up to 80 ABS vegetable bowl and motor base, discs not included (28 discs)</i> 230V/50/1; 500W težina bruto / gross weight: 13 kg
 CL 40 Ref. 24570 dim. 345 x 330 x 590h mm	kapacitet: 50 kg/sat broj obroka: 20 do 80 glava ABS / inox, kućište motora metalno; 500 okr/min diskovi nisu u cijeni stroja (28 diskova) težina bruto: 15,2 kg  <i>output: 50 kg/h number of meals: 20 to 80 vegetable bowl ABS/s/s, metal motor base, discs not included (28 discs) 230V/50/1; 500W gross weight: 15,2 kg</i>



CL 50
Ref. 24440
dim. 390 x 340 x 610h mm



kapacitet: 100 kg/sat
broj obroka: 50 do 400
glava metalna, kućište motora polikarbonatno
jedna brzina, 375 okr/min.
diskovi nisu u cijeni stroja (50 diskova)
težina bruto: 19,8 kg

output: 100 kg/h
number of meals: 50 to 400
metal vegetable bowl and lid, motor base
polycarbonate
one speed, 375 rpm
discs not included (50 discs)
230V/50/1; 550W
gross weight: 19,8 kg



28207

Dodatak za izradu krumpir pirea za CL50
Potato Ricer Attachment:
28207

rešetka / grid 3 mm,
metalno gnječilo / *paddle*
disk za izbacivanje / *ejector disc*
lijevak za ulaz krumpira / *feed tube*



28208

Dodatak za izradu krumpir pirea za CL50
Potato Ricer Attachment:
28208

rešetka od Ø 3 mm, metalno
gnječilo, disk za izbacivanje
grid Ø 3 mm, paddle, ejector disc

STROJEVI ZA OBRADU POVRĆA / *VEGETABLE PREPARATION MACHINE*

CL 52, CL 55 nude veliki izbor rezanja, čak i vrlo osjetljivog povrća, kako besprijekorno izrezanih gljiva, tako i savršeno oblikovanih kockica od rajčice.

Ručka potisne glave je tako ergonomski podešena da zahtjeva manji napor operatera prilikom rada.

The CL52, CL 55 offers you a wide choice of cuts, even for delicate vegetables, delivering impeccably sliced mushrooms and perfectly formed tomato cubes.

Handle design requires less effort from operator.

Model	Opis / Description
 CL 52 Ref. 24490 dim. 360 x 340 x 690h mm	kapacitet: 250 kg/sat otvor za veliko povrće npr. kupus kapacitet velikog otvora 4,4 litre otvor Ø 58 mm (za dugačko povrće i voće) broj obroka: 70 do 600 glava metalna, kućište motora inox jedna brzina, 375 okr/min, diskovi nisu u cijeni stroja (50 diskova) težina bruto: 28 kg output: 250 kg/h large hopper (e.g. cabbage) load capacity 4,4 litres feed tube included Ø 58 mm number of meals: 70 to 600 metal vegetable bowl and lid, stainless steel motor base one speed, 375 rpm discs not included (50 discs) 230V/50/1: 750W gross weight: 28 kg 

 CL 55 potisna glava s postoljem pusher feed-head Ref. 2214 dim. sa postoljem/ dim. with mobile stand 865 x 396 x 1272 mm	Potisna glava, potisna glava kapacitet: do 400 kg/sat otvor za veliko povrće npr. kupus kapacitet velikog otvora 4,5 litre otvor Ø 58 mm (za dugačko povrće i voće) broj obroka: 100 - 1000 glava i kućište motora metalni 2 brzine, 375 okr/min i 750 okr/min s inox postoljem na dva kotačića diskovi nisu u cijeni stroja (50 diskova) težina bruto: 54 kg Pusher Feed-Head output: up to 400 kg/h large hopper (e.g. cabbage) load capacity 4,5 litres feed tube included Ø 58 mm number of meals: 100 to 1000 all-metal motor base and pusher feed head two speeds: 375 & 750 rpm stainless steel mobile stand with two wheels discs not included (50 discs) 1100W/400V/50/3 gross weight: 54 kg 
---	---


STROJEVI ZA OBRADU POVRĆA / *VEGETABLE PREPARATION MACHINE*

CL 55 s 2 glave: automatska i potisna. Izuzetno čvrsta konstrukcija, metalno kućište motora, inox postolje na kotačićima.

CL 55 2 Feed-Heads automatic and pusher feed-head. Rugged construction, metal motor base and stainless-steel mobile stand.

Model

Opis / Description



CL 55

2 glave s postoljem

Ref. 2211

dim. sa postoljem / with mobile stand:

865 x 396 x 1272 mm

kapacitet: do 400 kg/sat

broj obroka: 100 - 1000

potisna glava i automatska glava

Potisna glava:

otvor za veliko povrće npr. kupus

kapacitet velikog otvora 4,2 litre

otvor Ø 58 mm (za dugačko povrće i voće)

Automatska glava:

za krumpir, paradajz, crveni luk...

potisna glava i kućište motora metalni

inox automatska glava

2 brzine, 375 okr/min i 750 okr/min

s inox postoljem na dva kotačića

diskovi nisu u cijeni stroja (50 diskova)

težina bruto: 62 kg

*output: up to 400 kg/h**number of meals: 100 - 1000**pusher feed head and feed-head large output***Pusher feed head:***large hopper (e.g. cabbage)**load capacity 4,2 litres**feed tube included Ø 58 mm***Feed-Head large output:***for potatoes, tomatoes, onions...**all-metal motor base and pusher feed head**stainless steel feed-head large output,**two speeds: 375 & 750 rpm**stainless steel mobile stand with two wheels**discs not included (50 discs)**1100W/400V/50/3**gross weight: 62 kg*

STROJEVI ZA OBRADU POVRĆA / *VEGETABLE PREPARATION MACHINE*

CL 55 radna stanica dolazi s automatskom glavom, potisnom glavom, setom od 16 diskova, priborom za izradu pirea od krumpira i podesivim kolicima za GN1/1.

CL 55 Workstation delivered with: automatic feed head, pusher feed head, potato ricer equipment, multicut pack of 16 discs, adjustable trolley GN 1/1.

Model	Opis / Description
	 CL 55 Workstation Ref. 2287 dim. sa postoljem <i>with mobile stand</i> 865 x 396 x 1272 mm  kapacitet: do 1200 kg povrća/sat broj obroka: 100 - 1000 potisna glava i automatska glava Potisna glava: otvor za veliko povrće npr. kupus kapacitet velikog otvora 4,9 litara otvor Ø 58 mm (za dugačko povrće i voće) Automatska glava: za krumpir, paradajz, crveni luk... automatska glava i kućište motora inox potisna glava legura aluminija 2 brzine, 375 okr/min i 750 okr/min s inox postoljem na dva kotačića Set od 16 diskova MultiCut uključujući nosač diskova za 16 diskova i set za čišćenje diskova D-Clean Kit Pribor za izradu pirea od krumpira 3 mm Pokretno postolje s dva kotača s kočnicom, Podesiva kolica GN1/1 + 3xGN1/1 posude težina bruto: 80 kg
	Pribor za izradu krumpir pirea <i>Potato ricer equipment 3mm</i> <i>output: up to 1200 kg/h</i> <i>number of meals: 100 - 1000</i> <i>pusher feed head and feed-head large output</i> Pusher feed head: <i>large hopper (e.g. cabbage)</i> <i>load capacity 4,9 litres</i> <i>feed tube included Ø 58 mm</i>
	Precizni potiskivač za malo voće i povrće <i>Exactitube pusher</i> <i>for small sized fruit and veg.</i> Feed-Head large output: <i>for potatos, tomatos, onions...</i> <i>stainless steel motor base and autoamtic feed head, aluminium pusher feed head</i> <i>two speeds: 375 & 750 rpm</i> <i>stainless steel mobile stand with two wheels</i>
	Podesiva kolica GN1/1 <i>Adjustable trolley GN1/1</i> MultiCut pack of 16 discs included (discs holders for 16 discs, D-Clean Kit) Potato ricer equipment 3 mm Stainless steel mobile stand with two wheels Adjustable trolley GN1/1 + 3xGN1/1 containers <i>1100W/400V/50/3</i> <i>gross weight: 80 kg</i>

STROJEVI ZA OBRADU POVRĆA / *VEGETABLE PREPARATION MACHINE*

Izuzetno čvrsta konstrukcija, 100% inox osim potisne glave koja je iz legure aluminija. Ručka potisne glave može biti učvršćena na tri različite visine.

Rugged construction, 100% stainless steel except for the aluminium feed-head base. The handle can be fixed at three different heights.

Model	Opis / Description
	 D-Clean Kit CL 60 Potisna glava Ref. 2319 dim. 425 x 613 x 1159 mm Potisna glava, Kapacitet: 600 kg/sat otvor za veliko povrće npr. kupus kapacitet velikog otvora 4,2 litre otvor Ø 58 mm (za dugačko povrće i voće) Broj obroka: 300 - 3000 2 brzine, 375 okr/min i 750 okr/min kućište motora inox s inox postoljem na dva kotačića i jednom podesivom nogom diskovi nisu u cijeni stroja (50 diskova) težina bruto: 70 kg Pusher Feed-Head <i>output: up to 600 kg/h large hopper (e.g. cabbage) load capacity 4,2 litres feed tube included Ø 58 mm number of meals: 300 to 3000 stainless steel motor base two speeds: 375 & 750 rpm stainless steel mobile stand with two wheels and one adjustable foot discs not included (50 discs) 1500W/400V/ 50Hz gross weight: 70 kg</i>

STROJEVI ZA OBRADU POVRĆA / *VEGETABLE PREPARATION MACHINE*

Potisna glava i automatska glava s dodatnim aluminijским tanjurom.

Pusher feed head and feed-head large output with aluminium plate.

Model	Opis / <i>Description</i>
 CL 60 2 glave Ref. 2325 dim. 600 x 720 x 1225 mm	 kapacitet: 600 kg/sat broj obroka: 300 - 3000 Potisna glava: otvor za veliko povrće, npr. kupus kapacitet velikog otvora 4,2 litre otvor Ø 58 mm (za dugačko povrće i voće) Automatska glava: za krumpir, paradajz, crveni luk... kućište motora metalno, automatska glava inox 2 brzine, 375 okr/min i 750 okr/min s inox postoljem na dva kotačića i jednom podesivom nogom diskovi nisu u cijeni stroja (50 diskova) težina bruto: 85 kg <i>output: 600 kg/h number of meals: 300 - 3000</i> Pusher feed head: large hopper (e.g. cabbage) load capacity 4,2 litres feed tube included Ø 58 mm Feed-Head large output: for potatoes, tomatos, onions... all-metal motor base, s/s automatic feed head two speeds: 375 & 750 rpm stainless steel mobile stand with two wheels and one adjustable foot discs not included (50 discs) 1500W/400V/50/3 gross weight: 85 kg 

STROJEVI ZA OBRADU POVRĆA / VEGETABLE PREPARATION MACHINE

CL 60 radna stanica dolazi s automatskom glavom, potisnom glavom, glavom s 4 cilindrična otvora, setom od 16 diskova, priborom za izradu pirea od krumpira i s ergo transportnim kolicima.

CL 60 Workstation delivered with: automatic feed head, pusher feed head, 4 tubes feed head, potato ricer equipment, multicut pack of 16 discs, Ergo mobile trolley.

Model	Opis / Description
	 CL 60 Workstation Ref. 2300 kapacitet: do 1800 kg povrća/sat broj obroka: 300 – 3000 Potisna glava: otvor za veliko povrće npr. kupus kapacitet velikog otvora 4,9 litara otvor Ø 58 mm (za dugačko povrće i voće) Automatska glava: za krumpir, paradajz, crveni luk... automatska glava i kućište motora inox potisna glava legura aluminija Glava s 4 cilindrična otvora: za dugo povrće (krastavce, tikvicu, mrkvu...) 2 brzine, 375 okr/min i 750 okr/min inox postolje s dva kotača, podesiva noga Set od 16 diskova MultiCut uključujući nosač diskova za 16 diskova i set za čišćenje diskova Pribor za izradu pirea od krumpira 3 mm Ergo transportna kolica s rotirajućim sistemom za pune i prazne GN posude output: up to 1800 kg/h number of meals: 300 – 3000 pusher feed head and feed-head large output Pusher feed head: large hopper (e.g. cabbage) load capacity 4,9 litres feed tube included Ø 58 mm Feed-Head large output: for potatoes, tomatoes, onions..... stainless steel motor base and automatic feed head, aluminum pusher feed head 4 tubes feed head: for long vegetables (cucumbers, carrots, zucchini) two speeds: 375 & 750 rpm s/s mobile stand with two wheels and adjustable foot MultiCut pack of 16 discs included (discs holders for 16 discs, D-Clean Kit) Potato ricer equipment 3 mm Ergo mobile trolley with rotating system to replace the full pan with an empty pan 1500W/400V/50/3 težina bruto / gross weight: 150 kg dim.: 462 x 770 x 1353 mm
	Pribor za izradu krumpir pirea <i>Potato ricer equipment</i>
	Precizni potiskivač za malo voće i povrće <i>Exactitube pusher</i> for small sized fruit and veg.



Dodatna oprema
Options
Ref. 49132

Kolica radne stanice za odlaganje opreme
kolica za 16 diskova, 8 nastavaka i 3 potisne glave
Workstation storage trolley
tray for 16 discs, 8 attachments and 3 chutes

DISKOVI ZA STROJEVE ZA OBRADU POVRĆA / *DISCS COLLECTION*
CL20 / R 201 XL / R 301 Ultra / CL 30 Bistro

Art.	Model	Opis / Description
	27051	1 mm
	27555	2 mm
	27086	3 mm
	27566	4 mm
	27087	5 mm
	27786	6 mm
ZA PLOŠKE / <i>Slicers</i>		

	27621	2 mm
	27622	3 mm
	27623	5 mm
ZA VALOVITU PLOŠKU <i>Ripple cut slicers</i>		

	27588	1,5 mm
	27577	2 mm
	27511	3 mm
	27046	6 mm
	27632	9 mm
	27764	Parmezan
	27078	0,7 mm hren / horseradish paste
	27079	1 mm hren / horseradish paste
	27130	1,3 mm hren / horseradish paste
	27191	Za sirovi krumpir / Raw potatoes
ZA RIBANJE / <i>Graters</i>		

	27599	2x2 mm.
	27080	2x4 mm.
	27081	2x6 mm.
	27047	4x4 mm.
	27610	6x6 mm.
	27048	8x8 mm.
REZANCI / <i>Julienne</i>		

DISKOVI ZA STROJEVE ZA OBRADU POVRĆA / *DISCS COLLECTION*
R 402 / R 402V.V. / CL40

Art.	Model	Opis / Description
	27051	1 mm
	27555	2 mm
	27086	3 mm
	27566	4 mm
	27087	5 mm
	27786	6 mm
ZA PLOŠKE / <i>Slicers</i>		

	27621	2 mm
	27622	3 mm
	27623	5 mm
ZA VALOVITU PLOŠKU <i>Ripple cut slicers</i>		

DISKOVI ZA STROJEVE ZA OBRADU POVRĆA / *DISCS COLLECTION*

R 402 / R 402V.V. / CL40

Art.	Model	Opis / Description
	27588 (R402/R402V.V.)	1,5 mm
	27148	1,5 mm
	27577 (R402/R402V.V.)	2 mm
	27149	2 mm
	27511 (R402/R402V.V.)	3 mm
	27150	3 mm
	27046	6 mm
	27632	9 mm
	27764	Parmezan / Parmesan
	27191	Za sirovi krumpir / Raw potatoes
	27078	0,7 mm hren / horseradish paste
	27079	1 mm hren / horseradish paste
	27130	1,3 mm hren / horseradish paste

ZA RIBANJE / *Graters*REZANCI / *Julienne*

27599
27080
27081
27047
27610
27048

2x2 mm.
2x4 mm.
2x6 mm.
4x4 mm.
6x6 mm.
8x8 mm.



ZA KOCKE (rešetka + nož)
1 dicing grid + 1 slicer


27513W
27514W
27515W

8x8x8 mm.
10x10x10 mm.
12x12x12 mm.

ZA POMMES FRITES / *French fries equipment*

27116W
27117W

8x8 mm
10x10 mm

DISKOVI ZA STROJEVE ZA OBRADU POVRĆA / *DISCS COLLECTION*

R 502 / R 502V.V. / R 752 / R 752V.V. / CL 50 / CL 50 Ultra / CL 52 / CL 55 / CL 60

Art.	Model	Opis / Description
	28166W	Bademi / Almonds 0,6 mm.
	28069W	0,8 mm.
	28062W	1 mm
	28063W	2 mm
	28064W	3 mm
	28004W	4 mm
	28065W	5 mm
	28196W	6 mm
	28066W	8 mm
	28067W	10 mm
	28068W	14 mm
	27244W	Za kuhani krumpir / <i>For cooked potatoes 4 mm.</i>
	27245W	Za kuhani krumpir / <i>For cooked potatoes 6 mm.</i>

ZA PLOŠKE / *Slicers*

ZA VALOVITU PLOŠKU
Ripple cut slicers

27068W
27069W
27070W

2 mm
3 mm
5 mm

DISKOVI ZA STROJEVE ZA OBRADU POVRĆA / *DISCS COLLECTION*

R 502 / R 502V.V. / R 752 / R 752V.V. / CL 50 / CL 50 Ultra / CL 52 / CL 55 / CL 60

Art.	Model	Opis / Description
	28056W	1,5 mm
	28057W	2 mm
	28058W	3 mm
	28073W	4 mm
	28059W	5 mm
	28016W	7 mm
	28060W	9 mm
	28055W	1 mm hren / For horse radish paste
	28061W	Parmezan / Parmesan
	27164W	Pečeni krumpir / Röstis potatoes
	27219W	Za sirovi krumpir / Raw potatoes
	28172W	1x8 mm.
	28153W	1x30 mm luk/kupus / onion/cabbage
	28051W	2x2 mm.
	28195W	2,5x2,5 mm
	27072W	2x4 mm.
	27066W	2x6 mm.
	27067W	2x8 mm.
	28173W	2x10 mm.
	28101W	3x3 mm.
	28052W	4x4 mm.
	28053W	6x6 mm.
	28054W	8x8 mm.

DISKOVI ZA STROJEVE ZA OBRADU POVRĆA / *DISCS COLLECTION*

CL50 - CL52 - CL55 - CL60

Art.	Model	Opis / Description
	28110W	5x5x5 mm.
	28111W	8x8x8 mm.
	28112W	10x10x10 mm.
	28113W	14x14x14 mm.
	28181W	14x14x5 mm (mozzarella)
	28179W	14x14x10 mm.
	28114W	20x20x20 mm.
	28115W	25x25x25 mm.
	28180W	50x70x25 mm (za salatu / <i>salade</i>)

	29230W (*)	6x6 mm
	28134 (*)	8x8 mm
	28159 (*)	8x16 mm
	28135 (*)	10x10 mm
	28158 (*)	10x16 mm
	ZA POMMES FRITES <i>French fries equipment</i>	
	*6x6 mm set diskova za pommes frites primjenjuje se kod strojeva: • CL50, CL50 Ultra, R502, R502V.V. Disk 6x6 mm s ovim strojevima mora se koristiti obavezno uz Easy Loader. • CL55 i CL60 s automatskom glavom Ne može se koristiti kod slijedećih strojeva: • R752, R752V.V., CL50 Gourmet, CL52 • CL55 i CL60 s potisnom glavom	

DODACI / *ACCESSORIES*

	Art.	Model	Opis / <i>Description</i>
	NASTAVAK ZA IZRADU KRUMPIR PIREA <i>/ Potato Ricer Equipment</i>	28207	Dodatak za izradu krumpir pirea za CL50 / Potato Ricer Attachment: rešetka / <i>grid</i> 3 mm metalno gnječilo / <i>paddle</i> disk za izbacivanje / <i>ejector disc</i> lijevak za ulaz krumpira / <i>feed tube</i>
	EASYSKIP XPRESS	49305 8 mm 49309 10 mm 49313 12 mm 49314 14 mm	Za brzo i jednostavno čišćenje rešetke diska za kockice s nula otpada za R502 do R752 i CL50 do CL60. Ušteda 250 grama po rešetki. <i>Fast and easy cleaning dicing grids with zero waste R502 to R752 and CL50 to CL60. Save 250 g/grid.</i>
	SET ZA ČIŠĆENJE DISKOVA <i>D-clean kit</i>	29246	Držač diska pri čišćenju / <i>Grid holder</i> R402 - CL 40 R502 - R 752 - CL 50 - CL60 Alat za čišćenje rešetke 5 mm, 8 mm, 10 mm, 12 mm i 14 mm <i>Dicing grid cleaning tool</i> 5 mm, 8 mm, 10 mm, 12 mm and 14 mm Strugač / <i>Scraper tool</i>
	ŠTITNIK ZA ČUVANJE DISKA <i>Disc protector</i>	39726	Za diskove / <i>for discs</i> : R502 - R752VV, CL50 - CL60
	EASYSTACKER	49332	Za rezanje i slaganje rajčice. <i>A perfectly stacked tomato.</i> CL50 - CL50 Ultra - CL50 Gourmet
	MINI BOWL	39716	Za R502 - R502VV. - CL50 CL50 Ultra - CL50 Gourmet Reže do 9 rajčica. <i>Slice up to 9 tomatoes.</i>

CUTTER / SJECKALICA / *TABLE-TOP CUTTER MIXER*

Cutter/Sjeckalica idealna je za sjeckanje, usitnjavanje i mješanje sastojaka kao i za izradu namaza i tijesta. Namjenjena je radu u profesionalnim kuhinjama, restoranima, zdravstvenim i obrazovnim institucijama, ugostiteljstvu.

Cutter is ideal for chopping, chopping and mixing ingredients as well as for making spreads or dough. Targets: professional kitchens, restaurants, health and educational institutions, caterers, delicatessens.

	Model	Opis / <i>Description</i>
	R 2	2,9 litre, inox posuda s ručkom s inox ravnim nožem polikarbonatno kućište motora, 1500 okr/min; PULSE dugme broj obroka/ number of meals: 10-20 težina bruto: 10,5 kg
	Ref. 22100 dim. 200 x 280 x 350h mm	<i>2,9 litre stainless steel bowl with handle, s/s smooth blade as standard polycarbonate motor base 1500 rpm; PULSE function 230V/50/1; 550W gross weight: 10,5 kg</i>
	DODATAK / <i>Options</i> R2 Ref. 27138 Grubo nazubljen nož / <i>Coarse serrated blade</i> Ref. 27061 Blago nazubljen nož / <i>Fine serrated blade</i> Ref. 27055 Ravni nož / <i>Additional smooth blade</i>	

	R 3-1500	3,7 litre, inox posuda s ručkom s inox ravnim nožem polikarbonatno kućište motora, 1500 okr/min; PULSE dugme broj obroka/ number of meals: 10-30 težina bruto: 11,2 kg
	Ref. 22382 dim. 210 x 320 x 400h mm	<i>3,7 litre stainless steel bowl with handle, s/s smooth blade as standard polycarbonate motor base 1500 rpm; PULSE function 230V/50/1; 650W gross weight: 11,2 kg</i>

	R 3-3000	3,7 litre, inox posuda s ručkom s inox ravnim nožem polikarbonatno kućište motora, 3000 okr/min; PULSE dugme broj obroka/ number of meals: 10-30 težina bruto: 13,1 kg
	Ref. 22388 dim. 210 x 320 x 400h mm	<i>3,7 litre stainless steel bowl with handle, s/s smooth blade as standard polycarbonate motor base 3000 rpm; PULSE function 230V/50/1; 650W gross weight: 13,1 kg</i>
	DODATAK / <i>Options</i> R3-1500 / R3-300 Ref. 27288 Grubo nazubljen nož / <i>Coarse serrated blade</i> Ref. 27287 Blago nazubljen nož / <i>Fine serrated blade</i> Ref. 27286 Ravni nož / <i>Additional smooth blade</i>	

CUTTER / SJEKALICA / *TABLE-TOP CUTTER MIXER*

Cutter/Sjeckalica idealna je za sjeckanje, usitnjavanje i mješanje sastojaka kao i za izradu namaza i tijesta. Namjenjena je radu u profesionalnim kuhinjama, restoranima, zdravstvenim i obrazovnim institucijama, ugostiteljstvu. Polikarbonatni poklopac s otvorom za dodavanje sastojaka ili tekućine tijekom rada.

Cutter is ideal for chopping, chopping and mixing ingredients as well as for making spreads or dough. Targets: professional kitchens, restaurants, health and educational institutions, caterers, delicatessens. The polycarbonate lid with opening on the top for adding ingredients or liquid during food processing.

	Model	Opis / Description
	 R 4 - 2V Ref. 22437 dim. 226 x 304 x 440h mm DODATAK / Options R4 Ref. 27346 Grubo nazubljen nož / <i>Coarse serrated blade</i> Ref. 27345 Blago nazubljen nož / <i>Fine serrated blade</i> Ref. 27344 Ravni nož / <i>Additional smooth blade</i>	4,5 litre, inox posuda sa ručkom, s inox ravnim nožem metalno kućište motora, 2 brzine: 1500 / 3000 okr/min, PULSE dugme broj obroka: 10-50 težina bruto: 17,6 kg <i>4,5 litre stainless steel bowl with handle, s/s smooth blade as standard metal motor base two speeds: 1500 / 3000 rpm, PULSE function number of meals: 10-50 gross weight: 17,6 kg 400V/50/3; 900W</i>

	 R 5 - 2V Ref. 24614 dim. 280 x 350 x 490h mm TIMER DODATAK / Options R5 Plus Ref. 27305 Grubo nazubljen nož / <i>Coarse serrated blade</i> Ref. 27304 Blago nazubljen nož / <i>Fine serrated blade</i> Ref. 27303 Ravni nož / <i>Additional smooth blade</i> Ref. 49552 Strugač / <i>Scraper arm</i>	5,9 litara, inox posuda, s ručkom sa inox ravnim nožem, DIGITALNI TIMER metalno kućište motora, 2 brzine 1500/3000 okr/min, PULSE dugme, s alatom za čišćenje noža broj obroka: 20-80 težina bruto: 23,5 kg <i>5,5 litre stainless steel bowl with handle, s/s smooth blade as standard, TIMER metal motor base two speeds: 1500 / 3000 rpm, PULSE function, blade cleaning tool 400V/50/3; 1500W number of meals: 20-80 gross weight: 23,5 kg</i>
---	---	--

CUTTER / SJEKALICA / *TABLE-TOP CUTTER MIXER*

Cutter/Sjeckalica idealna je za sjeckanje, usitnjavanje i mješanje sastojaka kao i za izradu namaza i tijesta. Namijenjena je radu u profesionalnim kuhinjama, restoranima, zdravstvenim i obrazovnim institucijama ugostiteljstvu. Polikarbonatni poklopac s otvorom za dodavanje sastojaka ili tekućine tijekom rada.

Cutter is ideal for chopping, chopping and mixing ingredients as well as for making spreads or dough. Targets: professional kitchens, restaurants, health and educational institutions, caterers, delicatessens. The polycarbonate lid with opening on the top for adding ingredients or liquid during food processing.

Model	Opis / <i>Description</i>
 R 8 Ref. 21291 dim. 315 x 545 x 585h mm	 8 litara, inox posuda s ručkama, s inox ravnim nožem metalno kućište motora, 2 brzine 1500/3000 okr/min, PULSE dugme broj obroka: 20-150 težina bruto: 44,9 kg <i>8 litre stainless steel bowl with handle, s/s smooth blade as standard metal motor base two speeds: 1500 / 3000 rpm, PULSE function number of meals: 20-150 gross weight: 44,9 kg 400V/50/3; 2200W</i>

DODATAK / *Options R 8*

Ref. 27383 Grubo nazubljeni nož (set 2 noža) / *Coarse serrated 2 blade*

Ref. 27381 Ravni nož (set 2 noža) / *Additional 2 smooth blade*

Ref. 27385 Fino nazubljeni nož (set 2 noža) / *Fine serrated 2 blade*

Ref. 27374 Posuda inox 3,5 litre / *Stainless steel bowl 3,5 litre*

 R 10 Ref. 21391 dim. 345 x 560 x 660h mm	 11,5 litara, inox posuda s ručkama, s 3 inox ravna noža metalno kućište motora, 2 brzine 1500/3000 okr/min, PULSE dugme broj obroka: 50-200 težina bruto: 49,7 kg <i>11,5 litre stainless steel bowl with handles, 3 s/s smooth blade as standard metal motor base two speeds: 1500 / 3000 rpm, PULSE function number of meals: 50-200 gross weight: 49,7 kg 400V/50/3; 2600W</i>
---	--

DODATAK / *Options R 10*


Ref. 27384 Grubo nazubljeni nož (set 3 noža) / *Coarse serrated 3 blade*

Ref. 27382 Ravni nož (set 3 noža) / *Additional 3 smooth blade*

Ref. 27386 Fino nazubljeni nož (set 3 noža) / *Fine serrated 3 blade*

Ref. 27375 Posuda inox 4 litre / *Stainless steel bowl 4 litre*

ROBOT COOK / profesionalna grijana sjeckalica / mješač

Model	Opis / Description
 	Inox posuda s ručkom 3,7 litara, kapacitet tekućine 2,5 litre, 5 brzina 1) podešiva brzina: 100 – 3500 okr/min 2) vrlo brzo: Pulse / Turbo 4500 okr/min 3) R-Mix brzina za lagano miješanje: 100 – 500 okr / min 4) Pulse: promjenjiva brzina 5) Isprekidana brzina: usporeno okretanje noževa svake 2 sekunde zagrijava do +140°C podešavanje temperature + ili - 1°C, funkcija programiranja 9 recepata s dva blago nazubljena noža, sa strugačem posude i poklopca, broj obroka u jednom ciklusu: 10 – 100 obroka, količina hrane u jednom ciklusu: 0,3 – 2,5 kg <i>Stainless steel bowl 3,7 litres with handle liquid capacity 2,5 litres 5 speed functions: 1) Variable speed: 100 – 3500 rpm 2) High speed: Turbo/Pulse of 4500 rpm 3) R-Mix blend speed: from 100 to 500 rpm 4) Pulse: variable speed 5) Intermittent speed: slow speed blade rotation every 2 seconds Heating capacity up to 140°C Precise temperature control + or - 1°C Programming function 9 recipes Blade micro-serrated stainless steel Scraper arm lid and bowl Number of meals/cycles: 10 – 100 Quantity of ingredients/cycles: 0,3-2,5 kg 1800W/230V/50Hz/1 neto težina / net weight: 13 kg bruto težina / gross weight: 15 kg</i>
Ref. 43000R dim. 226 x 338 x 522 mm DODATAK / Options Ref. 39854 Dodatni 230V set (posuda + nož + poklopac + strugač) Additional 230V bowl set (bowl + blade + lid + scraper) Ref. 39691 Nož / Blade	

BLIXER

Blixer objedinjuje funkcije sjeckalice i miješalice. Lopatica/strugač struže hranu sa poklopca i stijenki posude. Blixer je namijenjen prvenstveno zdravstvenim ustanovama, bolnicama, domovima za starije i nemoćne.

Blixer combines the features of a cutter and mixer/blender. The scraper scrapes the food from the sides of the bowl and lid. Blixer is intended primarily in Hospitals, Nursing Homes, Restaurants.

	Model	Opis / Description
	 BLIXER 3 Ref. 33197 dim. 242 x 304 x 444h mm DODATAK / Options BLIXER 3 Ref. 27448 Grubo nazubljeni nož / <i>Coarse serrated blade</i> Ref. 27447 Blago nazubljeni nož / <i>Fine serrated blade</i>	3,7 litara, inox posuda s ručkom kapacitet 0,3 do 2 kg; broj 200g porcija: 2 do 10; 1 brzina= 3000 okr/min; PULSE dugme s blago nazubljenim nožem, alat za čišćenje noža težina bruto: 13,2 kg <i>3,7 litre stainless steel bowl with handle processing 0,3 to 2 kg number of 200 g portions: 2 to 10 1 speed= 3000 rpm; PULSE function with fine-serrated blade assembly, blade cleaning tool</i> 230V/50/1; 750W, <i>gross weight: 13,2 kg</i> dim. 242 x 304 x 444h mm

	 BLIXER 4 - 2V Ref. 33215 dim. 242 x 325 x 479h mm DODATAK / Options BLIXER 4 Ref. 27450 Grubo nazubljeni nož / <i>Coarse serrated blade</i> Ref. 27449 Blago nazubljeni nož / <i>Fine serrated blade</i>	4,5 litara, inox posuda s ručkom kapacitet 0,3 do 3 kg; broj 200g porcija: 2 do 15; 2 brzine 1500/3000 okr/min, PULSE dugme s blago nazubljenim nožem, alat za čišćenje noža težina bruto: 17,3 kg <i>4,5 litres stainless steel bowl with handle processing 0,3 to 3 kg number of 200 g portions: 2 to 15 2 speeds = 1500/3000 rpm; PULSE function with fine-serrated blade assembly, blade cleaning tool</i> 400V/50/3; 1000W <i>gross weight: 17,3 kg</i> dim. 242 x 325 x 479h mm
---	--	--

	 BLIXER 5 -2V Ref. 33259M dim. 280 x 350 x 500h mm DODATAK / Options BLIXER 5 Plus Ref. 27311 Grubo nazubljeni nož / <i>Coarse serrated blade</i> Ref. 27310 Blago nazubljeni nož / <i>Additional fine serrated blade</i>	5,9 litara, inox posuda s ručkom kapacitet 0,5 do 3,8 kg; broj 200g porcija: 3 do 20; 2 brzine 1500/3000 okr/min, PULSE dugme, 400V/50/3; 1500W; DIGITALNI TIMER s blago nazubljenim nožem, alat za čišćenje noža težina bruto: 24 kg <i>processing 0,5 to 3,8 kg number of 200 g portions: 3 to 20 2 speeds = 1500/3000 rpm; PULSE function with fine-serrated blade assembly, blade cleaning tool</i> <i>gross weight: 24 kg</i> dim. 280 x 350 x 500h mm
---	--	--

STROJ ZA PASIRANJE POVRĆA I VOĆA / *AUTOMATIC SIEVES - JUICERS*

Pasirka služi za proizvodnju sokova, voćnih pirea, moussa od povrća, za umake, riblje juhe. Svi dijelovi stroja su od inoxa te se jednostavno skidaju i peru u perilici suđa.

Korisnici: restorani, riblji restorani, ugostitelji, slastičarnice, OPG za proizvodnju voća i povrća.

The machine produces juice, fruit purees, vegetable mousses, sauce bases and fish soups. All parts are made of stainless steel to ensure easy cleaning and durability.

Target: Restaurants, caterers, confectioners, fishmongers.

Model	Opis / Description
 C 80 Ref. 55012	Kapacitet / <i>Output</i> : 40 - 60 kg/h sito / <i>perforated basket</i>: Ø 1 mm Brzina / <i>Speed</i> : 1500 okr/min, rpm 650W/230V/50Hz težina neto / <i>net weight</i>: 17 kg dim. 610 x 360 x 540 mm

 C120 Ref. 55011	Kapacitet / <i>Output</i> : 100 - 120 kg/h sito / <i>perforated basket</i>: Ø 1 mm Brzina / <i>Speed</i>: 1500 okr/min, rpm 900W/230V/50Hz težina neto / <i>net weight</i>: 40 kg dim. 1030 x 400 x 860 mm
---	---

KUHIJSKI BLENDERI / *KITCHEN BLENDERS*

 BL3 ref. 47010A	3 litre, posuda inox 4 inox oštrice Pulse dugme, R-Crush funkcija, timer, X-Flow tehnologija brzina 500 do 12600 okr/min / <i>speed 500 to 12600 rpm</i> 1100W/50Hz/1, jednofazan / <i>1100W/50Hz/1, singlephase</i> neto težina / <i>net weight</i>: 13,5 kg 3 L bowl stainless steel stainless steel 4-blade assembly Pulse function, R-Crush function, timer X-flow technology dim. 215 x 470 x 450 mm
--	--

 BL5 ref. 47000A	5 litara, posuda inox 4 inox oštrice Pulse dugme, R-Crush funkcija, timer, X-Flow tehnologija brzina 500 do 12600 okr/min / <i>speed 500 to 12600 rpm</i> 1200W/50Hz/1, jednofazan / <i>1200W/50Hz/1, singlephase</i> neto težina / <i>net weight</i>: 14 kg 5 L bowl stainless steel stainless steel 4-blade assembly Pulse function, R-Crush function, timer X-flow technology dim. 215 x 470 x 500 mm
--	---

STOLNA LJUŠTILICA KRUMPIRA / *TABLE TOP POTATO PEELER*

Konstruirana od inoxa AISI 304, s unutarnje strane je izmjenivi abrazivni plašt koj se da lako mijenjati. Sigurnosni mikroprekidači na poklopcu i na ulaznom otvoru. Čvrsti, prozirni plastični poklopac. Digitalna upravljačka ploča i digitalni timer.

Made in AISI 304 stainless steel, the interior has an interchangeable abrasive sleeve that is easy to replace, and it has electromagnetic sensors located on the lid and on the machine hatch. Unbreakable transparent plastic cover. Digital control panel. Digital timer.

Model	Opis / Description
FP 104	kapacitet punjenja / <i>output</i> 5 kg kapacitet ljuštenja / <i>hourly production</i> 150kg/h 270 okr/min / rpm , 0,37kW/220V/50Hz težina / <i>weight</i> : 28 kg dim. 530 x 520 x 520h mm
FP 105	kapacitet punjenja / <i>output</i> 5 kg kapacitet ljuštenja / <i>hourly production</i> 150kg/h 270 okr/min / rpm , 0,37kW/400V/50Hz težina / <i>weight</i> : 28 kg dim. 530 x 520 x 520h mm
CI	DODATAK: Inox poklopac / <i>stainless steel lid</i>



	FP 106 s filter ladicom za otpad <i>waste filter drawer included</i>	kapacitet punjenja / <i>output</i> 5 kg kapacitet ljuštenja / <i>hourly production</i> 150kg/h 270 okr/min / rpm , 0,37kW/230V/50Hz težina / <i>weight</i>: 34 kg dim. 530 x 520 x 700h mm
CI		DODATAK: Inox poklopac / <i>stainless steel lid</i>

LJUŠTILICA KRUMPIRA / *POTATO PEELER*

Konstruirana od inoxa AISI 304 i legure aluminija, s unutarnje strane je izmjenivi abrazivni plašt koj se da lako mijenjati. Sigurnosni mikroprekidači na poklopcu i na ulaznom otvoru.
Made in AISI 304 stainless steel and aluminium alloy, the interior has an interchangeable abrasive sleeve that is easy to replace, and it has electromagnetic sensors located on the lid and on the machine hatch.

	Model	Opis / <i>Description</i>
	PSP700EM	Kapacitet punjenja / <i>output</i> 10 kg kapacitet ljuštenja / <i>hourly production</i> 250 kg/h 0,37kW/230V / 50Hz težina / <i>weight</i> : 32 kg dim. 36 x 48 x 80h cm
	PSP700ET315	Kapacitet punjenja / <i>output</i> 15 kg kapacitet ljuštenja / <i>hourly production</i> 500 kg/h 1,1 kW/400V / 50Hz težina / <i>weight</i> : 42 kg dim. 44 x 56 x 85h cm



C/E PP20T



C/E PP30T

FILTER

Kapacitet punjenja / *output* 20 kg
 kapacitet ljuštenja / *hourly production* 480 kg/h
 ručno punjenje vodom / *manual water inlet*
 1,15 kW/400V / 50Hz
 1,15 kW/230V / 50Hz
 težina / *weight*: 60 kg
 dim. 55 x 73,7 x 107,8 h cm

Kapacitet punjenja / *output* 30 kg
 kapacitet ljuštenja / *hourly production* 680 kg/h
 ručno punjenje vodom / *manual water inlet*
 1,15 kW/400V / 50Hz
 1,15 kW/230V / 50Hz
 težina / *weight*: 62 kg
 dim. 55 x 72,9 x 113,3 h cm

DODATNA OPREMA / *ACCESSORIES*
 Inox posuda i košara /
Stainless steel tank and basket



ŠTAPNI MIKSERI *POWER MIXERS*

Štapni mikseri
Gigamix

*Power mixers
Gigamix*

Jednostavni kod rukovanja, dizajnirani da zadovolje potrebe u profesionalnim kuhinjama.

Za upotrebu u restoranima, velikim kuhinjama (bolnice, domovi za stare i nemoćne, škole, dječji vrtići), pekare, slastičarnice...

Easy to handle appliance designed to meet catering needs.

For use in restaurants, professional kitchens (hospitals, healthcare, education), bakeries, patisseries...

ŠTAPNI MIKSERI / *POWER MIXERS*

	Model	Opis / Description
	Dynamix 160 Ref. MX050	Dužina štapa / <i>tube length</i> : 160 mm Brzina / <i>Speed</i> : 3000 - 13000 okr/min / <i>rpm</i> 1 DO 4 LITRE / <i>1 TO 4 LITRES</i> 2 oštrice / <i>2 blades</i> 230V/50/1; 220W težina neto / <i>net weight</i> : 1 kg dim. Ø 55 x 395h mm

	Dynamix 190 Ref. MX090	Dužina štapa / <i>tube length</i> : 190 mm Brzina / <i>Speed</i> : 3000 - 13000 okr/min / <i>rpm</i> 1 DO 8 LITARA / <i>1 TO 8 LITRES</i> 4 oštrice / <i>2 blades</i> 230V/50/1; 250W težina neto / <i>net weight</i> : 1,4 kg dim. Ø 66 x 425h mm
--	---------------------------	--

	Dynamix DMX 190 V2 Ref. MX095	Dužina štapa / <i>tube length</i> : 190 mm 2 brzine / <i>2 Speeds</i> : 1. brzina / <i>Speed 1</i> : 8000 okr/min / <i>rpm</i> 2. brzina / <i>Speed 2</i> : 13000 okr/min / <i>rpm</i> 1 DO 8 LITARA / <i>1 TO 8 LITRES</i> 2 oštrice / <i>2 blades</i> 230V/50/1; 250W težina neto / <i>net weight</i> : 1,4 kg dim. Ø 66 x 425h mm
---	----------------------------------	--

	Dynamix COMBI 160 Ref. MF052	Dužina štapa / <i>tube length</i> : 160 mm Dužina mutilice/ <i>Whisk length</i> : 185 mm Brzina / <i>Speed</i> : 3000 - 13000 okr/min / <i>rpm</i> 1 DO 4 LITRE / <i>1 TO 4 LITRES</i> 4 oštrice / <i>4 blades</i> 230V/50/1; 220W težina neto / <i>net weight</i> : 1 kg dim. Ø 70 x 395h mm
---	------------------------------------	--

ŠTAPNI MIKSERI / *POWER MIXERS*

Model	Opis / Description
 Dynamix NOMAD 160 Ref. MX130	Bežični / <i>Wireless</i> Dužina štapa / <i>tube length</i>: 160 mm Brzina / <i>Speed</i>: 10 000 okr/min / <i>rpm</i> 1 DO 4 LITRE / <i>1 TO 4 LITRES</i> 2 oštrice / <i>2 blades</i> 230V/50/1; 220W težina neto / <i>net weight</i>: 1,1 kg dim. Ø 55 x 450h mm Isporučuje se s punjačem baterije i s Litij-ionskom baterijom. <i>Delivered with a charger and its Lithium-ion battery</i>

DODATNA OPREMA / *ACCESSORIES*

 Dynamix NOMAD 190 Ref. MX140	Bežični / <i>Wireless</i> Dužina štapa / <i>tube length</i>: 190 mm Brzina / <i>Speed</i>: 10 000 okr/min / <i>rpm</i> 1 DO 8 LITARA / <i>1 TO 8 LITRES</i> 2 oštrice / <i>2 blades</i> 230V/50/1; 220W težina neto / <i>net weight</i>: 1,5 kg dim. Ø 66 x 480h mm Isporučuje se s punjačem baterije i s Litij-ionskom baterijom. <i>Delivered with a charger and its Lithium-ion battery.</i>
---	---



Baterija / Battery
AC585

Litij-ionska baterija
Lithium-ion battery
12V



Nastavak za
sjeckanje/miješanje
Blender attachment
Dynamix
Ref. AC560

Dužina štapa / *tube length*: 160 mm
 1 DO 4 LITRE / *1 TO 4 LITRES*
 za DYNAMIX 160 i 190

DODATNA OPREMA / ACCESSORIES

	Model	Opis / Description
	Menzura Dynamix / <i>Graduated bowl</i>	1 litra
	Dynamix AC510	polikarbonat / <i>polycarbonate</i>

	Stalak Dynamix / <i>Support Dynamix</i> SM030	Posebno dizajniran za modele miksera Dynamix, ovaj nosač omogućuje jednostavan pristup mikseru, čineći ga spremnim za korištenje u bilo kojem trenutku. Radna površina je zaštićena zahvaljujući njegovoj protukliznoj podlozi.

ŠTAPNI MIKSERI / *POWER MIXERS*

	Model	Opis / Description
	JUNIOR MX 225 Ref. MX020	Neodvojiv / <i>Non detachable</i> Zvono i nož se rastavljaju radi lakšeg čišćenja / <i>Detachable foot for easy cleaning</i> Dužina štapa / <i>tube length</i> 225mm Brzina / <i>Speed</i> : 12000 okr/min / rpm 5 DO 25 LITARA / <i>5 TO 25 LITRES</i> 2 oštrice / <i>2 blades</i> 230V/50/1; 270W težina neto / <i>net weight</i> : 1,7 kg dim. Ø 94 x 505h mm

	JUNIOR DMX 225 Ref. MX021.V	Odvojiv štapi / <i>Detachable tube</i> Dužina štapa / <i>tube length</i> 225 mm Brzina / <i>Speed</i> : 3000 - 12000 okr/min / rpm 1 DO 25 LITARA / <i>1 TO 25 LITRES</i> 2 oštrice / <i>2 blades</i> 230V/50/1; 270W težina neto / <i>net weight</i> : 1,9 kg dim. Ø 94 x 505h mm

Model	Opis / Description
	Priključak za krumpir pire / <i>Ricer/mash potato tool</i> JUNIOR AC103 Dužina / <i>Length</i> 300 mm Brzina / <i>Speed</i>: 70 - 300 okr/min / <i>rpm</i> 1 do 10 kg / <i>1 to 10 kg</i>
	Nastavak za sjeckanje/miješanje / <i>Blender</i> Junior AC066 Dužina štapa / <i>tube length</i> 225 mm 1 DO 10 LITARA / <i>1 TO 10 LITRES</i> Hrana se usisava, reže i drobi pomoću „čekića za drobljenje“, a zatim izbacuje velikom brzinom kroz uture zvona.
	0,8 litara Brzina / <i>Speed</i>: 600 - 2500 okr/min / <i>rpm</i> 2 oštrice / <i>2 blades</i> Zdjela za rezanje omogućuje sjeckanje povrća (tapenade, guacamole, humus...), luka, začinskog bilja, češnjaka, peršina ili mesa i ribe (terrina, nadjev). Također se koristi za ribanje parmezana (prhko tijesto, parmezan), drobljenje, sušenje voća, mljevenje (krušne mrvice), miješanje, homogeniziranje i miješanje tijesta.

ŠTAPNI MIKSERI / *POWER MIXERS*

	Model	Opis / Description
	SENIOR MX 300 Ref. MX007	Neodvojiv / <i>Non detachable</i> Zvono i nož se rastavljaju radi lakšeg čišćenja / <i>Detachable foot for easy cleaning</i> Dužina štapa / <i>tube length</i> 300 mm Brzina / <i>Speed</i> : 9500 okr/min / <i>rpm</i> 20 DO 40 LITARA / <i>20 TO 40 LITRES</i> 3 oštrice / <i>3 blades</i> 230V/50/1; 350W težina neto / <i>net weight</i> : 2,4 kg dim. Ø 97 x 600h mm

	SENIOR DMX 300 Ref. MX006	Odvojiv štapi / <i>Detachable tube</i> Dužina štapa / <i>tube length</i> 300 mm Brzina / <i>Speed</i> : 9500 okr/min / <i>rpm</i> 20 DO 40 LITARA / <i>20 TO 40 LITRES</i> 3 oštrice / <i>3 blades</i> 230V/50/1; 350W težina neto / <i>net weight</i> : 3,7 kg dim. Ø 97 x 640h mm
--	------------------------------	--

	Master Combi 410.H Ref. MF002.H	Odvojiv štapi / <i>Detachable tube</i> Dužina štapa / <i>tube length</i> 410 mm Dužina mutilice / <i>whisk length</i> 245 mm 5 DO 20 LITARA / <i>5 TO 20 LITRES</i> 3 oštrice / <i>3 blades</i> 230V/50/1; 600W težina neto / <i>net weight</i> : 3,7 kg ukupna dužina / <i>total length</i> : 720 mm
---	------------------------------------	--

ŠTAPNI MIKSERI / *POWER MIXERS*

Model	Opis / Description
	SMX 700 Turbo Ref. MX040T Odvojiv štap/ <i>Detachable tube</i> Dužina štapa / <i>tube length</i> 600 mm Brzina / <i>Speed</i>: 11000 okr/min / <i>rpm</i> 75 DO 300 LITARA / <i>75 TO 300 LITRES</i> 3 oštrice / <i>3 blades</i> 230V/50/1; 925W težina neto / <i>net weight</i>: 6,5 kg dim. Ø 125 x 870h mm

DODATNA OPREMA / *ACCESSORIES*

Model	Opis / Description
	Priključak za krumpir pire / <i>Ricer/ mash potato too</i> Master - Senior AC004 Dužina / <i>Length</i> 420 mm Brzina / <i>Speed</i>: 100 - 600 okr/min / <i>rpm</i> Senior 10 - 15 kg Master 10 - 30 kg



Nastavak za sjeckanje/miješanje
 / *Blender*
 CC Master
 AC265

Dužina štapa / *tube length*
 l = 300 mm
 5 DO 40 LITARA / *5 TO 40 LITRES*
 Hrana se usisava, reže i drobi pomoću
 „čekića za drobljenje“, a zatim izbacuje
 velikom brzinom kroz uture zvona.

DODATNA OPREMA / ACCESSORIES

Model	Opis / Description
 Zdjela za rezanje / Cutter bowl Senior / Master AC055	1 DO 5 LITARA / 1 TO 5 LITRES Brzina / <i>Speed</i>: 400 – 1500 okr/min / rpm 2 oštrice / 2 blades Dodatak / <i>Accessories</i>: nazubljene oštrice / <i>serrated blades</i> Zdjela za rezanje omogućuje sjeckanje povrća (tapenade, guacamole, humus...), luka, začinskog bilja, češnjaka, peršina ili mesa i ribe (terrina, nadjev). Također se koristi za ribanje parmezana (prhko tijesto, parmezan), drobljenje, sušenje voća, mljevenje (krušne mrvice), miješanje, homogeniziranje i miješenje tijesta.

GIGAMIX

Profesionalni turbo mikser / *Professional turbo crusher*Standardna izvedba / *Standard version*

Model	Opis / Description
 Standard GIGAMIX TB001 DYNAMIC	Od 100 do 300 litara s inox postoljem na kotačima i upravljačkom pločom u inoxu dužina samog štapa miksera: 570 mm Ø glave miksera: 270 mm brzina 2800 – 4000 okr/min 2,2kW/230/400V/3/50Hz težina: 79 kg <i>100 to 300 litres stainless steel mobile supplier mixer with stainless steel control board mixer attachment only: 570 mm Ø mixer head: 270 mm speed 2800 – 4000 rpm 2,2kW/230/400V/3/50Hz weight: 79 kg</i> dim. 160 x 60 x 120 cm

TB014
DYNAMICDodatak / *Accessory*:Mutilica / *Whip*brzina (br.okr.) / *speed r.p.m.* 400/600dužina / *length* 410 mmpromjer / *diameter* 170 mm

ŠTAPNI MIKSERI / *POWER MIXERS*

	Model	Opis / Description
	MICROMIX Ref. 34900	Dužina štapa / <i>tube length</i>: 165 mm Brzina / <i>Speed</i>: 1500 - 14000 okr/min / rpm 230V/50/1; 220W težina bruto / <i>gross weight</i>: 1,4 kg dim. Ø 61 x 430h mm
	MINI MP 160 V.V. Ref. 34740	Dužina štapa / <i>tube length</i>: 160 mm Brzina / <i>Speed</i>: 2000 - 12500 okr/min / rpm DO 5 LITARA / <i>UP TO 5 LITRES</i> 230V/50/1; 240W težina bruto / <i>gross weight</i>: 2,4 kg dim. Ø 78 x 455h mm
	MINI MP 190 V.V. Ref. 34750	Dužina štapa / <i>tube length</i>: 190 mm Brzina / <i>Speed</i>: 2000 - 12500 okr/min / rpm DO 9 LITARA / <i>UP TO 9 LITRES</i> 230V/50/1; 270W težina bruto / <i>gross weight</i>: 2,5 kg dim. Ø 78 x 485h mm
	MINI MP 240 V.V. Ref. 34760	Dužina štapa / <i>tube length</i>: 240 mm Brzina / <i>Speed</i>: 2000 - 12500 okr/min / rpm DO 12 LITARA / <i>UP TO 12 LITRES</i> 230V/50/1; 290W težina bruto / <i>gross weight</i>: 2,5 kg dim. Ø 78 x 535h mm
	CMP 250 V.V. Ref. 34240A	Dužina štapa / <i>tube length</i>: 250 mm Brzina / <i>Speed</i>: 2300 - 9600 okr/min / rpm DO 15 LITARA / <i>UP TO 15 LITRES</i> 230V/50/1; 310W težina bruto / <i>gross weight</i>: 3,9 kg dim. Ø 94 x 610h mm
	CMP 300 V.V. Ref. 34230A	Dužina štapa / <i>tube length</i>: 300 mm Brzina / <i>Speed</i>: 2300 - 9600 okr/min / rpm DO 30 LITARA / <i>UP TO 30 LITRES</i> 230V/50/1; 350W težina bruto / <i>gross weight</i>: 3,9 kg dim. Ø 94 x 660h mm

	Model	Opis / Description
	MP 350 Ultra Ref. 34800L	Dužina štapa / <i>tube length</i> : 350 mm DO 50 LITARA / UP TO 50 LITRES Jedna brzina / <i>one speed</i> : 9500 okr/min / rpm 220-240V 220V/50/1; 440W težina bruto / <i>gross weight</i> : 6,2 kg dim. Ø 125 x 725h mm
	MP 350 Ultra V.V. Ref. 34840L	Dužina štapa / <i>tube length</i> : 350 mm DO 50 LITARA / UP TO 50 LITRES Jedna brzina / <i>one speed</i> : 1500 - 9000 okr/min / rpm 220V/50/1; 440W težina bruto / <i>gross weight</i> : 6,4 kg dim. Ø 125 x 740h mm
	MP 450 Ultra Ref. 34810L	Dužina štapa / <i>tube length</i> : 450 mm DO 100 LITARA / UP TO 100 LITRES Jedna brzina / <i>one speed</i> : 9500 okr/min / rpm 220V/50/1; 500W težina bruto / <i>gross weight</i> : 6,3 kg dim. Ø 125 x 825h mm
	MP 450 Ultra V.V. Ref. 34850L	Dužina štapa / <i>tube length</i> : 450 mm DO 100 LITARA / UP TO 100 LITRES Jedna brzina / <i>one speed</i> : 1500 - 9000 okr/min / rpm 220V/50/1; 500W težina bruto / <i>gross weight</i> : 6,5 kg dim. Ø 125 x 840h mm
	MP 550 Ultra Ref. 34820LH	Dužina štapa / <i>tube length</i> : 550 mm DO 100 LITARA / UP TO 100 LITRES Jedna brzina / <i>one speed</i> : 9000 okr/min / rpm 220V/50/1; 750W težina bruto / <i>gross weight</i> : 6,6 kg dim. Ø 125 x 940h mm

ŠTAPNI MIKSERI COMBI / *POWER MIXERS COMBI RANGE*

Model	Opis / <i>Description</i>
 Mini MP 190 Combi Ref. 34770 Mini MP 240 Combi Ref. 34780	Dužina štapa / <i>tube length</i>: 190 mm Brzina sa štapom / <i>Speed in mixer function</i>: function 2000 - 12500 okr/min / rpm Brzina s mutilicom / <i>Speed in whisk function</i>: 350 - 1560 okr/min / rpm dužina sa štapom / <i>length with tube</i>: 485 mm dužina s mutilicom / <i>length with whisk</i>: 550 mm, Ø 78 mm DO 9 LITARA / <i>UP TO 9 LITRES</i> 230V/50/1; 270W težina bruto / <i>gross weight</i>: 2,7 kg Dužina štapa / <i>tube length</i>: 240 mm Brzina sa štapom / <i>Speed in mixer function</i>: function 2000 - 12500 okr/min / rpm Brzina s mutilicom / <i>Speed in whisk function</i>: 350 - 1560 okr/min / rpm dužina sa štapom / <i>length with tube</i>: 535 mm dužina s mutilicom / <i>length with whisk</i>: 550 mm, Ø 78 mm DO 12 LITARA / <i>UP TO 12 LITRES</i> 230V/50/1; 290W težina bruto / <i>gross weight</i>: 2,8 kg



CMP 250 COMBI
Ref. 34300A

Dužina štapa / *tube length*: 250 mm
Brzina sa štapom / *Speed in mixer function*:
2300 - 9600 okr/min / rpm
Brzina s mutilicom / *Speed in whisk function*: 500 - 1800 okr/min / rpm
dužina sa štapom / *length with tube*: 640 mm
dužina s mutilicom / *length with whisk*: 730 mm, Ø 125 mm
DO 15 LITARA / *UP TO 15 LITRES*
230V/50/1; 310W
težina bruto / *gross weight*: 5,6 kg

Model	Opis / Description
 CMP 300 COMBI Ref. 34310A	Dužina štapa / <i>tube length</i>: 300 mm Dužina mutilice / <i>whisk length</i>: 220 mm; Brzina sa štapom / <i>Speed in mixer function</i>: 2300 do 9600 okr/min / rpm Brzina s mutilicom / <i>Speed in whisk function</i> : 500 do 1800 okr/min / rpm dužina sa štapom / <i>length with tube</i>: 700 mm dužina s mutilicom / <i>length with whisk</i> : 730 mm, Ø 125 mm DO 30 LITARA / <i>UP TO 30 LITRES</i> 230V/50/1; 350W težina bruto / <i>gross weight</i>: 5,7 kg
  MP 350 COMBI Ultra Ref. 34860 EASY PLUG MP 450 COMBI Ultra Ref. 34870 EASY PLUG	Dužina štapa / <i>tube length</i>: 350 mm Dužina mutilice / <i>whisk length</i>: 280 mm; Brzina sa štapom / <i>Speed in mixer function</i>: 1500 do 9000 okr/min / rpm Brzina s mutilicom / <i>Speed in whisk function</i> : 250 do 1500 okr/min / rpm dužina sa štapom / <i>length with tube</i>: 725 mm dužina s mutilicom / <i>length with whisk</i> : 805 mm, Ø 125 mm DO 50 LITARA / <i>UP TO 50 LITRES</i> 230V/50/1; 440W težina bruto / <i>gross weight</i>: 7,9 kg Dužina štapa / <i>tube length</i>: 450 mm Dužina mutilice / <i>whisk length</i>: 280 mm; Brzina sa štapom / <i>Speed in mixer function</i>: 1500 do 9000 okr/min / rpm Brzina s mutilicom / <i>Speed in whisk function</i> : 250 do 1500 okr/min / rpm dužina sa štapom / <i>length with tube</i>: 890 mm dužina s mutilicom / <i>length with whisk</i> : 805 mm, Ø 125 mm DO 100 LITARA / <i>UP TO 100 LITRES</i> 230V/50/1; 500W težina bruto / <i>gross weight</i>: 8,2 kg

Model	Opis / Description
 MP 450 XL FW Ultra Ref. 34280L	Dužina mutilice / <i>whisk length</i>: 690 mm; Brzina s mutilicom / <i>Speed in whisk function</i>: 150 do 510 okr/min / rpm dužina s mutilicom / <i>length with whisk</i>: 1210 mm, Ø 175 mm DO 100 LITARA / <i>UP TO 100 LITRES</i> 230V/50/1; 500W težina bruto / <i>gross weight</i>: 8,6 kg Namjena/Use: Za dehidrat krumpir pirea, dehidrat juha, bujon, itd / <i>For dehydrated potato flakes, dehydrated soups, stock etc..</i> Homogenizira, miješa / <i>homogenisation, mixes</i>

ŠTAPNI MIKSERI ZA NAGIBNU PEČENJARU / *POWER MIXERS FOR TILTING PAN*

Model	Opis / Description
 MP 350 Ultra TP Ref. 34590L	Dužina štapa / <i>tube length</i>: 350 mm Ukupna dužina / <i>total length</i>: 763 mm Ø 125 mm Brzina / <i>Speed</i>: 9500 okr/min / rpm 230V/50/1; 440W težina bruto / <i>gross weight</i>: 8 kg Za upotrebu u nagibnim pečenjarama/tavama do 100 litara. <i>For use in tilting pans containing preparations of up to 100 l.</i>



MP 800
Turbo TP
Ref. 34790L

Dužina štapa / *tube length*: 350 mm
Ukupna dužina / *total length*: 845 mm
Ø 125 mm
Brzina / *Speed*: 9500 okr/min / rpm
230V/50/1; 1000W
težina bruto / *gross weight*: 8,2 kg
Za upotrebu u nagibnim pečenjarama/tavama više od 100 litara.
For use in tilting pans containing preparations more than 100 l.



HLADNJACI, ZAMRZIVAČI, HLAĐENI PULTOVI *REFRIGERATED CABINETS*

Hladnjaci
Zamrzivači
Hlađeni pultovi
Uređaji za brzo hlađenje i
zamrzavanje hrane

*Refrigerators
Freezers
Refrigerated Counters
Shock Freezers/Blast Chillers*

Hladnjaci, hlađeni pultovi i hladene vitrine zahvaljujući svojoj snazi i "pametnoj" ventilaciji zaštitit će proizvod od razgradnje, oksidacije ili estetskih promjena. Odlični su za čuvanje raznih jela i namirnica te pekarskih i slastičarskih proizvoda. Također imaju mogućnost HACCAP elektronske kontrole.

Refrigerators, refrigerated counters and displays, thanks to their power and "smart" ventilation, protect the product from degradation, oxidation or aesthetic changes. They are excellent at keeping a variety of dishes and food as well as bakery and pastry products unspoiled. HACCAP electronic control is offered as an option.

HLADNJACI i ZAMRZIVAČI / REFRIGERATED CABINETS


PLUS line

Digitalno upravljanje na dodir, hladnjaci s bravicom, ključem i unutarnjom rasvjetom. Kućište i vrata debljine 60 mm, standardno opremljeni sa 3 plastificirane rešetke i sa 6 inox "U" vodilica kod hladnjaka od 600 do 700 litara. Kućište je napravljeno od inoxa AISI 304, osim vanjskog stražnjeg panela, gornjeg panela i podnice koje su u pocinčanom limu. Vrata s lako skidljivom magnetskom brtvom, zaobljeni unutarnji kutevi radi lakšeg čišćenja.

Digital touch controller, complete with lock and key and standard lighting.

Body and door is 60 mm thickness; standard fitting: 3 plasticized racks and 6 "U" shaped stainless steel guides for 600-700 l cabinets.

The structure is made of AISI 304 stainless steel, except for the external back panel, top panel and bottom panel, which are in galvanized metal. Door with easily removable magnetic gasket, rounded internal corners to facilitate thorough cleaning.



HLADNJACI i ZAMRZIVAČI / REFRIGERATED CABINETS

PLUS line



600 litara / litres

rešetka / grid **530 x 530 mm**

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC060ANFL	1	3	0 / +10	B	320	230/50/60	108	120	720 x 715 x 2080
PPCC060DBFL	1	3	-18 / -22	C	530	230/50/60	112	124	720 x 715 x 2080
PPCC060AN2PFL	2	4	0 / +10	A	320	230/50/60	113	125	720 x 715 x 2080
PPCC060DB2PFL	2	4	-18 / -22	C	530	230/50/60	117	129	720 x 715 x 2080

700 litara / litres

rešetka / grid **6N 2/1 650 x 530 mm**

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC070ANFL	1	3	0 / +10	A	320	230/50/60	111	125	720 x 815 x 2080
PPCC070DBFL	1	3	-18 / -22	C	530	230/50/60	115	129	720 x 815 x 2080
PPCC070AN2PFL	2	4	0 / +10	B	320	230/50/60	116	130	720 x 815 x 2080
PPCC070DB2PFL	2	4	-18 / -22	C	530	230/50/60	120	134	720 x 815 x 2080

HLADNJACI i ZAMRZIVAČI / REFRIGERATED CABINETS

PLUS line



1200 litara / litres

rešetka / grid **530 x 530 mm**

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC120ANFL	2	6	0 / +10	B	580	230/50/60	170	190	1440 x 715 x 2080
PPCC120DBFL	2	6	-18 / -22	C	700	230/50/60	181	201	1440 x 715 x 2080

1400 litara / litres

rešetka / grid **GN 2/1 650 x 530 mm**

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC140ANFL	2	6	0 / +10	B	580	230/50/60	178	200	1440 x 815 x 2080
PPCC140DBFL	2	6	-18 / -22	C	850	230/50/60	189	211	1440 x 815 x 2080

DVOTEMPERATURNI 1400 litara / Double temperature 1400 litres

6 x GN 2/1 650 x 530 mm

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC140AN+D2FL	2	6	0/+10 ; -2/+10	A+B	320+320	230/50/60	214	236	1440 x 815 x 2080
PPCC140AN+DBFL	2	6	0/+10 ; -2/+10	A+C	320+580	230/50/60	218	240	1440 x 815 x 2080

HLADNJACI i ZAMRZIVAČI / REFRIGERATED CABINETS

PLUS line




Riba 700 litara / Fish 700 litres

6 x GN 1/1 530 x 325 mm

model	vrata doors	posuda trays	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC070T2FHFL	1	6	-5 / +10	B	320	230/50/60	118	132	720 x 815 x 2080

MAX 200 KG



Meso 700 litara / Meat 700 litres

2 x GN 2/1 650 x 530 mm

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC070T2MEFL	1	2	-2 / +10	B	320	230/50/60	117	131	720 x 815 x 2080

HLADNJACI i ZAMRZIVAČI / REFRIGERATED CABINETS

PLUS line



Povrće 700 litara / Vegetables 700 litres

12 x GN 1/1 530 x 325 mm

model	vrata doors	posuda trays	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC070T2VEFL	1	12	-2 / +10	B	320	230/50/60	127	141	720 x 815 x 2080



Opremljen s "L" inox vodicama.
Supplied with stainless steel "L" guides.




Kolači, peciva 700 litara bez kontrole vlažnosti / Pastry 700 litres without humidity control

600 x 400 mm

model	vrata doors	posuda trays	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
CPCC070A2FL	1	10	-2 / +10	C	320	230/50/60	112	126	720 x 815 x 2080
CPCC070ABFL	1	10	-22 / -18	D	530	230/50/60	115	129	721 x 815 x 2080

HLADNJACI i ZAMRZIVAČI / REFRIGERATED CABINETS

PLUS line



Za kolica / Roll-in 1900 GN 2/1

model	vrata doors	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCC190ANFL	1	0 / +10	-	300	230/50/60	195	225	880 x 880 x 2140

Za kolica / Roll-in 2000 600 x 800

model	vrata doors	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
CPCC200ANFL	1	0 / +10	-	1200	230/50/60	215	245	1000 x 1250 x 2250

HLADNJACI i ZAMRZIVAČI / REFRIGERATED CABINETS

Ice cream GOLD line




Digitalno upravljanje na dodir, hladnjaci s bravicom, ključem i unutarnjom rasvjetom. Specijalna distribucija zraka unutar hladnjaka.

Vrata debljine 80 mm, 9 razina slaganja posuda za sladoled visine 120 mm (4 ili 6 posuda 360x165x120 stanu na jednu rešetku). Automatsko zatvaranje i 100° otvaranje vrata, skidiva magnetska brtva vrata radi lakšeg čišćenja. Zaobljeni unutarnji kutovi, papučica za otvaranje vrata.

Digital touch controller, complete with lock and key and standard lighting. Inside rear channel with air distribution slots.

The door is 80 mm thick; for 9 levels of containers h=120 mm (4 or 6 trays, 360x165x120 mm per level).

Reversible doors with automatic closing and 100° fixed opening, removable magnetic seal for easy cleaning, rounded internal corners.



Sladoled 700 litara / Ice cream 700 litres

rešetka / grid 8 x GN 2/1 650 x 530 mm

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
CGCC070ABGEFL	1	8	-18 / -22	C	580	230/50/60	130	144	720 x 815 x 2080

Za 36 plastičarskih
posuda
For 36 containers

Sladoled 900 litara / Ice cream 900 litres

rešetka / grid 9 x GN 2/1 600 x 800 mm

model	vrata doors	rešetke grilles	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
CGCC090ABGEFL	1	9	-18 / -25	B	860	230/50/60	188	208	830 x 985 x 2260

Za 54 plastičarske
posuda
For 54 containers

RASHLADNI STOLOVI / REFRIGERATED COUNTERS

PLUS line

Rashladni stolovi opremljeni su s ventilo-rashladnom jedinicom s kompresorom za tropske uvjete, koji se jednostavno vadi iz svojeg kućišta. Automatsko odmrzavanje i isparavanje kondenzata kroz AISI 316L inox zavojnicu.

Kućište je napravljeno od inoxa AISI 304, osim vanjskog stražnjeg panela, gornjeg panela i podnice koje su u pocinčanom limu.

Vrata s lako skidljivom magnetskom brtvom, zaobljeni unutarnji kutjevi radi lakšeg čišćenja.

Radne površine u inoxu AISI 304, 10/10 s zaobljenim prednjim i donjim profilom i mogućim podignutim zadnjim rubom radi lakšeg i bržeg čišćenja. Ručke profesionalne i čvrste inovativnog dizajna.

Izolacija od 60 mm u poliuretanu.


Refrigerated counters feature a single-piece ventilated cooling unit with tropical compressor, easy to remove from its casing.

Automatic defrosting and evaporation of water condensate through AISI 316L stainless steel coil.

Worktops are always in AISI 304 stainless steel, 10/10, with rounding of the frong profile and base of the rear upstand to facilitate rapid cleaning. Door with easily removable magnetic gasket, rounded internal corners to facilitate thorough cleaning.

The strucone is made of AISI 304 stainless steel, except for the external back panel, top panel and bottom panel, which are in galvanized metal. Professional and compact handles featuring an innovative design.


60 mm thick polyurethane insulation.



kućište
body



vrata
door



RASHLADNI STOLOVI / REFRIGERATED COUNTRES

PLUS line



600

rešetka / grid 430 x 325 mm

1 x vrata / door - 430x325 mm

model	vrata doors	gornja ploča top	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCT602ANFL	2		0 / +10	A	350	230-1 50/60	87	99	1280 x 600 x 900
PPCT602ANALFL	2		0 / +10	A	350	230-1 50/60	88	100	1280 x 600 x 1000
PPCT603ANFL	3		0 / +10	A	350	230-1 50/60	106	121	1730 x 600 x 900
PPCT603ANALFL	3		0 / +10	A	350	230-1 50/60	108	123	1730 x 600 x 1000
PPCT604ANFL	4		0 / +10	B	350	230-1 50/60	132	151	2180 x 600 x 900
PPCT604ANALFL	4		0 / +10	B	350	230-1 50/60	135	154	2180 x 600 x 1000
PPCT602DBFL	2		-18 / -22	C	740	230-1 50/60	90	102	1280 x 600 x 900
PPCT602DBALFL	2		-18 / -22	C	740	230-1 50/60	91	103	1280 x 600 x 1000
PPCT603DBFL	3		-18 / -22	D	740	230-1 50/60	109	124	1730 x 600 x 900
PPCT603DBALFL	3		-18 / -22	D	740	230-1 50/60	111	126	1730 x 600 x 1000

SX - izvedba s kompresorom na lijevoj strani. / SX- version with compressor on the left side.

700

rešetka / grid 530 x 325 mm GN 1/1

model	vrata doors	gornja ploča top	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCT702ANFL	2		0 / +10	A	350	230-1 50/60	93	106	1280 x 700 x 900
PPCT702ANALFL	2		0 / +10	A	350	230-1 50/60	94	107	1280 x 700 x 1000
PPCT703ANFL	3		0 / +10	A	350	230-1 50/60	115	131	1730 x 700 x 900
PPCT703ANALFL	3		0 / +10	A	350	230-1 50/60	117	133	1730 x 700 x 1000
PPCT704ANFL	4		0 / +10	A	350	230-1 50/60	140	160	2180 x 700 x 900
PPCT704ANALFL	4		0 / +10	A	350	230-1 50/60	143	163	2180 x 700 x 1000
PPCT702DBFL	2		-18 / -22	C	740	230-1 50/60	96	109	1280 x 700 x 900
PPCT702DBALFL	2		-18 / -22	C	740	230-1 50/60	97	110	1280 x 700 x 1000
PPCT703DBFL	3		-18 / -22	D	740	230-1 50/60	118	134	1730 x 700 x 900
PPCT703DBALFL	3		-18 / -22	D	740	230-1 50/60	120	136	1730 x 700 x 1000

SX - izvedba s kompresorom na lijevoj strani. / SX- version with compressor on the left side.

RASHLADNI STOLOVI / REFRIGERATED COUNTRES

PLUS line

gornja ploča
worktop

podignuti zadnji rub
splashback



Miješalica za vodu kao mogućnost.
The tap is an optional.



dim. korita sudopera / sink sizes
290x400x200h mm

700 s ugrađenim koritom / with sink

rešetka / grid 530 x 325 mm GN 1/1

model	vrata doors	gornja ploča top	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCL702ANFL	2	—	0 / +10	A	350	230-1 50/60	93	106	1280 x 700 x 900
PPCL702ANALF	2	└	0 / +10	A	350	230-1 50/60	94	107	1280 x 700 x 1000
PPCL703ANFL	3	—	0 / +10	A	350	230-1 50/60	115	131	1730 x 700 x 900
PPCL703ANALF	3	└	0 / +10	A	350	230-1 50/60	117	133	1730 x 700 x 1000
PPCL704ANFL	4	—	0 / +10	C	350	230-1 50/60	140	160	2180 x 700 x 900
PPCL704ANALFL	4	└	0 / +10	C	350	230-1 50/60	143	163	2180 x 700 x 1000

SX - izvedba s kompresorom na lijevoj strani. / SX- version with compressor on the left side.


RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

PLUS line



PAŽNJA / ATTENTION

Ne ugrađivati ladice odmah do kompresora. *Not to mount drawers near the cooling unit.*



ladice /drawers

	model	dodatni kod additional code	kategorija category	neto kg net kg	dim. mm
3 x 1/3 	PP3D13P2	1	600	24	430x525x685
	PP3C13P2	1	700	24	430x525x685
2 x 1/2 	PP2D12P2	2	600	18	430x525x685
	PP2C12P2	2	700	18	430x525x685
1/3 + 2/3 	PP2D23P2	3	600	24	430x525x685
	PP2C23P2	3	700	24	430x525x685

RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

PASTRY PLUS line



800

rešetka / grid 600 x 400 mm

model	vrata doors	gornja ploča top	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
CPCT802ANFL	2		0 / +10	A	350	230-1 50/60	105	121	1430 x 800 x 900
CPCT802ANALFL	2		0 / +10	A	350	230-1 50/60	106	122	1430 x 800 x 1000
CPCT802DBFL	2		-18 / -22	B	690	230-1 50/60	105	121	1430 x 800 x 900
CPCT802DBALFL	2		-18 / -22	B	690	230-1 50/60	106	122	1430 x 800 x 1000
CPCT803ANFL	3		0 / +10	A	350	230-1 50/60	133	152	1955 x 800 x 900
CPCT803ANALFL	3		0 / +10	A	350	230-1 50/60	136	155	1955 x 800 x 1000
CPCT803DBFL	3		-18 / -22	B	690	230-1 50/60	133	152	1955 x 800 x 900
CPCT803DBALFL	3		-18 / -22	B	690	230-1 50/60	136	155	1955 x 800 x 1000
CPCT804ANFL	4		0 / +10	A	350	230-1 50/60	267	289	2480 x 800 x 900
CPCT804ANALFL	4		0 / +10	A	350	230-1 50/60	270	292	2480 x 800 x 1000

SX - izvedba s kompresorom na lijevoj strani. / SX- version with compressor on the left side.



RASHLADNI STOLOVI / REFRIGERATED COUNTRES

LOW-BOY line

Rashladni stolovi opremljeni su s ventilo-rashladnom jedinicom. Automatsko odmrzavanje i isparavne kondenzata kroz AISI 316L inox zavojnicu.

Kućište je napravljeno od inoxa AISI 304, osim vanjskog stražnjeg panela, gornjeg panela i podnice koje su u pocinčanom limu.

Vrata s lako skidljivom magnetskom brtvom, zaobljeni unutarnji kutevi radi lakšeg čišćenja.

Radne površine u inoxu AISI 304, 10/10 s zaobljenim prednjim i donjim profilom i mogućim podignutim zadnjim rubom radi lakšeg i bržeg čišćenja.

Ručke profesionalne i čvrste inovativnog dizajna.

Izolacija od 60 mm u poliuretanu.

The "LOW BOY" refrigerated counters have been designed to be a refrigerated support base to the SNACK 600, 700 and 900 mm in depth.


Refrigerated counters feature a single-piece ventilated cooling. Automatic defrosting and evaporation of water condensate through AISI 316L stainless steel coil. The structure is made of AISI 304 stainless steel, except for the external back panel, top panel and bottom panel, which are in galvanized metal.

Worktops are always in AISI 304 stainless steel, 10/10, with rounding of the front profile and base of the rear upstand to facilitate rapid cleaning.

Door with easily removable magnetic gasket, rounded internal corners to facilitate thorough cleaning.

Professional and compact handles featuring an innovative design.

60 mm thick polyurethane insulation.



RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

LOW-BOY line



400 Low-boy


rešetka / grid **530 x 325 mm GN 1/1**

model	vrata doors	gornja ploča top	temperatura temperature °C	energetski razred energy rating	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCT632D2SPFL	2		-2 / +10	A	350	230-1 50/60	90	105	1200 x 630 x 640
PPCT632DBSPFL	2		-15 / -20	C	740	230-1 50/60	90	105	1200 x 630 x 640
PPCT633D2SPFL	3		-2 / +10	A	350	230-1 50/60	115	130	1600 x 630 x 640
PPCT633DBSPFL	3		-15 / -20	D	740	230-1 50/60	115	130	1600 x 630 x 640
PPCT634D2SPFL	4		-2 / +10	B	350	230-1 50/60	140	160	2200 x 630 x 640

SX - izvedba s kompresorom na lijevoj strani. / **SX**- version with compressor on the left side.


RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

LOW-BOY line



PAŽNJA / ATTENTION

Ne ugrađivati ladice odmah do kompresora. *Not to mount drawers near the cooling unit.*



ladice /drawers

	model	dodatni kod additional code	kategorija category	neto kg net kg	dim. mm
2 x 1/2 	PP2L12P2	2	H490 LOW-BOY	18	430x555x470
1 x 1/1 	PP2D12P2	7	H490 LOW-BOY	18	430x555x470
2 x 2/2 	PP2D23P2	8	H490 LOW-BOY	35	880x555x470
1 x 2/1 	PP1L21P2	9	H490 LOW-BOY	35	880x555x470

RASHLADNI STOLOVI / REFRIGERATED COUNTRES

SNACK line

SNACK rashladni stolovi su sinonim za eleganciju, pouzdanost, robusnost i praktično a napravljena je od inoxa AISI 304 10/10 sa zaobljenim krajevima radi lakšeg čišćenja. Posude mogu biti pokrivene s inox poklopcem ili staklenim poklopcem.

Rashladni stolovi opremljeni su s ventilo-rashladnom jedinicom. Automatsko odmrzavanje i isparavne kondenzata kroz AISI 316L inox zavojnicu.

Kućište je napravljeno od inoxa AISI 304, osim vanjskog stražnjeg panela, gornjeg panela i podnice koje su u pocinčanom limu.

Vrata s lako skidljivom magnetskom brtvom, zaobljeni unutarnji kutevi radi lakšeg čišćenja.

Radne površine u inoxu AISI 304, 10/10 s zaobljenim prednjim i donjim profilom i mogućim podignutim zadnjim rubom radi lakšeg i bržeg čišćenja.

Ručke profesionalne i čvrste inovativnog dizajna.

Izolacija od 60 mm u poliuretanu.

The SNACK counter line is synonymus with elegance, reliability, sturdiness and ease of use. It includes worktop AISI 304 stainless steel, thicknes 10/10 with rounding at the base of the tray housing to facilitate rapid and thorough cleaning. Trays can be covered with either a stainless steel or glass cover.

Refrigerated counters feature a single-piece ventilated cooling. Automatic defrosting and evaporation of water condensate through AISI 316L stainless steel coil.


The strucute is made of AISI 304 stainless steel, except for the external back panel, top panel and bottom panel, which are in galvanized metal.

Worktops are always in AISI 304 stainless steel, 10/10, with rounding of the frong profile and base of the rear upstand to facilitate rapid cleaning.

Door with easily removable magnetic gasket, rounded internal corners to facilitate thorough cleaning.

Professional and compact handles featuring an innovative design.

60 mm thick polyurethane insulation.



RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

SNACK line 700

POSUDE NISU UKLJUČENE
TRAYS NOT INCLUDED



bez poklopca / without cover
vitrina / showcase

2 vrata / doors




model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCS702ANFL		+4 / +10	730	230-1 50/60	113	126	1280 x 700 x 1080
PPCS702ANSFL		+4 / +10	730	230-1 50/60	138	151	1281 x 700 x 1300



1 rešetka GN1/1 530x325 po vratima
1 grid GN1/1 530x325 x door

Lijeva izvedba nije moguća / Left version is not provided



3 vrata / doors




model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCS703ANFL		+4 / +10	730	230-1 50/60	141	157	1730 x 700 x 1080
PPCS703ANSFL		+4 / +10	730	230-1 50/60	177	193	1730 x 700 x 1300



1 rešetka GN1/1 530x325 po vratima
1 grid GN1/1 530x325 x door

Lijeva izvedba nije moguća / Left version is not provided



RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

SNACK line 700

POSUDE NISU UKLJUČENE
TRAYS NOT INCLUDED



bez poklopca / without cover

vitrina / showcase

4 vrata / doors





model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCS704ANFL		+4 / +10	730	230-1 50/60	169	189	2180 x 700 x 1080
PPCS704ANSFL		+4 / +10	730	230-1 50/60	204	223	2180 x 700 x 1300



1 rešetka GN1/1 530x325 po vratima
1 grill GN1/1 530x325 x door

Lijeva izvedba nije moguća / Left version is not provided



RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

SNACK line 800

POSUDE NISU UKLJUČENE
TRAYS NOT INCLUDED



 bez poklopca / without cover
 vitrina / showcase

2 vrata / doors




model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCS802ANFL		+4 / +10	730	230-1 50/60	129	145	1430 x 800 x 1080
PPCS802ANSFL		+4 / +10	730	230-1 50/60	160	176	1430 x 800 x 1300



1 rešetka GN1/1 600x400 po vratima
1 grill GN1/1 600x400 x door

Lijeva izvedba nije moguća / Left version is not provided



3 vrata / doors




model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCS803ANFL		+4 / +10	730	230-1 50/60	161	180	1955 x 800 x 1080
PPCS803ANSFL		+4 / +10	730	230-1 50/60	197	215	1955 x 800 x 1300



1 rešetka GN1/1 600x400 po vratima
1 grill GN1/1 600x400 x door

Lijeva izvedba nije moguća / Left version is not provided



RASHLADNI STOLOVI / REFRIGERATED COUNTERTOPS

SNACK line 800

POSUDE NISU UKLJUČENE
TRAYS NOT INCLUDED



bez poklopca / without cover

vitrina / showcase

4 vrata / doors



model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPCS804ANFL		+4 / +10	730	230-1 50/60	194	216	2480 x 800 x 1080
PPCS804ANSFL		+4 / +10	730	230-1 50/60	240	260	2480 x 800 x 1300



1 rešetka GN1/1 600x400 po vratima
1 grill GN1/1 600x400 x door

Lijeva izvedba nije moguća / Left version is not provided

2480 mm									
GN 1/2	GN 1/2	GN 1/2	GN 1/2	GN 1/2	GN 1/2	GN 1/2	GN 1/2	GN 1/3	GN 1/3
2480 mm									
GN 1/3	GN 1/3	GN 1/3	GN 1/3	GN 1/3	GN 1/3	GN 1/3	GN 1/3	GN 1/3	GN 1/3

RASHLADNI STOLOVI / REFRIGERATED COUNTERS

SALADETTE line

SALADETTE rashladne stolove čini radna ploča napravljena od inoxa AISI 304 10/10 sa zaobljenim prednim profilom. Posude mogu biti pokrivene s inox poklopcem ili staklenim poklopcem.

Rashladni stolovi opremljeni su s ventilo-rashladnom jedinicom. Automatsko odmrzavanje i isparavnje kondenzata kroz AISI 316L inox zavojnicu.

Kućište je napravljeno od inoxa AISI 304, osim vanjskog stražnjeg panela, gornjeg panela i podnice koje su u pocinčanom limu.

Vrata s lako skidljivom magnetskom brtvom, zaobljeni unutarnji kutevi radi lakšeg čišćenja.

Radne površine u inoxu AISI 304, 10/10 s zaobljenim prednjim i donjim profilom i mogućim podignutim zadnjim rubom radi lakšeg i bržeg čišćenja.

Ručke profesionalne i čvrste inovativnog dizajna.

Izolacija od 60 mm u poliuretanu.

SALADETTE counters features a worktop AISI 304 stainless steel, thickness 10/10 with front profile rounding.

Trays can be covered with either a stainless steel or glass cover.

Refrigerated counters feature a single-piece ventilated cooling. Automatic defrosting and evaporation of water condensate through AISI 316L stainless steel coil. The structure is made of AISI 304 stainless steel, except for the external back panel, top panel and bottom panel, which are in galvanized metal.

Worktops are always in AISI 304 stainless steel, 10/10, with rounding of the front profile and base of the rear upstand to facilitate rapid cleaning.

Door with easily removable magnetic gasket, rounded internal corners to facilitate thorough cleaning.

Professional and compact handles featuring an innovative design.


60 mm thick polyurethane insulation.



RASHLADNI STOLOVI / REFRIGERATED COUNTERS

SALADETTE line

POSUDE NISU UKLJUČENE
TRAYS NOT INCLUDED



2 vrata / doors




model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPSA702ANFL		+4 / +10	730	230-1 50/60	106	119	1280 x 700 x 900
PPSA702ANS1FL		+4 / +10	730	230-1 50/60	122	135	1280 x 700 x 1150
PPSA702ANS2FL		+4 / +11	730	230-1 50/61	137	150	1281 x 700 x 1300




1 rešetka GN1/1 530x325 po vratima
1 grill GN1/1 530x325 x door

Lijeve izvedbe nije moguća / Left version is not provided



RASHLADNI STOLOVI / REFRIGERATED COUNTERS

SALADETTE line



3 vrata / doors




model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPSA703ANFL		+4 / +10	730	230-1 50/60	138	154	1730 x 700 x 900
PPSA703ANS1FL		+4 / +10	730	230-1 50/60	159	175	1730 x 700 x 1150
PPSA703ANS2FL		+4 / +11	730	230-1 50/61	179	195	1730 x 700 x 1300



1 rešetka GN1/1 530x325 po vratima
1 grill GN1/1 530x325 x door

Lijeva izvedba nije moguća / Left version is not provided



4 vrata / doors




model	gornja ploča work top	temperatura temperature °C	snaga power W	napon voltage V/Hz	neto težina net weight kg	bruto težina gross weight kg	dim. mm
PPSA704ANFL		+4 / +10	730	230-1 50/60	164	184	2180 x 700 x 900
PPSA704ANS1FL		+4 / +10	730	230-1 50/60	190	210	2180 x 700 x 1150
PPSA704ANS2FL		+4 / +11	730	230-1 50/61	213	233	2180 x 700 x 1300



1 rešetka GN1/1 530x325 po vratima
1 grill GN1/1 530x325 x door

Lijeva izvedba nije moguća / Left version is not provided



UREDAJI ZA BRZO HLADENJE I ZAMRZAVANJE / BLAST CHILLERS

STANDARD line

Vanjska i unutarnja strana nehrđajući čelik 10/10 AISI 304, dno i stražnja ploča galvanizirani čelik, izmijenjiva magnetska brtva vrata, unutarnji kutevi zaobljeni, stijenke izolirane debljine 60 mm poliuretan, s automatskim zatvaranjem i 100° otvaranjem, upravljačka ploča digitalna, ugrađena NTC temperaturna sonda, rashladni plin R452a, automatsko ili ručno odmrzavanje, posuda za vodu, mogućnost odabira funkcije hlađenja (+3°C u srži) ili zamrzavanja (-18°C u srži).

Svi modeli su standardno opremljeni s temperaturnom sondom u komori, s temperaturnom sondom za hranu, s izvlačivim nosačem tava, s jednom inox rešetkom.

DODACI: set kotača, grijana temperaturna sonda, sterilizator, dodatne rešetke.

The internal and external structure is made of AISI304 stainless steel, except for the external bottom and back panels which are galvanized steel, removable magnetic gasket, internal rounded corners, walls insulated with 60 mm polyurethane, reversible doors with automatic closing and 100° fixed opening, digital control panel, temperature detection using NTC probes, refrigerant gas used R452a, removable water drip tray, automatic or manual defrost, option to select blast chilling (+3°C at core) or shock freezing (-18°C at core).

All models supplied standard with: chamber probe, core probe, removable grill rack, no.1 stainless steel grills.

ACCESSORIES: wheel kit, heated probe, steriliser, grills.



UREDAJI ZA BRZO HLADENJE I ZAMRZAVANJE / BLAST CHILLERS

STANDARD line

GN 2/3

3 tava / trays



model	hladi (kg) chilling (kg)	zamrzava (kg) freezing (kg)	V/Hz/W	neto težina (kg) net weight (kg)	dim. mm
PBCN323FL	7 kg (+90°C/+3°C)	5 kg (+90°C/-18°C)	230-1 50/60/445	55	655 x 640 x 490
Kapacitet / capacity 3 x GN 2/3 354x325					

GN 1/1

5 tava / trays



model	hladi (kg) chilling (kg)	zamrzava (kg) freezing (kg)	V/Hz/W	neto težina (kg) net weight (kg)	dim. mm
PBCN511FL	15 kg (+90°C/+3°C)	12 kg (+90°C/-18°C)	230-1 50/750	87	680 x 725 x 850
Kapacitet / capacity 5 x GN 1/1 530x325					

600x400 - GN 1/1

5 tava / trays



model	hladi (kg) chilling (kg)	zamrzava (kg) freezing (kg)	V/Hz/W	neto težina (kg) net weight (kg)	dim. mm
PBCN51164+70FL	20 kg (+70°C/+3°C)	13 kg (+70°C/-18°C)	230-1 50/820	111	820 x 860 x 850
PBCN51164+90FL	20 kg (+70°C/+3°C)	13 kg (+90°C/-18°C)	230-1 50/900	111	820 x 860 x 850
Kapacitet / capacity 5 x GN 1/1 530x325					
Kapacitet / capacity 5 x 600x400					

STANDARD line, s grijanom sondom, odmrzavanje vrućim plinom / with heated probe, defrosting with hot gas

600x400 - GN 1/1

10 tava / trays



model	hladi (kg) chilling (kg)	zamrzava (kg) freezing (kg)	V/Hz/W	neto težina (kg) net weight (kg)	dim. mm
PBCN101164+90 HGFL	40 kg (+90°C/+3°C)	25 kg (+90°C/-18°C)	400-3 50/2200	175	820 x 860 x 1470
set od 4 kotača / wheel kit					
Kapacitet / capacity 10 x GN 1/1 530x325					
Kapacitet / capacity 10 x 600x400					

600x400 - GN 1/1

15 tava / trays



model	hladi (kg) chilling (kg)	zamrzava (kg) freezing (kg)	V/Hz/W	neto težina (kg) net weight (kg)	dim. mm
PBCN151164+90 HGFL	60 kg (+90°C/+3°C)	40 kg (+90°C/-18°C)	400-3 50/3300	219	820 x 860 x 1820
set od 4 kotača / wheel kit					
Kapacitet / capacity 15 x GN 1/1 530x325					
Kapacitet / capacity 15 x 600x400					



MALE KONVEKCIJSKE PEĆNICE I MIKROVALNE PEĆNICE *SMALL CONVECTION OVENS / MICROWAVE OVENS*

Male konvekcijske pećnice
Mikrovalne pećnice

*Small Convection Ovens
Microwave Ovens*

Male konvekcijske pećnice odlično su rješenje za prodavaonice kruha, peciva i kolača, a jednako su učinkovite kao velike pećnice. Jednostavnost i savršenost ključne su osobine ovih pećnica.

Small convection ovens are a perfect solution for the bread, pastries and cakes retail stores and are as efficient as large ovens. Simplicity and perfection are the key features of the oven.

KONVEKCIJSKA PEĆNICA ELEKTRIČNA ZA SLASTIČARNE, MALE PEKARE, TRGOVINE / *ELECTRIC OVENS FOR SMALL PASTRY AND BAKERY PRODUCTS*

Model	Opis / Description
 UNOX XFT 133 analogna dim. 600 x 655 x 509 mm	za 4 tave 460 x 330 mm razmak između vodilica 75 mm ručno ovlaživanje <i>for 4 trays 460 x 330 mm distance between trays 75 mm manual humidifier</i> 3kW/230V/1 neto težina / <i>net weight</i>: 31 kg
 UNOX XFT 193 analogna dim. 800 x 774 x 509 mm	za 4 tave 600 x 400 mm razmak između vodilica 75 mm 2 ireverzibilna motora, mehaničko upravljanje s priključkom na vodu <i>for 4 trays 600 x 400 mm distance between trays 75 mm 2 motors with reverse system, mechanical control with water connection</i> 6,5W/400V/3 neto težina / <i>net weight</i>: 49 kg
 UNOX XR190 dim. 798 x 599 x 782 mm	Postolje otvoreno s 8 pari vodilica, za pećnicu XFT193 inox, za tave 600 x 400 mm razmak između vodilica 70 mm <i>High stand 8 600 x 400 mm stainless steel, tray pitch 70 mm</i> težina / <i>weight</i>: 13 kg
 UNOX XR623	Zakretni kotači, dva s kočnicom <i>Revolving caster with brake</i>
 UNOX BAKERULUX SHOP.Pro LED XEFT-06EU-ELRV dim. 800 x 829 x 682 mm	za 6 tava 600 x 400 mm razmak između vodilica 75 mm otvaranje vrata s desna u lijevo DIGITALNO UPRAVLJANJE <i>for 6 trays 600 x 400 mm distance between trays 75 mm right-to-left door opening DIGITAL CONTROL PANEL</i> 10,3kW/400V/50Hz/3 neto težina / <i>net weight</i>: 72 kg

KONVEKCIJSKA PEĆNICA ELEKTRIČNA ZA SLASTIČARNE, MALE PEKARE, TRGOVINE / *ELECTRIC OVENS FOR SMALL PASTRY AND BAKERY PRODUCTS*

Model	Opis / Description
 UNOX BAKERULUX SHOP.Pro LED XEFT-06EU-ELRV dim. 800 x 829 x 952 mm	za 10 tava 600 x 400 mm razmak između vodicica 75 mm otvaranje vrata s desna u lijevo DIGITALNO UPRAVLJINJE
	for 6 trays 600 x 400 mm distance between trays 75 mm right-to-left door opening DIGITAL CONTROL PANEL
	15,5kW/400V/50Hz/3
	neto težina / <i>net weight</i> : 96 kg

FERMANTACIJSKA KOMORA / *PROVER*

Model	Opis / Description
 UNOX XEPT-08EU-C dim. 800 x 792 x 750 mm	Za 8 tava 600 x 400 mm razmak između vodicica 70 mm max. temperatura 50°C
	capacity 8 trays 600x400 mm pitch: 70 mm max. temperature 50°C
	1,2 kW/230V/50Hz
	neto težina / <i>net weight</i> : 40 kg

POSTOLJE, S VODILICAMA ZA TAVE, INOX / *OPEN STAND WITH LATERAL SUPPORTS, S/S*

Model	Opis / Description
 UNOX XEPT-08EU-C dim. 800 x 792 x 750 mm	Za 8 tava 600 x 400 mm razmak između vodicica 70 mm max. temperatura 50°C
	capacity 8 trays 600x400 mm pitch: 70 mm max. temperature 50°C
	1,2 kW/230V/50Hz
	neto težina / <i>net weight</i> : 40 kg

VENTILO NAPA / *HOOD*

Model	Opis / Description
 UNOX XEHT-HCEU 200W/230V/50Hz dim. 800 x 863 x 276mm	ventilo otvor/exhaust chimney Ø122 mm
	težina/weight: 23kg

MIKROVALNE PEĆNICE / MICROWAVE OVENS



Model	EM025FJT	EMA34GTQ
Snaga / Power	1550W 230V/50Hz/1	2800W 230V/50Hz/1
Unutarnje dimenzije / Interior dimensions		
širina / width	327 mm	360 mm
dubina / depth	346 mm	409 mm
visina / height	200 mm	225 mm
kapacitet / capacity	25 l - GN2/3	34 l - GN2/3
Vanjske dimenzije / Exterior dimensions		
širina / width	510 mm	574 mm
dubina / depth	440 mm	528 mm
visina / height	310 mm	367 mm
težina / weight	15 kg	32,2 kg
Načini pečenja / Cooking Stages	LED display, 100 podesivih programa, 5 razina jačine, unutarnje osvijetljenje <i>LED display, 100 adjustable programmes and 5 power levels, interior lighting</i>	LED display, 100 podesivih programa, 5 razina jačine, unutarnje osvijetljenje; <i>LED display, 100 adjustable programmes and 5 power levels, interior lighting</i>
Kućiste / Finish	inox	inox



INOXTREND

PROFESIONALNE KONVEKCIJSKE PEĆNICE *PROFESSIONAL CONVECTION OVENS*

Kapacitet:

7 x GN 1/1 (Gastronorm)
11 x GN 1/1 (Gastronorm)
20 x GN 1/1 (Gastronorm)
7 x GN 2/1 (Gastronorm)
11 x GN 2/1 (Gastronorm)
20 x GN 2/1 (Gastronorm)
4 x 60x40 cm
6 x 60x40 cm
10 x 60x40 cm

Capacity:

7 x GN 1/1 (Gastronorm)
11 x GN 1/1 (Gastronorm)
20 x GN 1/1 (Gastronorm)
7 x GN 2/1 (Gastronorm)
11 x GN 2/1 (Gastronorm)
20 x GN 2/1 (Gastronorm)
4 x 60x40 cm
6 x 60x40 cm
10 x 60x40 cm

Profesionalne pećnice u gastronomiji i pekarstvu od 4 do 20 tava. Suvremena tehnologija, analogno ili programsko upravljanje, automatsko pranje pećnice, sa posebno dizajniranim vratima, raznom dodatnom opremom, te mnogim inovacijama koje olakšavaju rad u kuhinji, te čine hranu ukusnijom.

Professional convection ovens from 4 trays up to 20 trays. Modern technology, analog or electronic control panel, electric or gas supply, with washing system, compact, easy to clean and outstanding performance facilitates working in the kitchen and makes food more tasty.



LEVEL-UP

KARAKTERISTIKE s analognom upravljačkom pločom

- razmak između vodilica 67 mm
- ventilator s 1 brzinom, autoreverse
- ručni ispusni ventil

KARAKTERISTIKE s upravljačkom pločom na dodir

- razmak između vodilica 67 mm
- ventilator s 2+2 brzine, autoreverse
- automatski ispusni ventil
- automatski programi
- automatsko zagrijavanje
- USB ulaz
- automatsko pranje s deterгентom u tabletama
- temperaturna sonda s Delta T funkcijom

FEATURES

- pitch 67 mm
- 1 ventilation speed with autoreverse
- manual release valve

FEATURES

- pitch 67 mm
- 2+2 ventilation speed with autoreverse
- automatic release valve
- automatic programs
- automatic preheating
- USB connection
- automatic washing with tablets detergent
- core probe with Delta T function




s direktnom parom / *with direct steam*

UPRAVLJAČKA PLOČA / *CONTROL PANEL*

ANALOGNA / *ANALOGIC*

NA DODIR/ *TOUCH SCREEN*



CDA



LU DT

OPIS/ *FEATURES*

Profesionalne pećnice pouzdane i produktivne.

Konvekcija s direktnom parom, plinska ili električna, kapacitet od 7-20 GN 1/1 tava
Ventilatori autoreverse s dvostrukim brojem okretaja motora. Programirane s 150 polja
za pohranu recepata u 6 direktorija.

Sustav automatskog pranja s deterгентom u tabletama,
Standardno opremljene s temperaturnom sondom i 1 rešetkom.

Professional means reliability and high productivity.

Convection with direct steam, gas and electric, available from 7-20 GN1/1.

With autoreverse and double speed fan motors.

Programmable with 150 paces to store recipes in 6 folders.

Automatic washing system with tablets detergent.

Standard fitting multi point core probe and with one grid.



LEVEL-UP

LW - umetanje tava u pećnicu po dužoj strani (*LengthWise*)CW - umetanje tava u pećnicu po kraćoj strani (*CrossWise*)

7 x GN 1/1 11 x GN 1/1	LW 	ELEKTRIČNA <i>ELECTRIC</i> 		
7 x GN 2/1 11 x GN 2/1	CW 			



S DIREKTNOM PAROM / WITH DIRECT STEAM

Model	Broj tava x veličina <i>No. trays x size</i>		Upravljačka ploča <i>Control panel</i>	kW - Volt - Hz	dim. cm	bruto kg	Broj obroka
CDA 107E		7 x 1/1GN	analogni / <i>analogic</i>	8,3 kW/400V 3N/50Hz	80 x 75 x 80	110	80
LU DT 107E			na dodir / <i>touch</i>			115	
CDA 111E		11 x 1/1GN	analogni / <i>analogic</i>	16,4 kW/400V 3N/50Hz	80 x 75 x 106	140	150
LU DT 111E			na dodir / <i>touch</i>			145	
CDA 207E		7 x 2/1GN	analogni / <i>analogic</i>	16,4 kW/400V 3N/50Hz	105 x 87 x 80	155	150
LU DT 207E			na dodir / <i>touch</i>			160	
CDA 211E		11 x 2/1GN	analogni / <i>analogic</i>	23 kW/400V 3N/50Hz	105 x 87 x 106	195	300
LU DT 211E			na dodir / <i>touch</i>			205	


INOXTREND

LEVEL-UP

CW - umetanje tava u pećnicu po kraćoj strani (*CrossWise*)

20 x GN 1/1 20 x GN 2/1	CW 	ELEKTRIČNA ELECTRIC 		
----------------------------	--	---	--	---



S DIREKTNOM PAROM / WITH DIRECT STEAM

Model	Broj tava x veličina No. trays x size		Upravljačka ploča Control panel	kW - Volt - Hz	dim. cm	bruto kg
CDA 120E		20 x 1/1GN	analogna / <i>analogic</i>	30 kW/400V 3N/50Hz	97 x 103 x 188	410
CDT 120E			na dodir / <i>touch</i>			410
CDA 220E		20 x 2/1GN	analogna / <i>analogic</i>	52 kW/400V 3N/50Hz	97 x 135 x 188	480
CDT-220E			na dodir / <i>touch</i>			490



LEVEL-UP

LW - umetanje tava u pećnicu po dužoj strani (*LengthWise*)CW - umetanje tava u pećnicu po kraćoj strani (*CrossWise*)

7 x GN 1/1 11 x GN 1/1	LW 	PLIN GAS 		
7 x GN 2/1 11 x GN 2/1 20 x GN 2/1	CW 			



S DIREKTNOM PAROM / WITH DIRECT STEAM

Model	Broj tava x veličina <i>No. trays x size</i>		Upravljačka ploča <i>Control panel</i>	kW - Volt - Hz	dim. cm	bruto kg	Broj obroka
CDA 107G		7 x 1/1GN	analogni / <i>analogic</i>	12,0 kW 0,3kW/230V/ 50Hz	80 x 78 x 80	125	80
CDA 107G			na dodir / <i>touch</i>			130	
CDA 111G		11 x 1/1GN	analogni / <i>analogic</i>	16,0 kW 0,5kW/230V/ 50Hz	80 x 78 x 106	150	150
LU DT 111G			na dodir / <i>touch</i>			155	
CDA 207G		7 x 2/1GN	analogni / <i>analogic</i>	16,0 kW 0,5kW/230V/ 50Hz	105 x 90 x 80	165	150
LU DT 207G			na dodir / <i>touch</i>			170	
CDA 211G		11 x 2/1GN	analogni / <i>analogic</i>	23,0 kW 0,6kW/230V/ 50Hz	105 x 90 x 106	220	300
LU DT 211G			na dodir / <i>touch</i>			230	


INOXTREND

LEVEL-UP

CW - umetanje tava u pećnicu po kraćoj strani (*CrossWise*)

20 x GN 1/1 20 x GN 2/1	CW 	PLIN GAS 		
----------------------------	--	--	--	---



S DIREKTNOM PAROM / WITH DIRECT STEAM

Model	Broj tava x veličina <i>No. trays x size</i>		Upravljačka ploča <i>Control panel</i>	kW - Volt - Hz	dim. cm	bruto kg
CDA 120G		20 x 1/1GN	analogna / <i>analogic</i>	29 kW 1,5kW/230V/ 50Hz	97 x 103 x 188	450
CDT 120G			na dodir / <i>touch</i>			450
CDA 220G		20 x 2/1GN	analogna / <i>analogic</i>	40,0 kW 1,5kW/230V/ 50Hz	97 x 135 x 188	520
CDT-220G			na dodir / <i>touch</i>			520



LEVEL-UP

Mogućnosti / Options

MOGUĆNOSTI (moraju biti zatražene kod narudžbe pećnice) / OPTIONALS (to be requested upon order of the oven)

	Šifra Code	Opis Description	Za model For model
		Izvlačivi nosač tava (za model CDA + SPT-110 ili SPT-210TC) <i>Roll in rack</i> (included mobile rack CDA model + SPT-110)	111
			211
	PC-107C	Desna vrata <i>Right hinged door</i>	107
	PC-111C		111
	PC-207C		207
	PC-211C		211
	PC-120C (CDA & CDT)		120-220

Dodaci / Accesories

	Šifra Code	Opis Description	Za model For model
	DLE	Tuš <i>Hand shower</i>	svi modeli <i>all models</i>
	SDC	Temperaturna sonda <i>Core probe</i>	svi modeli <i>all models</i>
	SCMP	Temperaturna sonda s više senzora <i>Multipoint core probe</i>	LU
	FT-107C	Filter za masnoću <i>Fat filter</i>	107
	FT-111C		111
	FT-207C		207
	FT-211C		211
	FT-220C		220
	SHF-C1	Napa / Suction hood dim. 80 x 70 x 27	107-111
	SHF-C2	Napa / Suction hood dim. 104 x 70 x 27	207-211
	SHC-C1	Napa kondenzacijska <i>Suction hood with steam condensation</i>	107-111
	SHC-C2		207-211
	SPT-110TC	Nosač tava izvlačivi / <i>Roll in rack</i> dim. 38 x 57 x 76 cm	111
	SPT-210TC	Nosač tava izvlačivi / <i>Roll in rack</i> dim. 58 x 67 x 76 cm	211
	CRS-TC1	Kolica za nosač tava / <i>Trolley for roll in rack</i> dim. 37 x 73 x 92	111
	CRS-TC2	Kolica za nosač tava / <i>Trolley for roll in rack</i> dim. 57 x 83 x 94	211



LEVEL-UP

Dodaci / *Accessories*

	Šifra <i>Code</i>	Opis <i>Description</i>	Za model <i>For model</i>
	ST LU11A	Postolje otvoreno / <i>Stand</i> LU modeli	107 - 111
	ST LU21A	Postolje otvoreno / <i>Stand</i> LU modeli	207-211
	S-61C	Postolje otvoreno / <i>Stand</i> CDA modeli dim. 77 x 58 x 70 cm	107-111
	S-62C	Postolje otvoreno / <i>Stand</i> CDA modeli dim. 102 x 70 x 70 cm	207-211
	TR LU11A	Vodilice / <i>Tray slides</i> LU modeli	107-111
	TR LU21A	Vodilice / <i>Tray slides</i> LU modeli	207-211
	CRGR-61C	Vodilice / <i>Tray slides</i> CDA modeli	107-111
	CRGR-62C	Vodilice / <i>Tray slides</i> CDA modeli	207-211



FLEXO

KARAKTERISTIKE s analognom upravljačkom pločom

- 4 - 16 razina za vrlo čestu upotrebu
- razmak između vodilica 80 mm
- ventilator s 2 brzine, autoreverse
- elektromehanički ispusni ventil kojim se upravlja preko kontrolne ploče
- kontrolna ploča instalirana na vratima

KARAKTERISTIKE s upravljačkom pločom na dodir TFT LCD

- 4 - 16 razina za vrlo čestu upotrebu
- razmak između vodilica 80 mm
- ventilator s 2+2 brzine, autoreverse
- automatski ispusni ventil
- automatski programi
- automatsko zagrijavanje
- USB ulaz
- automatsko pranje s tekućim deterdžentom
- temperatura sonda s Delta T funkcijom

FEATURES

- 4 to 16 levels for heavy duty use
- pitch between the trays 80 mm
- 2 ventilation speed with autoreverse
- electromechanical release valve, opening is controlled by the control panel
- control panel installed directly on the door

FEATURES

- 4 to 16 levels for heavy duty use
- pitch between the trays 80 mm
- 2+2 ventilation speed with autoreverse
- automatic release valve
- automatic programs
- automatic preheating
- USB connection
- automatic washing with liquid detergent
- core probe with Delta T function

s direktnom parom / *with direct steam***UPRAVLJAČKA PLOČA / CONTROL PANEL****ANALOGNA / ANALOGIC****NA DODIR/ TOUCH SCREEN****OPIS/ FEATURES**

Pećnice su opremljene s analognom ili na dodir upravljačkom pločom ugrađenom u vrata pećnice, s direktnom parom, plinske ili električne, kapacitet od 4 - 16 razina. Ventilator s 2 brzine, autoreverse.

Pećnice s upravljačkom pločom na dodir imaju sustav automatskog pranja i temperaturu sondu. Standardno opremljene 1 rešetkom.

Combi ovens with analog or touch control panel installed on the door. Equipped with direct steam, gas and electric, available from 4 to 12 levels. 2 ventilation speeds with autoreverse.

Touch screen control ovens have automatic washing system with liquid detergent and core probe included. Standard fitting with 1 grid.



FLEXO analogna / analogic



KONVEKCIJA S DIREKTNOM PAROM / CONVECTION WITH DIRECT STEAM

CW - umetanje tava u pećnicu po kraćoj strani (CrossWise)

4 x 60x40 6 x 60x40 10 x 60x40	4 60x40	ELEKTRIČNA ELECTRIC 		
	6 60x40			
	10 60x40			

Model	Broj tava x veličina No. trays x size	Upravljačka ploča Control panel	kW - Volt - Hz	dim. cm	bruto kg	Broj obroka
FX DA 604E	4 x 60x40	analogna / analogic	7,5 kW / 400V/3N/50Hz	84 x 89 x 80	135	48
FX DA 606E	6 x 60x40	analogna / analogic	10,9 kW / 400V/3N/50Hz	84 x 89 x 95	150	72
FX DA 610E	10 x 60x40	analogna / analogic	18,4 kW / 400V/3N/50Hz	84 x 89 x 127	170	120

4 x 60x40 6 x 60x40 10 x 60x40	4 60x40	PLIN GAS 		
	6 60x40			
	10 60x40			

Model	Broj tava x veličina No. trays x size	Upravljačka ploča Control panel	kW - Volt - Hz	dim. cm	bruto kg	Broj obroka
FX DA 604G	4 x 60x40	analogna / analogic	10,5 kW / 0,3kW/230V/N1/ 50Hz	84 x 92 x 82	144	48
FX DA 606G	6 x 60x40	analogna / analogic	14,5 kW / 0,6kW/230V/N1/ 50Hz	84 x 92 x 97	161	72
FX DA 610G	10 x 60x40	analogna / analogic	20,5 kW / 0,6kW/230V/N1/ 50Hz	84 x 92 x 127	192	120

Svi modeli opremljeni su s 1 rešetkom.

All models are equipped with 1 grid.



FLEXO na dodir / touch



KONVEKCIJA S DIREKTNOM PAROM / CONVECTION WITH DIRECT STEAM

CW - umetanje tava u pećnicu po kraćoj strani (CrossWise)

4 x 60x40 6 x 60x40 10 x 60x40	4 60x40	ELEKTRIČNA ELECTRIC 		
	6 60x40			
	10 60x40			

Model	Broj tava x veličina No. trays x size	Upravljačka ploča Control panel	kW - Volt - Hz	dim. cm	bruto kg	Broj obroka
FX DT 604E	4 x 60x40	na dodir / touch	7,5 kW / 400V/3N/50Hz	84 x 89 x 80	135	48
FX DT 606E	6 x 60x40	na dodir / touch	10,9 kW / 400V/3N/50Hz	84 x 89 x 95	150	72
FX DT 610E	10 x 60x40	na dodir / touch	18,4 kW / 400V/3N/50Hz	84 x 89 x 127	170	120

4 x 60x40 6 x 60x40 10 x 60x40	4 60x40	PLIN GAS 		
	6 60x40			
	10 60x40			

Model	Broj tava x veličina No. trays x size	Upravljačka ploča Control panel	kW - Volt - Hz	dim. cm	bruto kg	Broj obroka
FX DT 604G	4 x 60x40	na dodir / touch	10,5 kW / 0,6kW/230V/N1/ 50Hz	84 x 92 x 82	144	48
FX DT 606G	6 x 60x40	na dodir / touch	14,5 kW / 0,6kW/230V/N1/ 50Hz	84 x 92 x 97	161	72
FX DT 610G	10 x 60x40	na dodir / touch	20,5 kW / 0,6kW/230V/N1/ 50Hz	84 x 92 x 127	192	120

Svi modeli opremljeni su s 1 rešetkom.

All models are equipped with 1 grid.



FLEXO

Mogućnosti / OptionsMOGUĆNOSTI (moraju biti zatražene kod narudžbe pećnice) / *OPTIONALS (to be requested upon order of the oven)*

	Šifra <i>Code</i>	Opis <i>Description</i>	Za model <i>For model</i>
	reducirani razmak od 67 mm <i>reduced pitch 67 mm</i>	od 604 na 005 model / <i>from 604 to 005 model</i>	604
		od 606 na 007 model / <i>from 606 to 007 model</i>	606
		od 610 na 012 model / <i>from 610 to 012 model</i>	610
	LD FX604	Lijeva vrata <i>Left hinged door</i>	604
	LD FX606		606
	LD FX610		610

Dodaci / Accesories

	Šifra <i>Code</i>	Opis <i>Description</i>	Za model <i>For model</i>
	DLE	Tuš <i>Hand shower</i>	svi modeli <i>all models</i>
	SDC	Temperaturna sonda <i>Core probe</i>	FX DT
	SCMP	Temperaturna sonda s više senzora <i>Multipoint core probe</i>	FX DT
	SCR-01-PB8	Postolje s policom <i>Stand with shelf</i> dim. 84 x 78 x 85 cm	604-606
	SCR-01-PB7	Postolje s policom <i>Stand with shelf</i> dim. 84 x 78 x 60 cm	610
	CRGR-01-PB8	Set vodicica za SCR-01-PB8 <i>Tray- slides kit for SCR-01-PB8</i>	604-606
	CRGR-01-PB7	Set vodicica za SCR-01-PB7 <i>Tray- slides kit for SCR-01-PB7</i>	610



FLEXO

FERMENTACIJSKE KOMORE / *PROVERS*

	LS 066E P		Statična ferm. komora 6 + 6 vodilica <i>Static prover 6+6 levels</i> (2 kW/230V/N1/50Hz) GN1/1 + 60x40 dim. 100x80x73 cm	FX 610-012
				FX 011
				FX 610-010
	LS 088E P		Statična ferm. komora 8 + 8 vodilica <i>Static prover 6+6 levels</i> (2 kW/230V/N1/50Hz) GN1/1 + 60x40 dim. 100x80x83 cm	FX 604-005
				606-005
				FX 005-007



Proizvodi za pranje pećnica / Cleaning products

	Šifra <i>Code</i>	Opis <i>Description</i>
	M30.2.0100	Detergent u tabletama DETABINOX (u pakiranju 100 komada tableta) <i>Detergent in tabs DETABINOX (100 pieces pack)</i>
	M40.3.0080	Tablete za sjaj BRILLINOX (u pakiranju 80 komada tableta) <i>Sparkling-aid in tabs BRILLINOX (80 pieces pack)</i>
	M50.4.0005	Tekući detergent FLIXOVEN pakiranju od 5 kg) <i>Liquid detergent FLIXOVEN (package of 5 kg)</i>



TERMIČKA OBRADA LINIJA 600

LARGE KITCHEN SERIES 600

Kuhala električna i plinska
Roštilji električni i plinski
Štednjaci električni i plinski
Kuhala za tjesteninu
Friteze

*Electric & Gas Boiling Units
Electric & Gas Griddle Plates
Electric & Gas Ranges with Oven
Pasta Cookers
Fryers*

Projektirani za male prostore, uređaji iz linije dubine 60 cm namijenjeni profesionalnom kuhanju pružaju velike mogućnosti za brzu uslugu.

The devices with a depth of 60 cm, designed for small spaces and for professional cooking, provide large possibilities and fast service.



Art.	Model	Opis / Description
	KUHALO ELEKTRIČNO <i>ELECTRIC COOKING RANGE</i> SP - 30 EL	monofazno/<i>single-phase</i>, 3 kW/230V, 2 x 1,5 kW neto težina/<i>net weight</i>: 15,4 kg dim. 33 x 60 x 29 cm 
	KUHALO ELEKTRIČNO <i>ELECTRIC COOKING RANGE</i> SP - 30 ELS	trofazno/<i>three-phase</i>, 4 kW/400V, 2 x 2 kW, neto težina/<i>net weight</i>: 15,6 kg, dim. 33 x 60 x 29 cm 
	KUHALO ELEKTRIČNO <i>ELECTRIC COOKING RANGE</i> SP - 60 ELS	trofazno/<i>three-phase</i>, 8 kW/400V 4 x 2 kW neto težina/<i>net weight</i>: 30,7 kg dim. 66 x 60 x 29 cm 
	KUHALO ELEKTRIČNO <i>ELECTRIC COOKING RANGE</i> SP - 90/5 ELS	trofazno/<i>three-phase</i>, 10 kW/400V 5 x 2 kW neto težina/<i>net weight</i>: 39,8 kg dim. 99 x 60 x 29 cm 
	KUHALO ELEKTRIČNO <i>ELECTRIC COOKING RANGE</i> SP - 90 ELS	trofazno/<i>three-phase</i>, 12 kW/400V, 6 x 2 kW, neto težina/<i>net weight</i>: 40,8 kg, dim. 99 x 60 x 29 cm 



	Art.	Model	Opis / Description
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 30/1 GLS	1 plamenik/ <i>1 burner</i> x 4,5 kW, bez piezzo upaljača/ <i>without piezzo</i>
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 31 GLS	1 plamenik/ <i>1 burner</i> x 8 kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 15,5 kg, dim. 33 x 60 x 29 cm
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 30 GLS	2 plamenika/ <i>2 burners</i> x 4,5kW = 9kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 17,4 kg, dim. 33 x 60 x 29 cm
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 60/2 GLS	2 plamenika/ <i>2 burners</i> x 4,5kW = 9kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 28 kg, dim. 66 x 60 x 29 cm
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 62 GLS	2 plamenika/ <i>2 burners</i> x 8 kW = 16 kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 30 kg, dim. 66 x 60 x 29 cm



	Art.	Model	Opis / Description
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 90/3 GLS	3 plamenika/ <i>burners</i> x 4,5kW = 13,5 kW, bez piezzo upaljača/ <i>without piezzo</i> , težina/ <i>weight</i> : 40,5 kg, dim. 99 x 60 x 29 cm
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 93 GLS	3 plamenika/ <i>3 burners</i> x 8kW = 24 kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 43,4 kg, dim. 99 x 60 x 29 cm
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 60 GLS	4 plamenika/ <i>4 burners</i> x 4,5kW = 18 kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 31,6 kg, dim. 66 x 60 x 29 cm
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 90/5 GLS	5 plamenika/ <i>5 burners</i> x 4,5kW = 22,5 kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 44,3 kg, dim. 99 x 60 x 29 cm
	KUHALO PLINSKO <i>GAS COOKING RANGE</i>	SP - 90 GLS	6 plamenika/ <i>6 burners</i> x 4,5kW = 27 kW, bez piezzo upaljača/ <i>without piezzo</i> , neto težina/ <i>net weight</i> : 46,2 kg, dim. 99 x 60 x 29 cm



Dodatak/ *Accessories*:
Umetak za Wok tavu/*wok pan holder*



Art.	Model	Opis / Description
 ŠTEDNJAK ELEKTRIČNI <i>ELECTRIC COOKING RANGE WITH OVEN</i>	SPT - 60 ELS 	11,13 kW/400V, 4 el. ploče/<i>4 plates</i> x 2 kW , konvekcijska el. pećnica 3,13 kW/230V, <i>convection oven 3,13kW/230V</i>, kapaciteta/<i>capacity</i> 4 x GN 1/1 - 65 mm, neto težina/<i>net weight</i>: 66,2 kg, dim. 66 x 60 x 86/92 cm 
 ŠTEDNJAK ELEKTRIČNI <i>ELECTRIC COOKING RANGE WITH OVEN</i>	SPT - 90/5 ELS 	13,13 kW/400V, 5 el. ploča/<i>ranges</i> x 2 kW, ormarić zatvoreni/<i>neutral cabinet, door</i>, konvekcijska el. pećnica 3,13 kW/230V, <i>convection el. oven 3,13kW/230V</i>, kapaciteta/<i>capacity</i> 4 x GN 1/1 - 65 mm, neto težina/<i>net weight</i> : 86,2 kg, dim. 99 x 60 x 86/92 cm 
 ŠTEDNJAK ELEKTRIČNI <i>ELECTRIC COOKING RANGE WITH OVEN</i>	SPT - 90 ELS 	15,13 kW/400V, 6 el. ploča/<i>6 ranges</i> x 2 kW, ormarić zatvoreni/<i>neutral cabinet with door</i>, konvekcijska el. pećnica 3,13 kW/230V, <i>convection el. oven 3,13kW/230V</i>, kapaciteta/<i>capacity</i> 4 x GN 1/1 - 65 mm, neto težina/<i>net weight</i> : 87,8 kg, dim. 99 x 60 x 86/92 cm 
 ŠTEDNJAK PLINSKI S ELEKTRIČNOM PEĆNICOM <i>GAS COOKING RANGE WITH ELECTRIC OVEN</i>	SPT - 60 GLS	18 kW 4 plamenika/<i>4 burners</i> x 4,5 kW, bez piezzo upaljača/<i>without piezzo</i>, konvekcijska el. pećnica 3,13 kW/230V, <i>convection el. oven 3,13 kW/230V</i>, kapaciteta 4 x GN 1/1 - 65 mm, <i>capacity 4 x GN 1/1 - 65 mm</i>, neto težina/<i>net weight</i>: 70 kg, dim. 66 x 60 x 86/92 cm 



Art.	Model	Opis / Description
 ŠTEDNJAK PLINSKI S ELEKTRIČNOM PEČNICOM <i>GAS COOKING RANGE WITH ELECTRIC OVEN</i>	SPT - 90/5 GLS	22,5 kW 5 plamenika/5 burners x 4,5 kW, bez piezzo upaljača/without piezzo, ormarić zatvoreni/neutral cabinet with door, konvekcijska el. pećnica 3,13 kW/230V, <i>convection el. oven 3,13 kW/230V</i>, kapaciteta 4 x GN 1/1 - 65 mm, <i>capacity 4 x GN 1/1 - 65 mm</i>, neto težina/net weight: 91,6 kg, dim. 99 x 60 x 86/92 cm 
 ŠTEDNJAK PLINSKI S ELEKTRIČNOM PEČNICOM <i>GAS COOKING RANGE WITH ELECTRIC OVEN</i>	SPT - 90 GLS	27 kW 6 plamenika/6 burners x 4,5 kW, bez piezzo upaljača/without piezzo, ormarić zatvoreni/neutral cabinet with door, konvekcijska el. pećnica 3,13 kW/230V, <i>convection el. oven 3,13 kW/230V</i>, kapaciteta 4 x GN 1/1 - 65 mm, <i>capacity 4 x GN 1/1 - 65 mm</i>, neto težina/net weight: 93,5 kg, dim. 99 x 60 x 86/92 cm 
 KUHALO ZA TJESTENINU ELEKTRIČNO <i>ELECTRIC PASTA COOKER</i>	VT - 30 EL	3kW/230V, s ispuštom za vodu 3/4", <i>with water drainage tap 3/4"</i>, s termoregulatorom 30 - 110°C, <i>with thermostat 30 - 110°C</i>, sigurnosni termostad 130°C, <i>safety thermostat 130°C</i>, GN 1/2 - 200 mm, neto težina/net weight: 10,3 kg, dim. 33 x 60 x 29 cm CIJENA KUHALA JE BEZ KOŠARICA. <i>BASKETS ARE NOT INCLUDED</i> 



Art.	Model	Opis / Description
	VT - 60 EL 	6kW/400V, s 2 ispusta za vodu 3/4", <i>with 2 water drainage tap 3/4"</i> , s termoregulatorom 30 - 110°C, <i>with thermostat 30 - 110°C</i> , sigurnosni termostat 130°C, <i>safety thermostat 130°C</i> , 2 x GN 1/2 - 200 mm, neto težina/ <i>net weight</i> : 18,5 kg, dim. 66 x 60 x 29 cm CIJENA KUHALA JE BEZ KOŠARICA. <i>BASKETS ARE NOT INCLUDED</i>
KUHALO ZA TJESTENINU ELEKTRIČNO <i>ELECTRIC PASTA COOKER</i>		

	KOŠARICE ZA VT <i>BASKETS FOR VT</i>	K VT C Košarica/ <i>basket</i> 1/4 neto težina 0,3 kg dim. 100 x 138 x 135 mm
--	---	--

	KOŠARICE ZA VT <i>BASKETS FOR VT</i>	K VT B Košarica/ <i>basket</i> 1/2 neto težina 0,6 kg dim. 100 x 280 x 135 mm
---	---	--

	KOŠARICE ZA VT <i>BASKETS FOR VT</i>	K VT A Košarica/ <i>basket</i> 1/1 neto težina 1,2 kg dim. 200 x 280 x 135 mm
---	---	--

1/1	1/2	1/2	1/2	1/4	1/4	1/4
				1/4	1/4	1/4



Art.	Model	Opis / Description
 TOPLJE KUPKE <i>ELECTRIC BAIN MARIES</i>	BM 30 L  	umetnuta GN posuda s vanjskim grijačem radi lakšeg čišćenja i održavanja; ispust za vodu 3/4", za GN 1/1 do 150 mm (cijena je bez GN 1/1), s termoregulatorom 30 - 90°C, <i>inserted GN container with external heating element for easy cleaning and maintainance water drainage tap 3/4"</i>, for GN 1/1 up to 150 mm (price is without GN1/1) with thermostat 30 - 90°C, 1,5kW/230V/50Hz neto težina/<i>net weight</i> : 12,9 kg, dim. 33 x 60 x 29 cm


 TOPLJE KUPKE <i>ELECTRIC BAIN MARIES</i>	BM 60 EL  	umetnuta GN posuda s vanjskim grijačem radi lakšeg čišćenja i održavanja; 2 ispusta za vodu 3/4", za GN 1/1 do 150 mm (cijena je bez GN 1/1), s termoregulatorom 30 - 90°C, <i>inserted GN container with external heating element for easy cleaning and maintainance 2 water drainage taps 3/4"</i>, for GN 1/1 up to 150 mm (price is without GN1/1) with thermostat 30 - 90°C, 3kW/230V, neto težina/<i>net weight</i> : 22,8 kg, dim. 66 x 60 x 29 cm
--	---	--

 ROŠTILJI ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATE</i>	FTH 30EL  	glatka ploča debljine 10 mm, 3kW/230V; <i>10 mm smooth plate</i>, termoregulacija/<i>thermostat</i> 50 - 300°C, dim. ploče/<i>plate</i> 32 x 48 cm, neto težina/<i>net weight</i> : 23,7 kg, dim. 33 x 60 x 29 cm
--	--	--

 ROŠTILJI ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATE</i>	FTR 30EL  	rebrasta ploča debljine 10 mm, 3kW/230V; <i>10 mm ribbed plate</i>, termoregulacija/<i>thermostat</i> 50 - 300°C, dim. ploče/<i>plate</i> 32 x 48 cm, težina/<i>weight</i> : 23,7 kg, dim. 33 x 60 x 29 cm
--	--	---


Art.	Model	Opis / Description
 ROŠTILJI ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATE</i>	FTH 60EL 	glatka ploča debljine 10 mm, 6kW/400V, <i>10 mm smooth plate,</i> termoregulacija/<i>thermostat:</i> 50 - 300°C, odvojena termoregulacija svake polovice, <i>separated thermostat for each plate,</i> dim. ploče/<i>plate:</i> 65 x 48 cm, neto težina/<i>net weight</i> : 44,6 kg, dim. 66 x 60 x 29 cm 
 ROŠTILJI ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATE</i>	FTJR 60 EL 	ploča 1/2 rebrasta + 1/2 glatka <i>1/2 smooth 1/2 ribbed,</i> 10 mm debljina ploče / <i>plate thickness</i> 6kW/400V/50Hz termoregulacija/<i>thermostat:</i> 50 - 300°C, odvojena termoregulacija svake polovice, <i>separated thermostat for each plate,</i> dim. ploče/<i>plate:</i> 65 x 48 cm, neto težina/<i>net weight</i> : 44,6 kg, dim. 66 x 60 x 29 cm 
 ROŠTILJI ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATE</i>	FTH 90 EL 	glatka ploča debljine 10 mm, <i>10 mm smooth plate,</i> 9kW/400V termoregulacija/<i>thermostat:</i> 50 - 300°C, odvojena termoregulacija svake polovice, <i>separated thermostat for each plate,</i> dim. ploče/<i>plate:</i> 97 x 48 cm, neto težina/<i>net weight</i> : 73,4 kg, dim. 99 x 60 x 29 cm 
 ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATE</i>	FTH 30 GL 	glatka ploča debljine 10 mm, <i>10 mm smooth plate</i> 4 kW dim. ploče/<i>plate:</i> 32 x 48 cm, s piezzo upaljačem/<i>piezzo ignition,</i> neto težina/<i>net weight</i> : 25,4 kg, dim. 33 x 60 x 29 cm 





	Art.	Model	Opis / Description
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATE</i>	FTR 30 GL 	rebrasta ploča debljine 10 mm, <i>10 mm ribbed plate,</i> 4 kW dim. ploče/ <i>plate</i> : 32 x 48 cm, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight</i> : 25,4 kg, dim. 33 x 60 x 29 cm 
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATE</i>	FTH - 60 GL 	glatka ploča debljine 10 mm, <i>10 mm smooth plate,</i> 8 kW dim. ploče/ <i>plate</i> : 65 x 48 cm, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight</i> : 47 kg, dim. 66 x 60 x 29 cm 
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATE</i>	FTHR - 60 GL 	ploča 1/2 rebrasta + 1/2 glatka, <i>1/2 smooth 1/2 ribbed,</i> ploča debljine 10 mm, 8 kW; <i>10 mm thick steel plate, 8 Kw;</i> dim. ploče/ <i>plate</i> : 65 x 48 cm, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight</i> : 47 kg, dim. 66 x 60 x 29 cm 
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATE</i>	FTH - 90 GL 	glatka ploča debljine 10 mm, <i>10 mm smooth thick steel plate,</i> 12 kW dim. ploče/ <i>plate</i> : 97 x 48 cm, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight</i> : 76,7 kg, dim. 99 x 60 x 29 cm 
	ROŠTILJI ELEKTRIČNI, ploča kromirana <i>ELECTRIC GRIDDLE PLATES, CHROMED</i>	FTHC 30 EL 	ploča glatka kromirana 10 mm, <i>10 mm chromed smooth plate</i> termoregulacija/ <i>thermostat</i> 50 - 300°C, 3kW/230V/50Hz dim. ploče/ <i>plate</i> : 32 x 48 cm, neto težina/ <i>net weight</i> : 23,7 kg, dim. 33 x 60 x 29 cm 

Art.	Model	Opis / Description
	ROŠTILJ ELEKTRIČNI, ploča kromirana <i>ELECTRIC GRIDDLE PLATES, CHROMED</i>	FTRC 30EL  ploča rebrasta kromirana 10 mm, <i>10 mm chromed ribbed plate</i>, termoregulacija/<i>thermostat</i>: 50 - 300°C, 3kW/230V/50Hz dim. ploče/<i>plate</i>: 32 x 48 cm, neto težina/<i>net weight</i>: 23,7 kg, dim. 33 x 60 x 29 cm 
	ROŠTILJ ELEKTRIČNI, ploča kromirana <i>ELECTRIC GRIDDLE PLATES, CHROMED</i>	FTHC 60 EL  ploča glatka kromirana 10 mm, <i>10 mm chromed smooth plate</i> termoregulacija/<i>thermostat</i>: 50 - 300°C, 6kW/400V/50Hz odvojena termoregulacija svake polovice, <i>separated thermostat for each plate</i>, dim. ploče/<i>plate</i>: 65 x 48 cm, neto težina/<i>net weight</i>: 44,6 kg, dim. 66 x 60 x 29 cm 
	ROŠTILJ ELEKTRIČNI, ploča kromirana <i>ELECTRIC GRIDDLE PLATES, CHROMED</i>	FTHRC 60 EL  ploča 1/2 reb + 1/2 glatka kromirana 10 mm, <i>1/2 smooth 1/2 ribbed, 10 mm, chromed</i>, termoregulacija/<i>thermostat</i>: 50 - 300°C, 6kW/400V/50Hz odvojena termoregulacija svake polovice, <i>separated thermostat for each plate</i>, dim. ploče/<i>plate</i>: 65 x 48 cm, neto težina/<i>net weight</i>: 44,6 kg, dim. 66 x 60 x 29 cm 
	ROŠTILJ ELEKTRIČNI, ploča kromirana <i>ELECTRIC GRIDDLE PLATES, CHROMED</i>	FTHC 90 EL  ploča glatka kromirana 10 mm, <i>10 mm chromed smooth plate</i> termoregulacija / <i>thermostat</i> 50 - 300°C, 9kW/400V/50Hz odvojena termoregulacija svake polovice, <i>separated thermostat for each plate</i>, dim. ploče/<i>plate</i>: 97 x 48 cm, neto težina/<i>net weight</i>: 73,4 kg, dim. 99 x 60 x 29 cm 
	ROŠTILJ PLINSKI, ploča kromirana <i>GAS GRIDDLE PLATE, CHROMED</i>	FTHC 30 GL  ploča glatka kromirana 10 mm, <i>10 mm chromed smooth plate</i> 4 kW ; dim. ploče/<i>plate</i>: 32 x 48 cm, neto težina/<i>net weight</i>: 25,4 kg, dim. 33 x 60 x 29 cm 



Art.	Model	Opis / Description
	ROŠTILJ PLINSKI, ploča kromirana <i>GAS GRIDDLE PLATE, CHROMED</i>	FTRC 30 GL  ploča rebrasta kromirana 10 mm, <i>10 mm chromed ribbed plate</i>, 4 kW ; dim. ploče/<i>plate</i>: 32 x 48 cm, neto težina/<i>net weight</i>: 25,4 kg, dim. 33 x 60 x 29 cm 
	ROŠTILJ PLINSKI, ploča kromirana <i>GAS GRIDDLE PLATE, CHROMED</i>	FTHC 60 GL  ploča glatka kromirana 10 mm, <i>10 mm chromed smooth plate</i> termoregulacija / <i>thermostat</i>: 50 - 300°C, 8 kW ; odvojena termoregulacija svake polovice, <i>separated thermostat for each plate</i>, dim. ploče/<i>plate</i>: 65 x 48 cm, neto težina/<i>net weight</i>: 47 kg, dim. 66 x 60 x 29 cm 
	ROŠTILJ PLINSKI, ploča kromirana <i>GAS GRIDDLE PLATE, CHROMED</i>	FTHRC 60 GL  ploča 1/2 reb + 1/2 glatka kromirana 10 mm, <i>1/2 smooth 1/2 ribbed, 10 mm, chromed</i>, termoregulacija/<i>thermostat</i>: 50 - 300°C, 8 kW. odvojena termoregulacija svake polovice, <i>separated thermostat for each plate</i>, dim. ploče/<i>plate</i>: 65 x 48 cm, neto težina/<i>net weight</i>: 47 kg, dim. 66 x 60 x 29 cm 
	"ROŠTILJ ELEKTRIČNI", ploča kromirana <i>ELECTRIC GRIDDLE PLATES, CHROMED</i>	FTHC 90 GL  ploča glatka kromirana 10 mm, <i>10 mm chromed smooth plate</i> termoregulacija/<i>thermostat</i>: 50 - 300°C, 12 kW. odvojena termoregulacija svake polovice, <i>separated thermostat for each plate</i>, dim. ploče/<i>plate</i>: 97 x 48 cm, neto težina/<i>net weight</i>: 76,7 kg, dim. 99 x 60 x 29 cm 

Art.	Model	Opis / Description
 ROŠTILJ S VULKANSKIM KAMENOM LAVA STONE GRILLS	GL 30 GL 	4 kW, piezzo upaljač/<i>piezzo ignition</i>, rešetka za meso standard , <i>grid for meat standard version</i>, rešetka za ribu samo na zahtjev, <i>option for fish grid available</i>, dim. rešetke/<i>grill grid</i>: 31,2 x 48,3 cm, neto težina/<i>net weight</i>: 18,8 kg, dim. 33 x 60 x 29 cm, (s 5 kg vulkanskog kamena) (<i>with 5 kilograms of lava stones</i>) 
 ROŠTILJ S VULKANSKIM KAMENOM LAVA STONE GRILLS	GL 30 GLS 	6,5 kW, piezzo upaljač/<i>piezzo ignition</i>, rešetka za meso standard , <i>grid for meat standard version</i>, rešetka za ribu samo na zahtjev, <i>option for fish grid available</i>, dim. rešetke/<i>grill grid</i>: 31,2 x 48,3 cm, neto težina/<i>net weight</i>: 20,6 kg, dim. 33 x 60 x 29 cm, (s 5 kg vulkanskog kamena) (<i>with 5 kilograms of lava stones</i>) 
 ROŠTILJ S VULKANSKIM KAMENOM LAVA STONE GRILLS	GL 60 GL 	8 kW, 2 x piezzo upaljač/<i>piezzo ignition</i>, rešetka za meso standard , <i>grid for meat standard version</i> , rešetka za ribu samo na zahtjev, <i>option for fish grid available</i>, dim. rešetke/<i>grill grid</i>: 2 x 31,2 x 48,3 cm, neto težina/<i>net weight</i>: 32 kg, dim. 66 x 60 x 29 cm, (s 2 x 5 kg vulkanskog kamena) (<i>with 2 x 5 kilograms of lava stones</i>) 
 ROŠTILJ S VULKANSKIM KAMENOM LAVA STONE GRILLS	GL 60 GLS 	13 kW, 2 x piezzo upaljač/<i>piezzo ignition</i>, rešetka za meso standard , <i>grid for meat standard version</i>, rešetka za ribu samo na zahtjev, <i>option for fish grid available</i>, dim. rešetke/<i>grill grid</i> : 2 x 31,2 x 48,3 cm, težina/<i>weight</i> : 36,7 kg, dim. 66 x 60 x 29 cm (s 2 x 5 kg vulkanskog kamena) 
 type S  type M	Dodaci/<i>options</i> GL600S GL600M	type S, Rešetka/<i>grill grid</i> težina/<i>weight</i>: 2,9 kg (type S) type M Rešetka/<i>grill grid</i> težina/<i>weight</i>: 2,2 kg (type M) dim. 31,2 x 48,3 cm



Art.	Model	Opis / Description
 FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 30 EL 	8 litara/<i>liters</i>, monofazna/<i>single-phase</i>, 3kW/230V/50Hz 7kg/h prženih krumpirića/<i>french fries</i>, keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i>, termoregulacija/<i>thermostat</i>: 50 - 190°C, ispust za ulje/<i>drain pipe</i>: 3/4", dim. košarice/<i>basket</i>: 21 x 23,5 x 10 cm, neto težina/<i>net weight</i>: 12,4 kg, dim. 33 x 60 x 29 cm
 FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 30 ELT 	8 litara/<i>liters</i>, trofazna/<i>three-phase</i>, 6kW/400V/50Hz 7kg/h prženih krumpirića/<i>french fries</i>, keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i>, termoregulacija/<i>thermostat</i>: 50 - 190°C, ispust za ulje/<i>drain pipe</i>: 3/4", dim. košarice/<i>basket</i>: 21 x 23,5 x 10 cm, neto težina/<i>net weight</i>: 13,7 kg, dim. 33 x 60 x 29 cm
 FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 60 EL 	2 x 8 litara/<i>liters</i>, monofazna/<i>single-phase</i>, 3 + 3kW/230V/50Hz 14kg/h prženih krumpirića/<i>french fries</i>, keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i>, termoregulacija/<i>thermostat</i>: 50 - 190°C, 2 x ispust za ulje/<i>drain pipe</i>: 3/4", dim. košarice/<i>basket</i>: 2 x 21 x 23,5 x 10 cm, neto težina/<i>net weight</i>: 23,1 kg, dim. 66 x 60 x 29 cm
 FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 60 ELT 	2 x 8 litara/<i>liters</i>, trofazna/<i>three-phase</i>, 6 + 6kW/400V/50Hz 18 kg/h prženih krumpirića/<i>french fries</i>, keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i>, termoregulacija/<i>thermostat</i>: 50 - 190°C, 2 x ispust za ulje/<i>drain pipe</i>: 3/4", dim. košarice/<i>basket</i>: 2 x 21 x 23,5 x 10 cm, neto težina/<i>net weight</i>: 25,3 kg, dim. 66 x 60 x 29 cm



	Art.	Model	Opis / Description
	FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 66 ELT 	16 litara/liters , jedna košara/ <i>single basket</i> , trofazna/ <i>three-phase</i> , 9kW/400V/50Hz 15 kg/h prženih krumpirića/ <i>french fries</i> , keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i> , termoregulacija/ <i>thermostat</i> : 50 - 190°C, ispust za ulje/ <i>drain pipe</i> : 3/4", dim. košarice/ <i>basket</i> : 45,5 x 24,5 x 8 cm, neto težina/ <i>net weight</i> : 22 kg, dim. 66 x 60 x 29 cm
	FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 66/2 ELT 	16 litara/liters, dvije košarice/ <i>two baskets</i> , trofazna/ <i>three-phase</i> , 9kW/400V/50Hz 15 kg/h prženih krumpirića/ <i>french fries</i> , keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i> , termoregulacija/ <i>thermostat</i> : 50 - 190°C ; ispust za ulje/ <i>drain pipe</i> : 3/4", 2 košarice/ <i>two baskets</i> dim. 21 x 23,5 x 10 cm, neto težina/ <i>net weight</i> : 22 kg, dim. 66 x 60 x 29 cm
	FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 66/3 ELT 	16 litara/liters, tri košarice/ <i>three baskets</i> , trofazna/ <i>three-phase</i> , 9kW/400V/50Hz 15 kg/h prženih krumpirića/ <i>french fries</i> , keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i> , termoregulacija/ <i>thermostat</i> : 50 - 190°C ; ispust za ulje/ <i>drain pipe</i> : 3/4", 3 košarice/ <i>3 baskets</i> dim. 13 x 23,5 x 10 cm, neto težina/ <i>net weight</i> : 22 kg, dim. 66 x 60 x 29 cm
	FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 31 ELT 	8 litara/liters, trofazna/ <i>three-phase</i> , 6kW/400V/50Hz 9 kg/h prženih krumpirića/ <i>french fries</i> , keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i> , termoregulacija/ <i>thermostat</i> : 50 - 190°C , ispust za ulje/ <i>drain pipe</i> : 3/4", dim. košarice/ <i>basket</i> : 21 x 23,5 x 10 cm, neto težina/ <i>net weight</i> : 27,6 kg, dim. 33 x 60 x 86/92 cm



	Art.	Model	Opis / Description
	FRITIZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 31/13 ELT  14kg/h	13 litara/ <i>liters</i> , trofazna/ <i>three-phase</i> , 9kW/400V/50Hz 14 kg/h prženih krumpirića/ <i>french fries</i> , keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i> , termoregulacija/ <i>thermostat</i> : 50 - 190°C , ispust za ulje/ <i>drain pipe</i> : 3/4", dim. košarice/ <i>basket</i> : 21 x 30 x 12 cm (standard), neto težina/ <i>net weight</i> : 31,7 kg, dim. 33 x 60 x 86/92 cm
	FRITIZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 61 ELT  18kg/h	2 x 8 litara/ <i>liters</i> , trofazna/ <i>three-phase</i> , 6 + 6kW/400V / 50Hz 18 kg/h prženih krumpirića/ <i>french fries</i> , keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i> , termoregulacija/ <i>thermostat</i> : 50 - 190°C ; ispust za ulje/ <i>drain pipe</i> : 3/4", dim. košarice/ <i>basket</i> : 2 x 21 x 23,5 x 10 cm, neto težina/ <i>net weight</i> : 46,9 kg, dim. 66 x 60 x 86/92 cm
	FRITIZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 61/13 ELT  28kg/h	2 x 13 litara/ <i>liters</i> , trofazna/ <i>three-phase</i> , 9,9 + 9,9kW/400V/50Hz 28 kg/h prženih krumpirića/ <i>french fries</i> , keramički termostats (radni i sigurnosni), <i>ceramic thermostat (working and safety)</i> , termoregulacija/ <i>thermostat</i> : 50 - 190°C ; ispust za ulje/ <i>drain pipe</i> : 3/4", dim. košarice/ <i>basket</i> : 2 x 21 x 30 x 12 cm (standard), neto težina/ <i>net weight</i> : 54,8 kg, dim. 66 x 60 x 86/92 cm

KOŠARICE ZA ELEKTRIČNE FRITIZE FE
Baskets for FE

	Model	Opis / Description
	K FE A 00010487	Košarica 1/1 za el. fritezu 8 litara / <i>Basket 1/1 for 8 l fryer</i> dim. 210x235x100 mm težina/weight: 0,7 kg
	K FE B 00011922	Košarica 1/2 za el. fritezu 8 litara / <i>Basket 1/2 for 8 l fryer</i> dim. 100x235x100 mm težina/weight: 0,5 kg
	K FE C 00009634	Košarica 1/1 za el. fritezu 13 litara / <i>Basket 1/1 for 13 l fryer</i> dim. 210x300x120 mm težina/weight: 0,7 kg
	K FE D 000090635	Košarica 1/2 za el. fritezu 13 litara / <i>Basket 1/2 for 13 l fryer</i> dim. 100x300x120 mm težina/weight: 0,5 kg
	K FE E 00001952	Košarica 1/1 za el. fritezu 16 litara / <i>Basket 1/1 for 16 l fryer</i> dim. 455x245x85 mm težina/weight: 1,1 kg
	K FE F 00001947	Košarica 1/3 za el. fritezu 16 litara / <i>Basket 1/3 for 16 l fryer</i> dim. 132x235x100 mm težina/weight: 0,5 kg

	Art.	Model	Opis / Description
	POSTOLJE OTVORENO S POLICOM <i>Neutral cabinet</i>	PO 30 L	dim. 33 x 51 x 57/63 cm neto težina: 8,5 kg bruto težina: 10 kg
	POSTOLJE OTVORENO S POLICOM <i>Neutral cabinet</i>	PO 60 L	dim. 66 x 51 x 57/63 cm neto težina: 19,5 kg bruto težina: 20 kg
	POSTOLJE OTVORENO S POLICOM <i>Neutral cabinet</i>	PO 90 L	dim. 99 x 51 x 57/63 cm neto težina: 25,5 kg bruto težina: 26 kg
		PO 120 L	dim. 132 x 51 x 57/63 cm neto težina: 32,5 kg bruto težina: 33 kg
	POSTOLJE ZATVORENO S VRATIMA <i>Neutral cabinet with door</i>	PD 30 L	dim. 33 x 53 x 57/63 cm neto težina: 10 kg bruto težina: 12 kg
	POSTOLJE ZATVORENO S VRATIMA <i>Neutral cabinet with door</i>	PD 60 L	dim. 66 x 53 x 57/63 cm neto težina: 19 kg bruto težina: 21 kg

Art.	Model	Opis / Description
		
POSTOLJE ZATVORENO BEZ VRATA <i>Neutral open cabinet</i>	P 30 L	dim. 33 x 53 x 57/63 cm neto težina: 6 kg bruto težina: 7,5 kg

		
POSTOLJE ZATVORENO BEZ VRATA <i>Neutral open cabinet</i>	P 60 L	dim. 66 x 53 x 57/63 cm neto težina: 19,5 kg bruto težina: 20 kg

		
POSTOLJE S LADICAMA <i>Neutral cabinet with drawers</i>	PZ 30 L	dim. 33 x 53 x 57/63 cm neto težina: 11,5 kg bruto težina: 12 kg

		
POSTOLJE S LADICAMA <i>Neutral cabinet with drawers</i>	PZ 60 L	dim. 66 x 53 x 57/63 cm neto težina: 21 kg bruto težina: 21,5 kg



TERMIČKA OBRADA LINIJA 700

LARGE KITCHEN SERIES 700

Kuhala električna i plinska
Roštilji električni i plinski
Štednjaci električni i plinski
Kuhala za tjesteninu
Friteze
Nagibne pečenjare

*Electric & Gas Boiling Units
Electric & Gas Griddle Plates
Electric & Gas Ranges with Oven
Pasta Cookers
Fryers
Tilting Brat Pans*

Proizvodi dubine 70 cm, na struju ili plin, pogodni su za različite kapacitete i zahtjeve, brzi u izvršavanju zadataka, s visokim stupnjem sigurnosti.

The devices with a depth of 70 cm, electrical or gas, meet a variety of capacities and demands, and perform tasks promptly with a high level of security.



Art.	Model	Opis / Description
	INDUKCIJSKA KUHALA <i>INDUCTION HOBS</i> SPI 704 E	7kW/400V, 2 ploče/2 plates x 3,5 kW, ploče/plate: Ø 120 - 230 mm, neto težina/net weight: 37 kg, dim. 40 x 73 x 30 cm   
	INDUKCIJSKA KUHALA <i>INDUCTION HOBS</i> SPI 704 ES	10kW/400V, 2 ploče/2 plates x 5 kW, ploče/plate: Ø 120 - 230 mm, neto težina/net weight: 42 kg, dim. 40 x 73 x 30 cm   
	INDUKCIJSKA KUHALA <i>INDUCTION HOBS</i> SPI 708 E	14kW/400V, 4 ploče/4 plates x 3,5 kW, ploče/plate: Ø 120-230 mm, neto težina/net weight: 69 kg, dim. 80 x 73 x 30 cm   
	INDUKCIJSKA KUHALA <i>INDUCTION HOBS</i> SPI 708 ES	20kW/400V, 4 ploče/4 plates x 5 kW, ploče/plate: Ø 120 - 230 mm, neto težina/net weight: 77 kg, dim. 80 x 73 x 30 cm   
	INDUKCIJSKO WOK KUHALO <i>WOK INDUCTION HOB</i> SPI 704 E WOK	3,5kW/400V, ploče/plate: Ø 300 mm, neto težina/net weight: 31 kg, dim. 40 x 73 x 30 cm  

Art.	Model	Opis / Description
	INDUKCIJSKO KUHALO S ORMARIČEM OTVORENIM <i>INDUCTION HOB ON A CABINET</i> SPI 740 E	7kW/400V, 2 ploče/2 plates x 3,5 kW, ploče/plate: Ø 120 - 230 mm, neto težina/net weight: 49 kg, dim. 40 x 73 x 90 cm  
	INDUKCIJSKO KUHALO S ORMARIČEM OTVORENIM <i>INDUCTION HOB ON A CABINET</i> SPI 740 ES	10kW/400V, 2 ploče/2 plates x 5 kW, ploče/plate: Ø 120 - 230 mm, neto težina/net weight: 68 kg, dim. 40 x 73 x 90 cm  
	INDUKCIJSKO KUHALO S ORMARIČEM OTVORENIM <i>INDUCTION HOB ON A CABINET</i> SPI 780 E	14kW/400V, 4 ploče/4 plates x 3,5 kW, ploče/plate: Ø 120 - 230 mm, neto težina/net weight : 89 kg, dim. 80 x 73 x 90 cm  

Art.	Model	Opis / Description
	INDUKCIJSKO KUHALO S ORMARIČEM OTVORENIM <i>INDUCTION HOB ON A CABINET</i> SPI 780 ES	20kW/400V, 4 ploče/4 <i>plates</i> x 5 kW, ploče/ <i>plate</i> : Ø 120 - 230 mm, neto težina/ <i>net weight</i> : 94 kg, dim. 80 x 73 x 30 cm   
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i> SP 704 E	5,2kW/400V, 2 ploče/2 <i>plates</i> x 2,6 kW, ploče/ <i>plate</i> : Ø 220 mm, neto težina/ <i>net weight</i> : 23,6 kg, dim. 40 x 73 x 30 cm  
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i> SP 708 E	10,4kW/400V, 4 ploče/4 <i>plates</i> x 2,6 kW, ploče/ <i>plate</i> : Ø 220 mm, neto težina/ <i>net weight</i> : 42,3 kg, dim. 80 x 73 x 30 cm   
	KUHALA ELEKTRIČNA S ORMARIČEM OTVORENIM <i>ELECTRIC COOKING RANGES ON A NEUTRAL CABINET</i> SP 740 E	5,2kW/400V, 2 ploče/2 <i>plates</i> x 2,6 kW, ploče/ <i>plate</i> : Ø 220 mm, neto težina/ <i>net weight</i> : 34,8 kg, dim. 40 x 73 x 85 / 89,5 cm  
	KUHALA ELEKTRIČNA S ORMARIČEM OTVORENIM <i>ELECTRIC COOKING RANGES ON A NEUTRAL CABINET</i> SP 780 E	10,4kW/400V, 4 ploče/4 <i>plates</i> x 2,6 kW, ploče/ <i>plate</i> : Ø 220 mm, neto težina/ <i>net weight</i> : 59,5 kg, dim. 80 x 73 x 90 cm   



Art.	Model	Opis / Description
	KUHALA ELEKTRIČNA s kvadratnim pločama <i>ELECTRIC COOKING RANGES, SQUARE PLATES</i> SPQ 704 E	5,2kW/400V, 2 ploče/2 <i>plates</i> x 2,6 kW, ploče/<i>plate</i> dim. 220 x 220 mm, neto težina/<i>net weight</i>: 27,9 kg, dim. 40 x 73 x 30 cm 
	KUHALA ELEKTRIČNA s kvadratnim pločama <i>ELECTRIC COOKING RANGES, SQUARE PLATES</i> SPQ 708 E	10,4kW/400V, 4 ploče/4 <i>plates</i> x 2,6 kW, ploče/<i>plate</i> dim. 220 x 220 mm, neto težina/<i>net weight</i>: 51,9 kg, dim. 80 x 73 x 30 cm 
	KUHALA ELEKTRIČNA s kvadratnim pločama i otvorenim ormarićem <i>ELECTRIC COOKING RANGES, SQUARE PLATES, on a neutral cabinet</i> SPQ 740 E	5,2kW/400V, 2 ploče/2 <i>plates</i> x 2,6 kW, ploče/<i>plate</i> dim. 220 x 220 mm, neto težina/<i>net weight</i>: 39,1 kg, dim. 40 x 73 x 90 cm 
	KUHALA ELEKTRIČNA s kvadratnim pločama i otvorenim ormarićem <i>ELECTRIC COOKING RANGES, SQUARE PLATES, on a neutral cabinet</i> SPQ 780 E	10,4kW/400V, 4 ploče/4 <i>plates</i> x 2,6 kW, ploče/<i>plate</i> dim. 220 x 220 mm, neto težina/<i>net weight</i>: 68,2 kg, dim. 80 x 73 x 90 cm 




	Art.	Model	Opis / Description
	KUHALA ELEKTRIČNA s kvadratnim pločama <i>ELECTRIC COOKING RANGES, SOLID-TOP PLATES</i>	SPL 704 E	6 kW/400V, 2 ploče/2 <i>plates</i> x 3 kW, dim. ploče/ <i>plates</i> : 300 x 300 mm, neto težina/ <i>net weight</i> : 42,3 kg, dim. 40 x 73 x 30 cm
	KUHALA ELEKTRIČNA s kvadratnim pločama <i>ELECTRIC COOKING RANGES, SOLID-TOP PLATES</i>	SPL 708 E	12 kW/400V, 4 ploče/4 <i>plates</i> x 3 kW, dim. ploče/ <i>plates</i> : 300 x 300 mm, neto težina/ <i>net weight</i> : 78,5 kg, dim. 80 x 73 x 30 cm
	KUHALA ELEKTRIČNA S KVADRATNIM PLOČAMA i zatvorenim ormarićem <i>ELECTRIC COOKING RANGES, SQUARE PLATES, on a neutral cabinet with door</i>	SPL 740 E	6 kW/400V, 2 ploče/2 <i>plates</i> x 3 kW, dim. ploče/ <i>plates</i> : 300 x 300 mm, neto težina/ <i>net weight</i> : 53,6 kg, dim. 40 x 73 x 90 cm
	KUHALA ELEKTRIČNA S KVADRATNIM PLOČAMA i zatvorenim ormarićem <i>ELECTRIC COOKING RANGES, SQUARE PLATES, on a neutral cabinet with door</i>	SPL 780 E	12kW/400V, 4 ploče/4 <i>plates</i> x 3 kW, dim. ploče/ <i>plates</i> : 300 x 300 mm, neto težina/ <i>net weight</i> : 94,7 kg, dim. 80 x 73 x 90 cm
	KUHALA PLINSKA <i>GAS COOKING RANGES</i>	SP 704 G	12 kW, s vječnim plamenom/ <i>pilot flame</i> , 2 plamenika/2 <i>burners</i> : 1x4,5 kW + 1x7,5 kW, neto težina/ <i>net weight</i> : 26,5 kg, dim. 40 x 73 x 30 cm
	KUHALA PLINSKA <i>GAS COOKING RANGES</i>	SP 708 G	24 kW, s vječnim plamenom/ <i>pilot flame</i> , 4 plamenika/4 <i>burners</i> : 1x4,5 kW + 3x7,5 kW, neto težina/ <i>net weight</i> : 50,7 kg, dim. 80 x 73 x 30 cm



Art.	Model	Opis / Description
 KUHALA PLINSKA S ORMARIČEM OTVORENIM <i>GAS COOKING RANGES ON A NEUTRAL CABINET</i>	SP 740 G	12 kW, s vječnim plamenom/<i>pilot flame</i>, 2 plamenika/ <i>2 burners</i>: 1x4,5 kW + 1x7,5 kW, neto težina/<i>net weight</i>: 39 kg, dim. 40 x 73 x 90 cm 

 KUHALA PLINSKA S ORMARIČEM OTVORENIM <i>GAS COOKING RANGES ON A NEUTRAL CABINET</i>	SP 780 G	24 kW, s vječnim plamenom/<i>pilot flame</i>, 4 plamenika/<i>4 burners</i>: 1x4,5 kW + 3x7,5 kW, neto težina/<i>net weight</i>: 67 kg, dim. 80 x 73 x 90 cm 
---	----------	---

 ŠTEDNJAK ELEKTRIČNI S PEČNICOM <i>ELEKTRIČNOM</i> <i>ELECTRIC COOKING RANGES WITH ELECTRIC OVEN</i>	SPT 780/21 E	4 el. ploče/<i>4 plates</i> x 2,6kW, 16,7 kW/ 400V; el. ploče/<i>plates</i> dim. Ø 220 mm; pećnica el. tradicionalna za GN2/1, 6,3 kW/400V, <i>electric oven, static heat GN2/1, 6,3 kW/400V</i>, neto težina/<i>net weight</i>: 97 kg, dim. 80 x 73 x 90 cm 
--	--------------	---

 ŠTEDNJAK ELEKTRIČNI SA PEČNICOM <i>ELEKTRIČNOM</i> <i>ELECTRIC COOKING RANGES WITH ELECTRIC OVEN</i>	SPQT 780/21 E	4 el. ploče/<i>4 plates</i> x 2,6 kW, 16,7 kW/ 400V; el. ploče/<i>plates</i> dim. 220 x 220 mm, pećnica el. tradicionalna za GN2/1, 6,3 kW/400V, <i>electric oven, static heat GN2/1, 6,3 kW/400V</i>, neto težina/<i>net weight</i>: 101,9 kg, dim. 80 x 73 x 90 cm 
---	---------------	---

Art.	Model	Opis / Description
 ŠTEDNJAK ELEKTRIČNI SA PEČNICOM ELEKTRIČNOM <i>ELECTRIC COOKING RANGES WITH ELECTRIC OVEN</i>	SPLT 780/21 E	4 el. ploče/4 <i>plates</i> x 3 kW, 18,3 kW/ 400V; el. ploče/<i>plates</i> dim. 300 x 300 mm, pećnica el. tradicionalna za GN2/1; 6,3 kW/400V; <i>electric oven, static heat GN2/1, 6,3 kW/400V,</i> neto težina/ <i>net weight</i>: 131 kg, dim. 80 x 73 x 90 cm °C 50-300 GN2/1 6,3kW 400/3N ⚡ 30x30 cm 3 kW 3 kW 400V
 ŠTEDNJAK PLINSKI S PEČNICOM ELEKTRIČNOM <i>GAS COOKING RANGES WITH OVEN</i>	SPST 780/21GE	29,5 kW, s vječnim plamenom/<i>pilot flame</i>, 4 plamenika/4 <i>burners</i> : 1 x 4 kW + 3 x 8,5 kW, pećnica el. tradicionalna za GN2/1, 6,3 kW / 400V, <i>electric oven, static heat GN2/1, 6,3 kW/400V,</i> neto težina/<i>net weight</i>: 100,2 kg, dim. 80 x 73 x 90 cm °C 50-300 GN2/1 6,3kW 400/3N ⚡ PILOT FLAME 4 kW 8,5 kW 8,5 kW 8,5 kW GAS
 ŠTEDNJAK PLINSKI S PEČNICOM ELEKTRIČNOM <i>GAS COOKING RANGES WITH OVEN</i>	SPST 780/11GE	29,5 kW, s vječnim plamenom/<i>pilot flame</i>, 4 plamenika/4 <i>burners</i>: 1 x 4 kW + 3 x 8,5 kW, pećnica el. konvekcijaska za GN1/1, 3,13 kW /230V, <i>electric oven, convection type GN1/1, 3,13 kW/230V,</i> neto težina/<i>net weight</i>: 92,4 kg, dim. 80 x 73 x 90 cm °C 50-300 *GN1/1 3,13kW 230V ⚡ PILOT FLAME 4 kW 8,5 kW 8,5 kW 8,5 kW GAS
 KUHALA ZA TJESTENINU ELEKTRIČNA <i>ELECTRIC PASTA COOKERS</i>	VT 740 E	kapacitet/<i>volume</i> 23 litre, 7,5 kW / 400V, temperatura/<i>temperature</i> 30 – 110°C, sigurnosni termostatski 130°C, <i>safety thermostat 130°C,</i> slavina za vodu/ <i>water outlet</i> ; neto težina/<i>net weight</i>: 51,2 kg, dim. 40 x 73 x 90 cm CIJENA KUHALA JE BEZ KOŠARICA <i>BASKETS ARE NOT INCLUDED</i> °C 30-110 ⚡ 400V



Art.	Model	Opis / Description
 KUHALA ZA TJESTENINU ELEKTRIČNA <i>ELECTRIC PASTA COOKERS</i>	VT 780 E	kapacitet/<i>volume</i> 2 x 23 litre, 15 kW / 400V, temperatura/<i>temperature</i> 30 - 100°C, sigurnosni termostat 130°C, <i>safety thermostat 130°C</i>, slavina za vodu/ <i>water outlet</i>, neto težina/<i>net weight</i>: 74,9 kg, dim. 80 x 73 x 90 cm CIJENA KUHALA JE BEZ KOŠARICA <i>BASKETS ARE NOT INCLUDED</i> °C 30-110 ⚡ 400V


KOŠARICE ZA VT /
BASKETS FOR VT

K VT D
00008710

Košarica/*basket* 1/3
dim. 145 x 290 x 215 mm

KOŠARICE ZA VT /
BASKETS FOR VT

K VT E
00008711

Košarica/*basket* 1/3, 2 x ručke
dim. 290 x 160 x 215 mm

KOŠARICE ZA VT /
BASKETS FOR VT

K VT F
00012987

Košarica/*basket*, ručka lijevo
dim. 145 x 160 x 215 mm



	Art.	Model	Opis / Description
	KOŠARICE ZA VT / <i>BASKETS FOR VT</i>	K VT G 0000899	Košarica/ <i>basket</i> 1/6, ručka desno dim. 145 x 160 x 215 mm

	KOŠARICE ZA VT / <i>BASKETS FOR VT</i>	K VT H 00008706	Košarica/ <i>basket</i> 1/9, ručka lijevo dim. 145 x 105 x 215 mm
---	---	--------------------	--

	KOŠARICE ZA VT / <i>BASKETS FOR VT</i>	K VT I 00008707	Košarica/ <i>basket</i> 1/9, ručka desno dim. 145 x 105 x 215 mm
---	---	--------------------	---

	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i>	FTH 704 E	4,5 kW/400V/50Hz ploča glatka, debljina ploče 12 mm, <i>smooth 12 mm griddle plate</i> , temperatura/ <i>temperature</i> 50 - 300°C, neto težina/ <i>net weight</i> : 40 kg, dim. 40 x 73 x 30 cm
---	--	-----------	--

	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i>	FTHC 704 E	4,5 kW/400V/50Hz ploča glatka kromirana, debljina ploče 12 mm, <i>smooth chromed 12 mm griddle plate</i> , temperatura/ <i>temperature</i> 50 - 300°C, neto težina/ <i>net weight</i> : 40 kg, dim. 40 x 73 x 30 cm
---	--	------------	--



	Art.	Model	Opis / Description
	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i> 	FTR 704 E	4,5 kW/400V/50Hz ploča rebrasta, debljina ploče 12 mm, <i>ribbed 12 mm griddle plate,</i> temperatura/temperature 50 – 300°C, neto težina/net weight: 40 kg, dim. 40 x 73 x 30 cm
	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i> 	FTRC 704 E	4,5 kW/400V/50Hz ploča rebrasta kromirana, debljina ploče 12 mm, <i>ribbed, chromed 12 mm griddle plate,</i> temperatura/temperature 50 – 300°C, neto težina/net weight: 40 kg, dim. 40 x 73 x 30 cm
	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i> 	FTH 708 E	9 kW/400V/50Hz ploča glatka, debljina ploče 12 mm, <i>smooth 12 mm griddle plate,</i> temperatura/temperature 50 – 300°C, neto težina/net weight: 72,2 kg, dim. 80 x 73 x 30 cm
	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i> 	FTHC 708 E	9 kW/400V/50Hz ploča glatka kromirana, debljina ploče 12 mm, <i>smooth chromed 12 mm griddle plate,</i> temperatura/temperature 50 – 300°C, neto težina/net weight: 72,2 kg, dim. 80 x 73 x 30 cm
	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i> 	FTTHR 708 E	9 kW / 400V/50Hz ploča 1/2 glatka + 1/2 rebrasta <i>1/2 smooth + 1/2 ribbed</i> 12 mm debljine ploče/ 12 mm top plate temperatura/temperature 50 – 300°C, neto težina/net weight: 72,2 kg, dim. 80 x 73 x 30 cm
	ROŠTILJ ELEKTRIČNI <i>ELECTRIC GRIDDLE PLATES</i> 	FTHRC 708 E	9 kW / 400V/50Hz ploča 1/2 glatka krom + 1/2 rebrasta krom, <i>1/2 smooth chromed + 1/2 ribbed chromed,</i> 12 mm debljine ploče/ 12 mm top plate temperatura/temperature 50 – 300°C, neto težina/net weight: 72,2 kg, dim. 80 x 73 x 30 cm

Art.	Model	Opis / Description
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> °C 50-300 400V	FTH 740 E	4,5 kW/400V/50Hz ploča glatka, debljina 12 mm, <i>smooth 12 mm griddle plate,</i> temperatura/temperature 50 - 300°C, neto težina/<i>net weight</i>: 50,9 kg, dim. 40 x 73 x 90 cm
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> Cr 0,03mm °C 50-300 400V	FTHC 740 E	4,5 kW/400V/50Hz ploča glatka, kromirana, debljina 12 mm, <i>smooth, chromed 12 mm griddle plate,</i> temperatura/temperature 50 - 300°C, neto težina/<i>net weight</i>: 50,9 kg, dim. 40 x 73 x 90 cm
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> °C 50-300 400V	FTR 740 E	4,5 kW/400V/50Hz ploča rebrasta, debljina 12 mm, <i>ribbed 12 mm griddle plate,</i> temperatura/temperature 50 - 300°C, neto težina/<i>net weight</i>: 50,9 kg, dim. 40 x 73 x 90 cm
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> Cr 0,03mm °C 50-300 400V	FTRC 740 E	4,5 kW/400V/50Hz ploča rebrasta, kromirana, debljina 12 mm, <i>ribbed, chromed 12 mm griddle plate,</i> temperatura/temperature 50 - 300°C, neto težina/<i>net weight</i>: 50,9 kg, dim. 40 x 73 x 90 cm

Art.	Model	Opis / Description
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> °C 50-300 400V	FTH 780 E	9 kW/400V/50Hz ploča glatka, debljina 12 mm, <i>smooth 12 mm griddle plate,</i> temperatura/<i>temperature</i> 50 - 300°C, neto težina/<i>net weight</i>: 88,5 kg, dim. 80 x 73 x 90 cm
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> Cr 0,03mm °C 50-300 400V	FTHC 780 E	9 kW/400V/50Hz ploča glatka, kromirana, debljina 12 mm, <i>smooth, chromed 12 mm griddle plate,</i> temperatura/<i>temperature</i> 50 - 300°C, neto težina/<i>net weight</i>: 88,5 kg, dim. 80 x 73 x 90 cm
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> °C 50-300 400V	FTHR 780 E	9 kW/400V/50Hz ploča 1/2 glatka + 1/2 rebrasta, debljina 12 mm, <i>1/2 smooth + 1/2 ribbed, 12 mm,</i> temperatura/<i>temperature</i> 50 - 300°C, neto težina/<i>net weight</i>: 88,5 kg, dim. 80 x 73 x 90 cm
 ROŠTILJ ELEKTRIČNI S ORMARIČEM OTVORENIM <i>ELECTRIC GRIDDLE PLATES ON A NEUTRAL CABINET</i> Cr 0,03mm °C 50-300 400V	FTHRC 780 E	9 kW/400V/50Hz ploče/plate 1/2 glatka krom + 1/2 rebrasta krom, <i>1/2 smooth chromed + 1/2 ribbed chromed,</i> 12 mm debljine ploče / 12 mm top plate temperatura/<i>temperature</i> 50 - 300°C, neto težina/<i>net weight</i>: 88,5 kg, dim. 80 x 73 x 90 cm



	Art.	Model	Opis / Description
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTH 704 G 	ploča glatka, debljina ploče 12 mm, <i>smooth 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight:</i> 41 kg, dim. 40 x 73 x 30 cm Cr 0,03mm
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTHC 704 G 	ploča glatka, kromirana, debljina ploče 12 mm, <i>smooth, chromed 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight:</i> 41 kg, dim. 40 x 73 x 30 cm Cr 0,03mm
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTR 704 G 	ploča rebrasta, debljina ploče 12 mm, <i>ribbed 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight:</i> 40,5 kg, dim. 40 x 73 x 30 cm Cr 0,03mm
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTRC 704 G 	ploča rebrasta kromirana, debljina 12 mm, <i>ribbed, chromed 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/ <i>piezzo ignition,</i> neto težina/ <i>net weight:</i> 40,5 kg, dim. 40 x 73 x 30 cm Cr 0,03mm
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTH 708 G 	ploča glatka, debljina ploče 12 mm, <i>smooth 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem, <i>14 kW (2x7 kW), piezzo ignition,</i> neto težina/ <i>net weight:</i> 75,2 kg, dim. 80 x 73 x 30 cm Cr 0,03mm
	ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTHC 708 G 	ploča glatka, kromirana debljina 12 mm, <i>smooth, chromed 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem, <i>14 kW (2x7 kW), piezzo ignition,</i> neto težina/ <i>net weight:</i> 75,2 kg, dim. 80 x 73 x 30 cm Cr 0,03mm



Art.	Model	Opis / Description
 ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTR 708 G 	ploča rebrasta, debljina ploče 12 mm, <i>ribbed 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight</i>: 73,8 kg, dim. 80 x 73 x 30 cm Cr 0,03mm

 ROŠTILJ PLINSKI <i>GAS GRIDDLE PLATES</i>	FTRC 708 G 	ploča rebrasta, kromirana, debljina 12 mm, <i>ribbed, chromed 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight</i>: 73,8 kg, dim. 80 x 73 x 30 cm Cr 0,03mm
--	--	---

 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTH 740 G 	ploča glatka, debljina ploče 12 mm, <i>smooth 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/<i>piezzo ignition</i>, neto težina/<i>net weight</i>: 51,9 kg, dim. 40 x 73 x 89,5 cm Cr 0,03mm
--	---	--

 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTHC 740 G 	ploča glatka, kromirana debljina 12 mm, <i>smooth, chromed 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/<i>piezzo ignition</i>, neto težina/<i>net weight</i>: 51,9 kg, dim. 40 x 73 x 89,5 cm Cr 0,03mm
---	--	---

 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTR 740 G 	ploča rebrasta, debljina ploče 12 mm, <i>ribbed 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/<i>piezzo ignition</i>, neto težina/<i>net weight</i>: 51,4 kg, dim. 40 x 73 x 89,5 cm Cr 0,03mm
---	---	--



Art.	Model	Opis / Description
 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTRC 740 G 	ploča rebrasta, kromirana debljina 12 mm, <i>ribbed, chromed 12 mm griddle plate,</i> 7 kW, s piezzo upaljačem/<i>piezzo ignition,</i> neto težina/<i>net weight:</i> 51,4 kg, dim. 40 x 73 x 89,5 cm Cr 0,03mm
 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTH 780 G 	ploča glatka, debljina ploče 12 mm, <i>smooth 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight:</i> 91,5 kg, dim. 80 x 73 x 89,5 cm Cr 0,03mm
 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTHC 780 G 	ploča glatka, kromirana, debljina 12 mm, <i>smooth, chromed 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight:</i> 91,5 kg, dim. 80 x 73 x 89,5 cm Cr 0,03mm
 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTR 780 G 	ploča rebrasta, debljina ploče 12 mm, <i>ribbed 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight:</i> 90,1 kg, dim. 80 x 73 x 89,5 cm Cr 0,03mm



Art.	Model	Opis / Description
 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTRC 780 G 	ploča rebrasta kromirana, debljina 12 mm, <i>ribbed, chromed 12 mm griddle plate,</i> 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight</i>: 90,1 kg, dim. 80 x 73 x 89,5 cm Cr 0,03mm
 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTHR 780 G 	ploča 1/2 glatka + 1/2 rebrasta, 12 mm, <i>1/2 smooth + 1/2 ribbed, 12 mm,</i> 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight</i>: 90,8 kg, dim. 80 x 73 x 89,5 cm Cr 0,03mm
 ROŠTILJ PLINSKI S ORMARIČEM OTVORENIM <i>GAS GRIDDLE PLATES ON A NEUTRAL CABINET</i>	FTHRC 780 G 	ploča 1/2 glatka krom + 1/2 rebrasta krom, <i>1/2 smooth chromed + 1/2 ribbed, chromed,</i> 12 mm debljine ploče / 12 mm top plate 14 kW (2x7 kW), s piezzo upaljačem / <i>piezzo ignition</i> neto težina/<i>net weight</i>: 90,8 kg, dim. 80 x 73 x 89,5 cm Cr 0,03mm



Art.	Model	Opis / Description
	GL 704 G 	7,5 kW, piezzo upaljač / <i>piezzo ignition</i> , plin. plamenik "U" oblika / <i>"U" shape burner</i> , dim. rešetke/ <i>griddle</i> : 38 x 52 cm, neto težina/ <i>net weight</i> : 34 kg, dim. 40 x 73 x 42,2 cm
	GL 708 G 	15 kW, piezzo upaljač / <i>piezzo ignition</i> , plin. plamenik "U" oblika / <i>"U" shape burner</i> , dim. rešetke/ <i>griddle</i> : 2 rešetke 38 x 52 cm, neto težina/ <i>net weight</i> : 55 kg, dim. 80 x 73 x 36,4 cm
	GL 740 G 	7,5 kW, piezzo upaljač / <i>piezzo ignition</i> , plin. plamenik "U" oblika / <i>"U" shape burner</i> , dim. rešetke/ <i>griddle</i> : 38 x 52 cm, neto težina/ <i>net weight</i> : 45 kg, dim. 40 x 73 x 100,7 cm
	GL 780 G 	15 kW, piezzo upaljač / <i>piezzo ignition</i> , plin. plamenik "U" oblika / <i>"U" shape burner</i> , dim. rešetke/ <i>griddle</i> : 2 rešetke 38 x 52 cm, neto težina/ <i>net weight</i> : 71 kg, dim. 80 x 73 x 96 cm
	GL 700 M 	neto težina/ <i>net weight</i> : 4,9 kg, dim. 38 x 52 x 9 cm
	GL 700 S 	neto težina/ <i>net weight</i> : 3,4 kg, dim. 38 x 52 x 9 cm



	Art.	Model	Opis / Description
	FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 704/13 E 	kapacitet/ <i>volume</i> 13 litara, 12,5 kW /400V/50Hz temperatura/ <i>temperature</i> : 50 – 190°C, s 1 košarom/ <i>1 basket</i> : 280 x 295 mm, neto težina/ <i>net weight</i> : 24,2 kg, dim. 40 x 73 x 31,3 cm 
	FRITEZE ELEKTRIČNE <i>ELECTRIC FRYERS</i>	FE 708/13 E 	kapacitet/ <i>volume</i> 2 x 13 litara, 25 kW /400V/50Hz temperatura/ <i>temperature</i> : 50 – 190°C, s 2 košare/ <i>2 baskets</i> : 280 x 295 mm, neto težina/ <i>net weight</i> : 44,2 kg, dim. 80 x 73 x 31,3 cm 
	FRITEZE ELEKTRIČNE SA ORMARIČEM ZATVORENIM <i>ELECTRIC FRYERS ON A NEUTRAL CABINET</i>	FE 740/13 E 	kapacitet/ <i>volume</i> 13 litara, 9,9 kW/400V/50Hz temperatura/ <i>temperature</i> : 50 – 190°C, s 1 košarom/ <i>1 basket</i> : 215 x 300 mm, neto težina/ <i>net weight</i> : 45,3 kg, dim. 40 x 73 x 90 cm 
	FRITEZE ELEKTRIČNE SA ORMARIČEM ZATVORENIM <i>ELECTRIC FRYERS ON A NEUTRAL CABINET</i>	FE 780/13 E 	kapacitet/ <i>volume</i> 2 x 13 litara, 19,8 kW/400V/50Hz temperatura/ <i>temperature</i> : 50 – 190°C, s 2 košare/ <i>2 baskets</i> : 215 x 300 mm, neto težina/ <i>net weight</i> : 77,4 kg, dim. 80 x 73 x 90 cm 



Art.	Model	Opis / Description
	FRITEZE ELEKTRIČNE SA ORMARIČEM ZATVORENIM <i>ELECTRIC FRYERS ON A NEUTRAL CABINET</i> FE 740/17 E 	kapacitet/ <i>volume</i> : 17 litara, 13,5 kW/ 400 V/50Hz temperatura/ <i>temperature</i> : 50 - 190°C, s 1 košarom/ <i>1 basket</i> : 280 x 300 mm, neto težina/ <i>net weight</i> : 45,2 kg, dim. 40 x 73 x 90 cm  17l

	FRITEZE ELEKTRIČNE SA ORMARIČEM ZATVORENIM <i>ELECTRIC FRYERS ON A NEUTRAL CABINET</i> FE 780/17 E 	kapacitet/ <i>volume</i> : 2 x 17 litara, 27 kW/ 400 V/50Hz temperatura/ <i>temperature</i> : 50 - 190°C, s 2 košare/ <i>2 baskets</i> : 280 x 300 mm, neto težina/ <i>net weight</i> : 79,7 kg, dim. 80 x 73 x 90 cm  2x 17l
--	--	---

	FRITEZE PLINSKE <i>GAS FRYERS</i> FE 740/17 G  	kapacitet/ <i>volume</i> : 17 litara, 15 kW, sa piezzo upaljačem/ <i>piezzo ignition</i> , temperatura/ <i>temperature</i> : 50 - 190°C, s 1 košarom/ <i>1 basket</i> : 280 x 300 mm, neto težina/ <i>net weight</i> : 42 kg, dim. 40 x 73 x 900 cm  17l
---	---	---

	FRITEZE PLINSKE <i>GAS FRYERS</i> FE 780/17 G  	kapacitet/ <i>volume</i> : 2 x 17 litara, 30 kW (2x15 kW), s piezzo upaljačem/ <i>piezzo ignition</i> , temperatura/ <i>temperature</i> : 50 - 190°C, s 2 košare/ <i>2 baskets</i> : 280 x 300 mm, neto težina/ <i>net weight</i> : 59 kg, dim. 80 x 73 x 900 cm  2x 17l
---	---	---



	Art.	Model	Opis / Description
	KOŠARICA ZA FRITIZE FE <i>BASKETS FOR FRYERS</i>	K FE H	Košarica/ <i>basket</i> 1/2 za plinsku fritezu 13 litara dim. 105 x 300 x 120 mm, težina/ <i>weight</i> : 0,5 kg

	KOŠARICA ZA FRITIZE FE <i>BASKETS FOR FRYERS</i>	K FE G	Košarica/ <i>basket</i> 1/1 za fritezu 13 litara dim. 215 x 300 x 120 mm, težina/ <i>weight</i> : 0,7 kg
---	---	--------	---

	KOŠARICA ZA FRITIZE FE <i>BASKETS FOR FRYERS</i>	K FE L	Košarica/ <i>basket</i> 1/2 za fritezu 17 litara dim. 135 x 300 x 120 mm, težina/ <i>weight</i> : 0,8 kg
--	---	--------	---

	KOŠARICA ZA FRITIZE FE <i>BASKETS FOR FRYERS</i>	K FE K	Košarica/ <i>basket</i> 1/1 za fritezu 17 litara dim. 280 x 300 x 120 mm, težina/ <i>weight</i> : 1 kg
---	---	--------	---



Art.	Model	Opis / Description
	BR50-78ETF/I	kapacitet / <i>volume</i> : 50 litara, ručno naganjanje / <i>manual tilt</i> , inox dno/ <i>stainless steel bottom</i> , sa slavinom za vodu / <i>water tap</i> , temperatura/ <i>temperature</i> : +50°C/ +300°C, 10,5 kW / 400V/3N/50Hz, neto težina/ <i>net weight</i> : 133 kg, dim. 800 x 705 x 900 mm
	BRM50-78ETF/I	kapacitet / <i>volume</i> : 50 litara, motorno naganjanje / <i>motorized tilt</i> , inox dno/ <i>stainless steel bottom</i> , sa slavinom za vodu / <i>water tap</i> , temperatura/ <i>temperature</i> : +50°C/ +300°C, 10,6kW / 400V/3N/50Hz, neto težina/ <i>net weight</i> : 135 kg, dim. 800 x 705 x 900 mm
	BR50-78GF/I	kapacitet / <i>volume</i> : 50 litara, ručno naganjanje/ <i>manual tilt</i> , inox dno/ <i>stainless steel bottom</i> , sa slavinom za vodu / <i>water tap</i> , temperatura/ <i>temperature</i> : +50°C/ +300°C, 14 kW, s piezzo upaljačem/ <i>piezzo ignition</i> , neto težina/ <i>net weight</i> : 135 kg, dim. 800 x 705 x 900 mm
	BRM50-78GF/I	kapacitet / <i>volume</i> : 50 litara, motorno naganjanje/<i>motorized tilt</i> , inox dno/ <i>stainless steel bottom</i> , sa slavinom za vodu / <i>water tap</i> , temperatura/ <i>temperature</i> : +50°C/ +300°C, 14 kW, s piezzo upaljačem/ <i>piezzo ignition</i> , neto težina/ <i>net weight</i> : 139 kg, dim. 800 x 705 x 900 mm

Art.	Model	Opis / Description
  KOTAO ELEKTRIČNI, indirektno grijanje, inox <i>ELECTRIC INDIRECT BOILING KETTLE</i>	BPFC.IE 50	kapacitet/ <i>volume</i> : 50 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju / <i>tank/bottom made of AISI 304 stainless steel,</i> <i>with bottom in AISI 316 suitable for acidic</i> <i>products;</i> sa slavinom za ispust / <i>with drain tap</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stjenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> 6kW/400V/3N/50Hz dim. 700 x 700 x 850 mm
  KOTAO ELEKTRIČNI, indirektno grijanje, inox <i>ELECTRIC INDIRECT BOILING KETTLE</i>	PI50-78ET	kapacitet/ <i>volume</i> : 50 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju / <i>tank/bottom made of AISI 304 stainless steel,</i> <i>with bottom in AISI 316 suitable for acidic</i> <i>products;</i> sa slavinom za ispust / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stjenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> 9kW/400V/3N/50Hz neto težina/ <i>net weight</i> : 120 kg, dim. 800 x 705 x 900 mm
  KOTAO ELEKTRIČNI, indirektno grijanje, inox <i>ELECTRIC INDIRECT BOILING KETTLE</i>	PI50A-78ET	kapacitet/ <i>volume</i> : 50 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju / <i>tank/bottom made of AISI 304 stainless steel,</i> <i>with bottom in AISI 316 suitable for acidic</i> <i>products;</i> sa slavinom za ispust / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stjenke kotla / <i>double-skin tank,</i> automatsko punjenje duplih stijeniki kotla / <i>automatic water-charge of double jacket;</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> 9kW/400V/3N/50Hz neto težina/ <i>net weight</i> : 120 kg, dim. 800 x 705 x 900 mm

Art.	Model	Opis / Description
  KOTAO PLINSKI, indirektno grijanje, inox <i>GAS INDIRECT BOILING KETTLE</i>	BPFC.IG 50	kapacitet/ <i>volume</i> : 50 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju / <i>tank/bottom made of AISI 304 stainless steel,</i> <i>with bottom in AISI 316 suitable for acidic</i> <i>products;</i> sa slavinom za ispust / <i>with drain tap</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stjenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> 10kW; dim. 700 x 700 x 850 mm
  KOTAO PLINSKI, indirektno grijanje, inox <i>GAS INDIRECT BOILING KETTLE</i>	PI50-78G	kapacitet/ <i>volume</i> : 50 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju / <i>tank/bottom made of AISI 304 stainless steel,</i> <i>with bottom in AISI 316 suitable for acidic</i> <i>products;</i> sa slavinom za ispust / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stjenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> s piezzo upaljačem / <i>with piezzo electric ignition;</i> 15,5 kW neto težina/ <i>net weight</i> : 120 kg, dim. 800 x 705 x 900 mm
  KOTAO PLINSKI, indirektno grijanje, inox <i>GAS INDIRECT BOILING KETTLE</i>	PI50A-78G	kapacitet/ <i>volume</i> : 50 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju / <i>tank/bottom made of AISI 304 stainless steel,</i> <i>with bottom in AISI 316 suitable for acidic</i> <i>products;</i> sa slavinom za ispust / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stjenke kotla / <i>double-skin tank,</i> automatsko punjenje duplih stijenki kotla / <i>automatic water-charge of double jacket;</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> s piezzo upaljačem / <i>with piezzo electric ignition;</i> 15,5 kW neto težina/ <i>net weight</i> : 120 kg, dim. 800 x 705 x 900 mm



	Art.	Model	Opis / Description
	POSTOLJE OTVORENO <i>NEUTRAL OPEN CABINETS</i>	P - 740	dim. 400 x 730 x 600 mm težina/weight: 11,2 kg
	POSTOLJE OTVORENO <i>NEUTRAL OPEN CABINETS</i>	P - 780	dim. 800 x 730 x 600 mm težina/weight: 16,3 kg
	POSTOLJE S VRATIMA <i>NEUTRAL CABINETS WITH DOORS</i>	P - 740 D	dim. 400 x 730 x 600 mm težina/weight: 15,2 kg
	POSTOLJE S VRATIMA <i>NEUTRAL CABINETS WITH DOORS</i>	P - 780 D	dim. 800 x 730 x 600 mm težina/weight: 24,2 kg



LINIJA 900


LARGE KITCHEN SERIES 900

Kuhala električna
Štednjaci električni i plinski
Roštilji
Friteza električna
Kuhalo za tjesteninu električno
Nagibna pečenjara električna
Nagibna pečenjara plinska
Kotao električni / plinski
Kotao plinski Turbomikser

*Electric Boiling Units
Electric & Gas Ranges with Oven
Griddle Plates
Electric Fryer
Electric Pasta Cooker
Electric & Gas Tilting Brat Pan
Electric & Gas Boiling Kettle
Gas Boiling Kettle
Turbo-mixer*

Oprema iz linije 900 namijenjena je vrlo zahtjevnim profesionalnim kuhinjama s naglaskom na jaku izlaznu snagu uređaja. Osim visoke učinkovitosti, svi uređaji napravljeni su sa zaobljenim unutarnjim bridovima i ergonomskom prednjom upravljačkom pločom. Noge na svim uređajima su također napravljene od nehrđajućeg čelika te su podesive po visini.



900 series devices are intended for highly demanding professional kitchens with a strong emphasis on the output power of devices. In addition to high performance, all devices are designed with rounded inner edges and ergonomic front panel control. Legs on all devices are made of stainless steel and are adjustable in height.

Art.	Model	Opis / Description
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i> SP 90 / 40 E	7kW/400V/3N/50Hz, 2 el. ploče/2 <i>el. plates</i> x 3,5 kW, el. ploče/ <i>el. plates</i> dim. Ø 300 mm; neto težina/ <i>net weight</i> : 45,8 kg, dim. 40 x 90 x 90 cm 
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i> SP 90 / 80 E	14kW/400V/3N/50Hz, 4 el. ploče/4 <i>el. plates</i> x 3,5 kW, el. ploče/ <i>el. plates</i> dim. Ø 300 mm; neto težina/ <i>net weight</i> : 77,4 kg, dim. 80 x 90 x 90 cm 
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i> SPQT 90/40 E	7kW/400V/3N/50Hz, 2 kvadratne el. ploče/2 <i>square plates</i> x 3,5 kW, el. ploče/ <i>el. plates</i> dim. 300 x 300 mm, neto težina/ <i>net weight</i> : 45 kg, dim. 40 x 90 x 90 cm 
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i> SPQT 90/80 E	14kW/400V/3N/50Hz, 4 kvadratne el. ploče/4 <i>square plates</i> x 3,5 kW, el. ploče/ <i>el. plates</i> dim. 300 x 300 mm, neto težina/ <i>net weight</i> : 76,6 kg, dim. 80 x 90 x 90 cm 



Art.	Model	Opis / Description
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i>	SPLT 90/40 E 6kW/400V/3N/50Hz 2 čvrste el. ploče/2 <i>solid-top plates</i> x 3 kW, el. ploče/<i>el. plates</i> dim. 300 x 300 mm, neto težina/<i>net weight</i>: 61 kg, dim. 40 x 90 x 90 cm 
	KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i>	SPLT 90/80 E 12kW/400V/3N/50Hz, 4 čvrste el. ploče/4 <i>solid-top plates</i> x 3 kW, el. ploče/<i>el. plates</i> dim. 300 x 300 mm, neto težina/<i>net weight</i>: 105,3 kg, dim. 80 x 90 x 90 cm 
	ŠTEDNJACI ELEKTRIČNI S PEČNICOM ELEKTRIČNOM <i>ELECTRIC COOKING RANGES WITH ELECTRIC OVEN</i>	SPT 90/80 11 E 17,13kW/400V/3N/50Hz 4 el. ploče/4 <i>plates</i> x 3,5 kW, el. ploče/<i>el. plates</i> dim. Ø 310 mm; konvekcijska pećnica za GN1/1;3, 13kW/230V/50Hz <i>convection oven for GN1/1;3, 13kW/230V/50Hz</i> 50°C /+ 300°C temperatura pećnice / <i>oven</i> neto težina/<i>net weight</i>: 100,9 kg dim. 80 x 90 x 90 cm 
	ŠTEDNJACI ELEKTRIČNI S PEČNICOM ELEKTRIČNOM <i>ELECTRIC COOKING RANGES WITH ELECTRIC OVEN</i>	SPT 90/80 21 E 20 kW/ 400V/3N/50Hz 4 el. ploče/4 <i>plates</i> x 3,5 kW, el. ploče/<i>el. plates</i> dim. Ø 310 mm pećnica el. tradicionalna za GN2/1;6,3 kW/400V/50Hz <i>el. oven with static heat for GN2/1;6,3 kW/400V/50Hz</i> 50°C /+ 300°C temperatura pećnice / <i>oven</i> neto težina/<i>net weight</i>: 107,4 kg dim. 80 x 90 x 90 cm 



Art.	Model	Opis / Description
 KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i>	SPQT 90/80 11E	17,13kW/400V/3N/50Hz 4 kvadratne el. ploče/4 <i>square plates</i> x 3,5 kW, el. ploče/<i>plates</i> dim. 300 x 300 mm konvekcijnska pećnica za GN1/1;3,13kW/230V/50Hz <i>convection oven for GN1/1;3,13kW/230V/50Hz</i> 50°C /+ 300°C temperatura pećnice / <i>oven</i> neto težina/<i>net weight</i>: 100,1 kg dim. 80 x 90 x 90 cm 
 KUHALA ELEKTRIČNA <i>ELECTRIC COOKING RANGES</i>	SPQT 90/80 21E	20,3 kW/ 400V/3N/50Hz 4 kvadratne el. ploče/4 <i>square plates</i> x 3,5 kW, el. ploče/<i>plates</i> dim. 300 x 300 mm pećnica el. tradicionalna za GN2/1;6,3 kW/400V/50Hz <i>el. oven with static heat for GN2/1;6,3 kW/400V/50Hz</i> 50°C /+ 300°C temperatura pećnice / <i>oven</i> neto težina/<i>net weight</i>: 106,6 kg dim. 80 x 90 x 90 cm 
 ŠTEDNJACI ELEKTRIČNI S PEĆNICOM <i>ELEKTRIČNOM ELECTRIC COOKING RANGES WITH OVEN</i>	SPLT 90/80 11 E	15,13kW/400V/3N/50Hz 4 čvrste el. ploče/4 <i>solid-top plates</i> x 3 kW, el. ploče/<i>plates</i> dim. 300 x 300 mm konvekcijnska pećnica za GN1/1; 3,13kW/230V/50Hz <i>convection oven for GN1/1; 3,13kW/230V/50Hz</i> temperatura/<i>temperature</i> pećnice 50 – 300°C neto težina/<i>net weight</i>: 128,8 kg dim. 80 x 90 x 90 cm 
 ŠTEDNJACI ELEKTRIČNI S PEĆNICOM <i>ELEKTRIČNOM ELECTRIC COOKING RANGES WITH OVEN</i>	SPLT 90/80 21 E	18,3 kW/ 400V/3N/50Hz 4 kvadratne el. ploče/4 <i>square plates</i> x 3 kW, el. ploče/<i>plates</i> dim. 300 x 300 mm pećnica el. tradicionalna za GN2/1;6,3 kW/400V/50Hz <i>el. oven with static heat for GN2/1;6,3 kW/400V/50Hz</i> 50°C /+ 300°C temperatura pećnice / <i>oven</i> neto težina/<i>net weight</i>: 135,3 kg dim. 80 x 90 x 90 cm 



Art.	Model	Opis / Description
	KUHALA PLINSKA <i>GAS COOKING RANGES</i> 	SP 90/40 G 2 plamenika/2 burners 5 kW + 8 kW, neto težina/<i>net weight</i>: 43 kg, dim. 40 x 90 x 90 cm
	KUHALA PLINSKA <i>GAS COOKING RANGES</i> 	SP 90/80 G 24,5kW, 1 x 3,5 kW + 1 x 5 kW + 2 x 8 Kw, neto težina/<i>net weight</i>: 72,9 kg, dim. 80 x 90 x 90 cm
	ŠTEDNJACI PLINSKI S PEČNICOM ELEKTRIČNOM <i>GAS COOKING RANGES WITH OVEN</i> 	SPT 90/80 11 GE 24,5kW 1 x 3,5 kW + 1 x 5 kW + 2 x 8 kW konveksijska pećnica za GN1/1; 3,13kW/230V/50Hz <i>convection oven for GN1/1; 3,13kW/230V/50Hz</i> 50°C /+ 300°C temperatura pećnice / <i>oven</i> neto težina/<i>net weight</i>: 97 kg, dim. 80 x 90 x 90 cm 
	ŠTEDNJACI PLINSKI S PEČNICOM ELEKTRIČNOM <i>GAS COOKING RANGES WITH OVEN</i> 	SPT 90/80 21 GE 24,5kW 1 x 3,5 kW + 1 x 5 kW + 2 x 8 kW tradicionalna pećnica za GN2/1; 6,3kW/400V/50Hz <i>el. oven with static heat for GN2/1; 6,3 kW/400V;</i> temperatura/<i>temperature</i> pećnice 50 - 300°C, neto težina/<i>net weight</i>: 100,5 kg, dim. 80 x 90 x 90 cm 

ploča debljine 12 mm, s ocjednom posudom od 2,5 litre
 12 mm top plate, with large fat drawer capacity of 2,5 litres

Art.	Model	Opis / Description
 ROŠTILJI ELEKTRIČNI GRIDDLE PLATES °C 50-300 ⚡ 400V	FTH 90/40 ET	glatka ploča/smooth plate, 6kW/400V/3N/50Hz, dim. ploče/plate: 310 x 650 mm, neto težina/net weight: 71 kg, dim. 400 x 900 x 900 mm
 ROŠTILJI ELEKTRIČNI GRIDDLE PLATES °C 50-300 ⚡ 400V	FTHC 90/40 ET Cr 0,03mm	glatka kromirana ploča, smooth chromed plate, 6kW/400V/3N/50Hz, dim. ploče/plate: 310 x 650 mm, neto težina/net weight: 71 kg, dim. 400 x 900 x 900 mm
 ROŠTILJI ELEKTRIČNI GRIDDLE PLATES °C 50-300 ⚡ 400V	FTR 90/40 ET	rebrasta ploča/ribbed plate, 6kW/400V/3N/50Hz, dim. ploče/plate: 310 x 650 mm, neto težina/net weight: 71 kg, dim. 400 x 900 x 900 mm
 ROŠTILJI ELEKTRIČNI GRIDDLE PLATES °C 50-300 ⚡ 400V	FTRC 90/40 ET Cr 0,03mm	rebrasta kromirana ploča, ribbed chromed plate, 6kW/400V/3N/50Hz, dim. ploče/plate: 310 x 650 mm, neto težina/net weight: 71 kg, dim. 400 x 900 x 900 mm

ploča debljine 12 mm, s ocjednom posudom od 2,5 litre
 12 mm top plate, with large fat drawer capacity of 2,5 litres

Art.	Model	Opis / Description
 ROŠTILJI ELEKTRIČNI <i>GRIDDLE PLATES</i> °C 50-300 ⚡ 400V	FTH 90/80 ET	glatka ploča/ <i>smooth plate</i> , 12kW (2x6kW)/400V/3N/50Hz, dim. ploče/ <i>plate</i> : 710 x 650 mm, neto težina/ <i>net weight</i> : 126,3 kg, dim. 800 x 900 x 900 mm

 ROŠTILJI ELEKTRIČNI <i>GRIDDLE PLATES</i> °C 50-300 ⚡ 400V	FTHC 90/80 ET 	glatka kromirana ploča, <i>smooth chromed plate</i> , 12kW (2x6kW)/400V/3N/50Hz, dim. ploče/ <i>plate</i> : 710 x 650 mm, neto težina/ <i>net weight</i> : 126,3 kg, dim. 800 x 900 x 900 mm
---	---	---

 ROŠTILJI ELEKTRIČNI <i>GRIDDLE PLATES</i> °C 50-300 ⚡ 400V	FTR 90 / 80 ET	rebrasta ploča/ <i>ribbed plate</i> , 12kW (2x6kW)/400V/3N/50Hz, dim. ploče/ <i>plate</i> : 710 x 650 mm, neto težina/ <i>net weight</i> : 126,3 kg, dim. 800 x 900 x 900 mm
--	----------------	--

 ROŠTILJI ELEKTRIČNI <i>GRIDDLE PLATES</i> °C 50-300 ⚡ 400V	FTRC 90/80 ET 	rebrasta kromirana ploča, <i>ribbed chromed plate</i> , 12kW (2x6kW)/400V/3N/50Hz, dim. ploče/ <i>plate</i> : 710 x 650 mm, neto težina/ <i>net weight</i> : 126,3 kg, dim. 800 x 900 x 900 mm
--	--	---


ploča debljine 12 mm, s ocjednom posudom od 2,5 litre
 12 mm top plate, with large fat drawer capacity of 2,5 litres

	Art.	Model	Opis / Description
	ROŠTILJI ELEKTRIČNI GRIDDLE PLATES	FTHR 90/80 ET	1/2 glatka ploča + 1/2 rebrasta ploča, 1/2 smooth plate + 1/2 ribbed plate, 12kW (2x6kW)/400V/3N/50Hz, dim. ploče/plate: 710 x 650 mm, neto težina/net weight: 126,3 kg, dim. 800 x 900 x 900 mm
	 		

	ROŠTILJI ELEKTRIČNI GRIDDLE PLATES	FTHRC 90/80 ET	1/2 gl. krom. ploča + 1/2 reb. krom. ploča, 1/2 chromed smooth + 1/2 ribbed chromed plate, 12kW (2x6kW)/400V/3N/50Hz, dim. ploče/plate: 710 x 650 mm, neto težina/net weight: 126,3 kg, dim. 800 x 900 x 900 mm
	 		

	FRITEZE ELEKTRIČNE ELECTRIC FRYERS	FE 90/40 17 ET	17 litara, sa ispustom/oil drainage, 13,5kW/400V/50Hz neto težina/net weight: 52,4 kg, dim. 400 x 900 x 900 mm
			  

	FRITEZE ELEKTRIČNE ELECTRIC FRYERS	FE 90/80 17 ET	2x17 litara, sa ispustom/oil drainage, 27kW/400V/50Hz neto težina/net weight: 89,7 kg, dim. 800 x 900 x 900 mm
			  

Art.	Model	Opis / Description
	K FE L 00009078	Košarica/ <i>basket</i> 1/2 – dim. 135 x 300 x 120 mm Košarica/ <i>basket</i> 1/1 – dim. 280 x 300 x 120 mm
	K FE K 00010434	

KOŠARICE ZA ELEKTRIČNE FRITIZE od 17 litara
BASKETS FOR ELECTRIC FRYERS 17 LITERS



KUHALO ZA TJESTENINU, električno
ELECTRIC PASTA COOKERS

VT 90/40 ET

Volumen/volume: 33 litre,
12kW/400V/3/50Hz
neto težina/net weight: 52,1 kg,
dim. 400 x 900 x 900 mm
CIJENA KUHALA JE BEZ KOŠARICA.
BASKETS ARE NOT INCLUDED



ELEKTRIČNA NAGIBNA PEČENJARA, ručna
izvedba, termoregulacija +50°C/+300°C
*ELECTRIC BRATT PANS, MANUAL TILT,
THERMOSTAT +50°C/+300°C*

VT 90/80 ET

Volumen/volume: 2 x 33 litre,
24kW/400V/3/50Hz
neto težina/net weight: 89,8 kg,
dim. 800 x 900 x 900 mm,
CIJENA KUHALA JE BEZ KOŠARICA.
BASKETS ARE NOT INCLUDED



KOŠARICE ZA KUHALA ZA TJESTNINU VT
BASKETS FOR ELECTRIC PASTA COOKERS VT

K VT D
00008710

Košarica/*basket* 1/3
dim. 145 x 290 x 215 mm



KOŠARICE ZA KUHALA ZA TJESTNINU VT
BASKETS FOR ELECTRIC PASTA COOKERS VT

K VT E
00008711

Košarica/*basket* 1/3, 2 x ručke
dim. 290 x 160 x 215 mm



	Art.	Model	Opis / Description
	KOŠARICE ZA KUHALA ZA TJESTNINU VT <i>BASKETS FOR ELECTRIC PASTA COOKERS VT</i>	K VT F 00012987	Košarica/ <i>basket</i> , ručka lijevo dim. 145x160x215 mm
	KOŠARICE ZA KUHALA ZA TJESTNINU VT <i>BASKETS FOR ELECTRIC PASTA COOKERS VT</i>	K VT G 00008999	Košarica/ <i>basket</i> 1/6, ručka desno dim. 145 x 160 x 215 mm
	KOŠARICE ZA KUHALA ZA TJESTNINU VT <i>BASKETS FOR ELECTRIC PASTA COOKERS VT</i>	K VT H 00008706	Košarica/ <i>basket</i> 1/9, ručka lijevo dim. 145 x 105 x 215 mm
	KOŠARICE ZA KUHALA ZA TJESTNINU VT <i>BASKETS FOR ELECTRIC PASTA COOKERS VT</i>	K VT I 00008707	Košarica/ <i>basket</i> 1/9, ručka desno dim. 145 x 105 x 215 mm

Art.	Model	Opis / Description
	BR80-98ETF/I	kapacitet / <i>volume</i> 80 litara, ručno naginjanje/<i>manual tilt</i>, inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i>, temperatura / <i>temperature</i> + 50°C/+300°C, 12kW / 400V/3N/50Hz, neto težina/ <i>net weight</i>: 156 kg, dim. 800 x 900 x 900 mm
	BRM80-98ETF/I	kapacitet / <i>volume</i> 80 litara, motorno naginjanje / <i>motorized tilt</i>, inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i>, temperatura / <i>temperature</i> + 50°C/+300°C, 12kW / 400V/3N/50Hz, neto težina/ <i>net weight</i>: 162 kg, dim. 800 x 900 x 900 mm
	BR120-912ETF/I	kapacitet / <i>volume</i> 120 litara, ručno naginjanje/<i>manual tilt</i>, inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i>, temperatura / <i>temperature</i> + 50°C/+300°C, 18kW / 400V/3N/50Hz, neto težina/ <i>net weight</i>: 205 kg, dim. 1200 x 900 x 900 mm
	BRM120-912ETF/I	kapacitet / <i>volume</i> 120 litara, motorno naginjanje / <i>motorized tilt</i>, inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i>, temperatura / <i>temperature</i> + 50°C/+300°C, 18,1kW / 400V/3N/50Hz, neto težina/ <i>net weight</i>: 205 kg, dim. 1200 x 900 x 900 mm




Art.	Model	Opis / Description
	BR80-98GF/I	kapacitet / <i>volume</i> 80 litara, ručno nagnjanje/ <i>manual tilt</i> , inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i> , temperatura / <i>temperature</i> + 50°C/+300°C, 22 kW, s piezzo upaljačem / <i>piezzo ignition</i> , neto težina/ <i>net weight</i> : 159 kg, dim. 800 x 900 x 900 mm
	BRM80-98GF/I	kapacitet / <i>volume</i> 80 litara, motorno nagnjanje / <i>motorized tilt</i> inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i> , temperatura / <i>temperature</i> + 50°C/+300°C, 22 kW, s piezzo upaljačem / <i>piezzo ignition</i> , neto težina/ <i>net weight</i> : 159 kg, dim. 800 x 900 x 900 mm
	BR120-912GF/I	kapacitet / <i>volume</i> 120 litara, ručno nagnjanje/ <i>manual tilt</i> , inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i> , temperatura / <i>temperature</i> + 50°C/+300°C, 30 kW, s piezzo upaljačem / <i>piezzo ignition</i> , neto težina/ <i>net weight</i> : 208 kg, dim. 1200 x 900 x 900 mm
	BRM120-912GF/I	kapacitet / <i>volume</i> 120 litara, motorno nagnjanje / <i>motorized tilt</i> inox dno / <i>stainless steel bottom</i> sa slavinom za vodu / <i>water tap</i> , temperatura / <i>temperature</i> + 50°C/+300°C, 30 kW, s piezzo upaljačem / <i>piezzo ignition</i> , neto težina/ <i>net weight</i> : 208 kg, dim. 1200 x 900 x 900 mm

Art.	Model	Opis / Description
 KOTAO ELEKTRIČNI, indirektno grijanje <i>ELECTRIC BOILING KETTLES, indirect heat</i>	PQF.IE-100/N	kapacitet / <i>volume</i> 100 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju temperaturni raspon / <i>temperature range</i> 0°C/+100°C <i>tank/bottom made of AISI 304 stainless steel, with bottom in AISI 316 suitable for acidic products;</i> sa slavinom za ispust / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stijenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> 12kW/400V/3N/50Hz dim. 800 x 900 x 850 mm
 KOTAO ELEKTRIČNI, indirektno grijanje <i>ELECTRIC BOILING KETTLES, indirect heat</i>	PQF.IE-150/N	kapacitet / <i>volume</i> 150 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju temperaturni raspon / <i>temperature range</i> 0°C/+100°C <i>tank/bottom made of AISI 304 stainless steel, with bottom in AISI 316 suitable for acidic products;</i> sa slavinom za ispust / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stijenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> 16kW/400V/3N/50Hz dim. 800 x 900 x 850 mm
 KOTAO PLINSKI, indirektno grijanje <i>GAS BOILING KETTLES, indirect heat</i>	PQF.IG-100/N	kapacitet / <i>volume</i> 100 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju temperaturni raspon / <i>temperature range</i> 0°C/+100°C <i>tank/bottom made of AISI 304 stainless steel, with bottom in AISI 316 suitable for acidic products;</i> sa slavinom za ispust / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water filling system with tap,</i> dvostruke stijenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manometer, safety valve 0,5 bars</i> 26 kW dim. 800 x 900 x 850 mm

Art.	Model	Opis / Description
 KOTAO PLINSKI, indirektno grijanje <i>GAS BOILING KETTLES, indirect heat</i>	PQF.IG-150/N 	kapacitet / <i>volume</i> 150 litara, spremnik inox AISI 304, dno inox AISI 316 otporan na slanu koroziju temperaturni raspon / <i>temperature range</i> 0°C/+100°C <i>tank/bottom made of AISI 304 stainless steel,</i> <i>with</i> <i>bottom in AISI 316 suitable for acidic products;</i> sa slavinom za ispus / <i>with drain tap;</i> sa slavinom za punjenje kotla vodom / <i>water</i> <i>filling system with tap,</i> dvostruke stjenke kotla / <i>double-skin tank,</i> manometar, sigurnosni ventil 0,5 bara / <i>manome-</i> <i>ter, safety valve 0,5 bars</i> 26 kW dim. 800 x 900 x 850 mm

	Ispusna slavina 2" za kotao <i>Drainage kettle tap 2"</i>	1372009	zakretna, sa sigurnosnim ventilom. <i>hinged with safety valve</i>
--	--	----------------	---

	Mast za podmazivanje konusne brtve <i>Gasket lubricant</i>	R36206775	100 gr.
---	---	------------------	----------------

	BLOK STOL <i>NEUTRAL WORK TOP</i>	PP 90/40D 	dim. 400 x 900 x 900 mm neto težina/<i>net weight</i>: 44,7 kg
---	--	---	---

Art.	Model	Opis / Description
	PP 90/80D	dim. 800 x 900 x 900 mm neto težina/ <i>net weight</i> : 68,3 mm
	BLOK STOL <i>NEUTRAL WORK TOP</i>	

	SPOJNA LAJSNA <i>CONNECTING LEDGE</i>	CG 90
---	--	-------

	PLINSKO NISKO KUHALO <i>GAS STOCK POT RANGE</i>	 STP-10 GASTRO-HAAL
		1 plamenik; 10 kW piezo upaljač <i>1 burner; 10 kW piezo ignition</i> težina/ <i>weight</i> : 28 kg dim 520 x 540 x 490 mm

	ELEKTRIČNO NISKO KUHALO <i>ELECTRIC STOCK POT RANGE</i>	 STE-6 GASTRO-HAAL
		1 električna ploča Ø 440 mm podesive nogice 1 electric heating plate Ø 440 mm adjustable legs 6kW/400V/50Hz težina/ <i>weight</i> : 40 kg dim 520 x 540 x 470 mm



RADNI STOLOVI, VISEĆI ORMARIĆI, POLICE, ORMARI *WORK TABLES, CUPBOARDS, SHELVES,* *STORAGE CUPBOARDS*

Radni stolovi
Ormarići viseći
Zidne police
Visoki ormari

Work Tables
Cupboards
Wall-mounted Shelves
Storage Cupboards

Kao rezultat višegodišnjeg iskustva u radu s ugostiteljskom opremom, pokrenuli smo vlastitu proizvodnju ugostiteljske opreme pod trgovačkim imenom NIKO. Tako je nastao posve nov koncept kreiranja proizvoda po želji i potrebi kupca. NIKO radni stolovi, police, ormari u cijelosti su hrvatski proizvod, što s ponosom ističemo, a svoju primjenu nalaze u kuhinjama, školama, dječjim vrtićima, restoranima, bolnicama, domovima za stare i nemoćne itd.

As a result of long-time experience in the supply of catering equipment, we have launched our own manufacturing facility for the production of catering equipment under the brand name NIKO. In this way a completely new concept of creating a new product exclusively in line with the customers' wishes and needs has been developed. We are proud to present NIKO work tables, shelves and cupboards, as completely Croatian products, to be used in kitchens, schools and kindergartens, restaurants, hospitals, homes for the elderly and disabled, and similar.

Izvedba:

konstrukcija i radna ploha inox lim AISI304SB, debljina radne plohe d = 40 mm, ukrućena profilima iz aluminiziranog čeličnog lima ili s drvenom podlogom, sve ljepljeno ispod preše, ledni podignuti rub h=50 mm, polica stola ukrućena profilom, nogice stola podesive za regulaciju visine.

Performance:

frame and worktop made in stainless steel AISI304SB, thickness of worktop is 40 mm, worktop is strengthened by aluminized stainless steel or by wooden pad, all components are glued under presses, height of rear splashback is 50 mm, shelf is strengthened by profile table legs with adjustable height regulation.




RADNI STOL OTVORENI S POLICOM
Work table with shelf

Art.	Model	d / l	š / d	v / h	Netto kg
	RSOP-606	60	60	85	22
	RSOP-608	80	60	85	26
	RSOP-610	100	60	85	31
	RSOP-612	120	60	85	36
	RSOP-614	140	60	85	41
	RSOP-616	160	60	85	46
	RSOP-618	180	60	85	51
	RSOP-620	200	60	85	55
	RSOP-706	60	70	85	24
	RSOP-708	80	70	85	28
	RSOP-710	100	70	85	33
	RSOP-712	120	70	85	38
	RSOP-714	140	70	85	44
	RSOP-716	160	70	85	50
	RSOP-718	180	70	85	55
	RSOP-720	200	70	85	60
	RSOP-806	60	80	85	27
	RSOP-808	80	80	85	31
	RSOP-810	100	80	85	37
	RSOP-812	120	80	85	42
	RSOP-814	140	80	85	48
	RSOP-816	160	80	85	54
	RSOP-818	180	80	85	59
	RSOP-820	200	80	85	65





RADNI STOL OTVORENI
Work table


RSO-606	60	60	85	18
RSO-608	80	60	85	21
RSO-610	100	60	85	25
RSO-612	120	60	85	29
RSO-614	140	60	85	32
RSO-616	160	60	85	36
RSO-618	180	60	85	39
RSO-620	200	60	85	43
RSO-706	60	70	85	19
RSO-708	80	70	85	22
RSO-710	100	70	85	27
RSO-712	120	70	85	31
RSO-714	140	70	85	34
RSO-716	160	70	85	38
RSO-718	180	70	85	42
RSO-720	200	70	85	45
RSO-806	60	80	85	22
RSO-808	80	80	85	26
RSO-810	100	80	85	30
RSO-812	120	80	85	34
RSO-814	140	80	85	38
RSO-816	160	80	85	42
RSO-818	180	80	85	46
RSO-820	200	80	85	50


Art.	Model	d / l	š / d	v / h	Netto kg
 RADNI STOL OTVORENI S POLICOM I PODIGNUTIM ZADNJIM RUBOM <i>Work top with shelf and with rear splashback</i>	RSOZP-606A	60	60	85/90	22
	RSOZP-608A	80	60	85/90	26
	RSOZP-610A	100	60	85/90	31
	RSOZP-612A	120	60	85/90	36
	RSOZP-614A	140	60	85/90	41
	RSOZP-616A	160	60	85/90	46
	RSOZP-618A	180	60	85/90	51
	RSOZP-620A	200	60	85/90	55
	RSOZP-706A	60	70	85/90	24
	RSOZP-708A	80	70	85/90	28
	RSOZP-710A	100	70	85/90	33
	RSOZP-712A	120	70	85/90	38
	RSOZP-714A	140	70	85/90	44
	RSOZP-716A	160	70	85/90	50
	RSOZP-718A	180	70	85/90	55
	RSOZP-720A	200	70	85/90	60
	RSOZP-806A	60	80	85/90	27
	RSOZP-808A	80	80	85/90	31
	RSOZP-810A	100	80	85/90	37
	RSOZP-812A	120	80	85/90	42
	RSOZP-814A	140	80	85/90	48
	RSOZP-816A	160	80	85/90	54
	RSOZP-818A	180	80	85/90	59
	RSOZP-820A	200	80	85/90	65


 RADNI STOL OTVORENI S PODIGNUTIM ZADNJIM RUBOM <i>Work top table with rear splashback</i>	RSOZ-606A	60	60	85/90	18
	RSOZ-608A	80	60	85/90	21
	RSOZ-610A	100	60	85/90	25
	RSOZ-612A	120	60	85/90	29
	RSOZ-614A	140	60	85/90	32
	RSOZ-616A	160	60	85/90	36
	RSOZ-618A	180	60	85/90	39
	RSOZ-620A	200	60	85/90	43
	RSOZ-706A	60	70	85/90	19
	RSOZ-708A	80	70	85/90	22
	RSOZ-710A	100	70	85/90	27
	RSOZ-712A	120	70	85/90	31
	RSOZ-714A	140	70	85/90	34
	RSOZ-716A	160	70	85/90	38
	RSOZ-718A	180	70	85/90	42
	RSOZ-720A	200	70	85/90	45
	RSOZ-806A	60	80	85/90	22
	RSOZ-808A	80	80	85/90	26
	RSOZ-810A	100	80	85/90	30
	RSOZ-812A	120	80	85/90	34
	RSOZ-814A	140	80	85/90	37
	RSOZ-816A	160	80	85/90	42
	RSOZ-818A	180	80	85/90	46
	RSOZ-820A	200	80	85/90	50


Art.	Model	d / l	š / d	v / h	Netto kg
 RADNI STOL OTVORENI S POLICOM I VODILICAMA ZA GN 1/1 <i>Work table with guideliness for GN1/1</i> <i>Niko</i>	RSOPGN-612	120	60	85	38
	RSOPGN-614	140	60	85	43
	RSOPGN-616	160	60	85	48
	RSOPGN-618	180	60	85	53
	RSOPGN-620	200	60	85	57
	RSOPGN-712	120	70	46	54
	RSOPGN-714	140	70	54	62
	RSOPGN-716	160	70	62	70
	RSOPGN-718	180	70	70	78
	RSOPGN-720	200	70	78	82
	RSOPGN-812	120	80	85	54
	RSOPGN-814	140	80	85	62
	RSOPGN-816	160	80	85	70
	RSOPGN-818	180	80	85	78
	RSOPGN-820	200	80	85	86

 RADNI STOL OTVORENI S POLICOM, PODIGNUTIM ZADNJIM RUBOM I VODILICAMA ZA GN 1/1 <i>Work table with guideliness for GN1/1 and rear splashback</i> <i>Niko</i>	RSOZPGN-612A	120	60	85/90	38
	RSOZPGN-614A	140	60	85/90	43
	RSOZPGN-616A	160	60	85/90	48
	RSOZPGN-618A	180	60	85/90	53
	RSOZPGN-620A	200	60	85/90	57
	RSOZPGN-712A	120	70	85/90	46
	RSOZPGN-714A	140	70	85/90	54
	RSOZPGN-716A	160	70	85/90	62
	RSOZPGN-718A	180	70	85/90	70
	RSOZPGN-720A	200	70	85/90	78
	RSOZPGN-812A	120	80	85/90	54
	RSOZPGN-814A	140	80	85/90	62
	RSOZPGN-816A	160	80	85/90	70
	RSOZPGN-818A	180	80	85/90	78
	RSOZPGN-820A	200	80	85/90	86

 RADNI STOL OTVORENI S POLICOM I 3 LADICE GN1/1 h=150 mm <i>Work table with 3 drawer units GN1/1 h=150 mm</i> <i>Niko</i>	RSOLGN-612	120	60	85	66
	RSOLGN-614	140	60	85	72
	RSOLGN-616	160	60	85	76
	RSOLGN-618	180	60	85	80
	RSOLGN-620	200	60	85	85
	RSOLGN-712	120	70	85	74
	RSOLGN-714	140	70	85	82
	RSOLGN-716	160	70	85	90
	RSOLGN-718	180	70	85	98
	RSOLGN-720	200	70	85	106
	RSOLGN-812	120	80	85	80
	RSOLGN-814	140	80	85	88
	RSOLGN-816	160	80	85	96
	RSOLGN-818	180	80	85	104
	RSOLGN-820	200	80	85	110

Art.	Model	d / l	š / d	v / h	Netto kg
	RSOLGNZP-612A	120	60	85/90	66
	RSOLGNZP-614A	140	60	85/90	72
	RSOLGNZP-616A	160	60	85/90	76
	RSOLGNZP-618A	180	60	85/90	80
	RSOLGNZP-620A	200	60	85/90	85
	RSOLGNZP-712A	120	70	85/90	74
	RSOLGNZP-714A	140	70	85/90	82
	RSOLGNZP-716A	160	70	85/90	90
	RSOLGNZP-718A	180	70	85/90	98
	RSOLGNZP-720A	200	70	85/90	106
RADNI STOL OTVORENI S POLICOM, PODIGNUTIM ZADNJIM RUBOM I 3 LADICE GN1/1 h=150 mm, <i>Work table with 3 drawer units GN1/1 h=150 mm and rear splashback</i>					
	RSOLGNZP-812A	120	80	85/90	80
	RSOLGNZP-814A	140	80	85/90	88
	RSOLGNZP-816A	160	80	85/90	96
	RSOLGNZP-818A	180	80	85/90	104
	RSOLGNZP-820A	200	80	85/90	110


	RSZ-610	100	60	85	55
	RSZ-612	120	60	85	64
	RSZ-614	140	60	85	73
	RSZ-616	160	60	85	82
	RSZ-618	180	60	85	90
	RSZ-620	200	60	85	98
	RSZ-710	100	70	85	56
	RSZ-712	120	70	85	66
	RSZ-714	140	70	85	73
	RSZ-716	160	70	85	82
RADNI STOL ZATVORENI S KLIZNIM VRATIMA <i>Cupboard table with sliding doors</i>	RSZ-718	180	70	85	90
	RSZ-720	200	70	85	98
	RSZ-810	100	80	85	62
	RSZ-812	120	80	85	72
	RSZ-814	140	80	85	78
	RSZ-816	160	80	85	86
	RSZ-818	180	80	85	94
	RSZ-820	200	80	85	102

	RSZ-610A	100	60	85/90	64
	RSZ-612A	120	60	85/90	73
	RSZ-614A	140	60	85/90	82
	RSZ-616A	160	60	85/90	90
	RSZ-618A	180	60	85/90	98
	RSZ-620A	200	60	85/90	98
	RSZ-710A	100	70	85/90	56
	RSZ-712A	120	70	85/90	66
	RSZ-714A	140	70	85/90	73
	RSZ-716A	160	70	85/90	82
RADNI STOL ZATVORENI S KLIZNIM VRATIMA I PODIGNUTIM ZADNJIM RUBOM <i>Cupboard table with sliding doors, with rear splashback</i>	RSZ-718A	180	70	85/90	90
	RSZ-720A	200	70	85/90	98
	RSZ-810A	100	80	85/90	62
	RSZ-812A	120	80	85/90	72
	RSZ-814A	140	80	85/90	78
	RSZ-816A	160	80	85/90	86
	RSZ-818A	180	80	85/90	94
	RSZ-820A	200	80	85/90	102

Art.	Model	d / l	š / d	v / h	Netto kg
	RSZLGN-616	160	60	85	99
	RSZLGN-618	180	60	85	107
	RSZLGN-620	200	60	85	115
	RSZLGN-716	160	70	85	103
	RSZLGN-718	180	70	85	111
	RSZLGN-720	200	70	85	119
	RSZLGN-816	160	80	85	108
	RSZLGN-818	180	80	85	116
	RSZLGN-820	200	80	85	125



RADNI STOL ZATVORENI S KLIZNIM VRATIMA I SETOM
LADICA 3xGN1/1 h=150 mm
*Cupboard table with sliding doors, with 3 drawer units
GN1/1 h=150 mm*



RADNI STOL ZATVORENI S KLIZNIM VRATIMA,
PODIGNUTIM ZADNJIM RUBOM I SETOM LADICA 3xGN1/1
h=150 mm
*Cupboard table with sliding doors, with rear
splashback, with 3 drawer units GN1/1 h=150 mm*


RSZZLGN-616A	160	60	85/90	99
RSZZLGN-618A	180	60	85/90	107
RSZZLGN-620A	200	60	85/90	115
RSZZLGN-716A	160	70	85/90	103
RSZZLGN-718A	180	70	85/90	111
RSZZLGN-720A	200	70	85/90	119
RSZZLGN-816A	160	80	85/90	108
RSZZLGN-818A	180	80	85/90	116
RSZZLGN-820A	200	80	85/90	125

Art.	Model	d / l	š / d	v / h
	RS6L-8/6	80	60	85
	RS6L-8/7	80	70	85
	RS6L-8/8	80	80	85
RADNI STOL ZATVORENI S 2x3 TELESKOP LADICA, dubina ladice 160 mm <i>Cupboard table with 2x3 drawers, depth of drawer unit 160 mm</i>				
DODATAK / <i>Accessories:</i> Set od 4 kotača Ø 125 mm (2 kotača s kočnicom i 2 kotača bez kočnice) 4 wheels kit Ø 125 mm 				

	RS6L-8/6H	80	60	85/90
	RS6L-8/7H	80	70	85/90
	RS6L-8/8H	80	80	85/90
RADNI STOL ZATVORENI S PODIGNUTIM ZADNJIM RUBOM, S 2x3 TELESKOP LADICA, dubina ladice 160 mm <i>Cupboard table with rear splashback, with 2x3 drawers, depth of drawer unit 160 mm</i>				
DODATAK / <i>Accessories:</i> Set od 4 kotača Ø 125 mm (2 kotača s kočnicom i 2 kotača bez kočnice) 4 wheels kit Ø 125 mm (2 wheels with brakes) 				

	RS8L-8/6	80	60	85
	RS8L-8/7	80	70	85
RADNI STOL ZATVORENI S 2x4 TELESKOP LADICA, dubina ladice 100 mm <i>Cupboard table with 2x4 drawers, depth of drawer unit 100 mm</i>				
DODATAK / <i>Accessories:</i> Set od 4 kotača Ø 125 mm (2 kotača s kočnicom i 2 kotača bez kočnice) 4 wheels kit Ø 125 mm (2 wheels with brakes) 				


	RS8L-8/6H	80	60	85/90
	RS8L-8/7H	80	70	85/90
RADNI STOL ZATVORENI S PODIGNUTIM ZADNJIM RUBOM, S 2x4 TELESKOP LADICA, dubina ladice 100 mm <i>Cupboard table with rear splashback, with 2x4 drawers, depth of drawer unit 100 mm</i>				
DODATAK / <i>Accessories:</i> Set od 4 kotača Ø 125 mm (2 kotača s kočnicom i 2 kotača bez kočnice) 4 wheels kit Ø 125 mm 				



RADNI STOL ZATVORENI BEZ VRATA
Table with backboard and side panels

Niko


Art.	Model	d / l	š / d	v / h	Netto / kg
	RSZBV-610	100	60	85	45
	RSZBV-612	120	60	85	51
	RSZBV-614	140	60	85	56
	RSZBV-616	160	60	85	64
	RSZBV-618	180	60	85	71
	RSZBV-620	200	60	85	77
	RSZBV-710	100	70	85	48
	RSZBV-712	120	70	85	56
	RSZBV-714	140	70	85	63
	RSZBV-716	160	70	85	70
	RSZBV-718	180	70	85	77
	RSZBV-720	200	70	85	84
	RSZBV-810	100	80	85	83
	RSZBV-812	120	80	85	95
	RSZBV-814	140	80	85	107
	RSZBV-816	160	80	85	120
	RSZBV-818	180	80	85	132
	RSZBV-820	200	80	85	142



RADNI STOL ZATVORENI BEZ VRATA S PODIGNUTIM
ZADNJIM RUBOM
*Table with backboard and side panels and rear
splashback*

Niko


RSZBVZ-610A	100	60	85/90	45
RSZBVZ-612A	120	60	85/90	51
RSZBVZ-614A	140	60	85/90	56
RSZBVZ-616A	160	60	85/90	64
RSZBVZ-618A	180	60	85/90	71
RSZBVZ-620A	200	60	85/90	77
RSZBVZ-710A	100	70	85/90	48
RSZBVZ-712A	120	70	85/90	56
RSZBVZ-714A	140	70	85/90	63
RSZBVZ-716A	160	70	85/90	70
RSZBVZ-718A	180	70	85/90	77
RSZBVZ-720A	200	70	85/90	84
RSZBVZ-810A	100	80	85/90	83
RSZBVZ-812A	120	80	85/90	95
RSZBVZ-814A	140	80	85/90	107
RSZBVZ-816A	160	80	85/90	120
RSZBVZ-818A	180	80	85/90	132
RSZBVZ-820A	200	80	85/90	142



RADNI STOL ZATVORENI S DVOSTRANIM KLIZNIM
VRATIMA
Cupboard table with sliding doors on two sides

Niko

RSZ2V-610	100	60	85	59
RSZ2V-612	120	60	85	68
RSZ2V-614	140	60	85	77
RSZ2V-616	160	60	85	86
RSZ2V-618	180	60	85	96
RSZ2V-620	200	60	85	104
RSZ2V-710	100	70	85	59
RSZ2V-712	120	70	85	68
RSZ2V-714	140	70	85	77
RSZ2V-716	160	70	85	86
RSZ2V-718	180	70	85	96
RSZ2V-720	200	70	85	104
RSZ2V-810	100	80	85	65
RSZ2V-812	120	80	85	74
RSZ2V-814	140	80	85	83
RSZ2V-816	160	80	85	92
RSZ2V-818	180	80	85	102
RSZ2V-820	200	80	85	110

Art.	Model	d / l	š/ d	v / h	Netto kg	
	RSZE-612	120	60	85	83	
	RSZE-614	140	60	85	93	
	RSZE-616	160	60	85	108	
	RSZE-618	180	60	85	118	
	RSZE-620	200	60	85	128	
	RADNI STOL ZATVORENI TOPLI, ELEKTRIČNI S KLIZNIM VRATIMA	RSZE-712	120	70	85	90
	(ventilirano grijanje do +70°C, 1500W/230V)	RSZE-714	140	70	85	102
	Hot cupboard with sliding doors	RSZE-716	160	70	85	116
	(ventilated up to +70°C, 230V/1500W/50Hz)	RSZE-718	180	70	85	127
		RSZE-720	200	70	85	138
	RSZE-812	120	80	85	95	
	RSZE-814	140	80	85	107	
	RSZE-816	160	80	85	120	
	RSZE-818	180	80	85	132	
	RSZE-820	200	80	85	142	

RADNI STOL ZATVORENI TOPLI, ELEKTRIČNI S KLIZNIM
VRATIMA, PODIGNUTI ZADNJI RUB
(ventilirano grijanje do +70°C, 1500W/230V)
Hot cupboard with sliding doors, with rear splashback
(ventilated up to +70°C, 230V/1500W/50Hz)

RSZEZ-612A	120	60	85/90	83
RSZEZ-614A	140	60	85/90	93
RSZEZ-616A	160	60	85/90	108
RSZEZ-618A	180	60	85/90	118
RSZEZ-620A	200	60	85/90	128

RSZEZ-712A	120	70	85/90	90
RSZEZ-714A	140	70	85/90	102
RSZEZ-716A	160	70	85/90	116
RSZEZ-718A	180	70	85/90	127
RSZEZ-720A	200	70	85/90	138

RSZEZ-812A	120	80	85/90	95
RSZEZ-814A	140	80	85/90	107
RSZEZ-816A	160	80	85/90	120
RSZEZ-818A	180	80	85/90	132
RSZEZ-820A	200	80	85/90	142

RADNI STOL ZATVORENI TOPLI, ELEKTRIČNI S
DVOSTRANIM KLIZNIM VRATIMA

(ventilirano grijanje do +70°C, 1500W/230V)

Hot cupboard table with sliding doors on two sides


(ventilated up to +70°C, 230V/1500W/50Hz)


RSZE2V-612	120	60	85	88
RSZE2V-614	140	60	85	99
RSZE2V-616	160	60	85	114
RSZE2V-618	180	60	85	125
RSZE2V-620	200	60	85	137


RSZE2V-712	120	70	85	93
RSZE2V-714	140	70	85	105
RSZE2V-716	160	70	85	120
RSZE2V-718	180	70	85	132
RSZE2V-720	200	70	85	144

RSZE2V-812	120	80	85	97
RSZE2V-814	140	80	85	110
RSZE2V-816	160	80	85	124
RSZE2V-818	180	80	85	135
RSZE2V-820	200	80	85	150



Dimenzije (mm) / *Dimensions (mm)*

Art.	d / l	š / d	v / h	Netto kg
  RADNA PLOHA, inox, h = 40 mm <i>Work top, inox, h = 40 mm</i>	600	600	40	11
	800	600	40	14
	1000	600	40	17
	1200	600	40	20
	1400	600	40	23
	1600	600	40	26
	1800	600	40	29
	2000	600	40	32
	600	700	40	11
	800	700	40	14
	1000	700	40	17
	1200	700	40	20
	1400	700	40	23
	1600	700	40	26
	1800	700	40	29
	2000	700	40	32


  RADNA PLOHA S PODIGNUTIM ZADNJIM RUBOM, inox, h = 40 mm <i>Work top with upstand, inox, h = 40 mm</i>	600	600	40	11
	800	600	40	14
	1000	600	40	17
	1200	600	40	20
	1400	600	40	23
	1600	600	40	26
	1800	600	40	29
	2000	600	40	32
	600	700	40	11
	800	700	40	14
	1000	700	40	17
	1200	700	40	20
	1400	700	40	23
	1600	700	40	26
	1800	700	40	29
	2000	700	40	32

  RUPA ZA OTPATKE U RADNOJ PLOHI, inox <i>Round hole in the worktop, inox</i>	Ø 230 x h100 mm
--	-----------------

Art.	d / l	š / d	v / h
3323 D	33	23,5	18
3333 L	33	23,5	18
V 344020 R	34	40	20
V 344020 L	34	40	20
V 344020 L	40	40	25
VA404525SX	40	45	25
VA404525DX	40	45	25
V 454525 A	45	45	25
V 504025 IPD	50	40	25
V 504025 IPS	50	40	25
V 505030 IP	50	50	30
605030 IPD	60	50	30
605030 IPS	60	50	30
805037 IPD	80	50	37,5
805037 IPS	80	50	37,5
	106	50	37,5
11650371P DX	116	50	37,5
11650371P SX	116	50	37,5



UGRADNJA KORITA SUDOPERA U RADNU PLOHU, inox
Installation of basin in the worktop, inox



V3014 - s izljevom / *with exhaust*

Ø 30


14

V3618T - s izljevom / *with exhaust*


Ø 36


18


	Za dubinu stola <i>For work table depth:</i>	600	700	800
	l x 40h mm			
	600			
	800			
	1000			
	1200			
	1400			
	1600			
	1800			
	2000			





SREDIŠNJA POLICA ZA RADNE STOLOVE, inox
Intermediate shelf for work table


	Art.	Model	d / l	š / d	v / h	Netto kg
 	LADICA ZA GN1/1, h = 100	L-1-10-58	40	58	16,5	12
	<i>Drawer GN1/ 1, h=100</i>	L-1-10-68	40	68	16,5	14


 	LADICA ZA 2xGN1/1, h = 200	L-2-20-58	40	58	60	29
	<i>Drawer 2xGN1/1, h=200</i>	L-2-20-68	40	68	60	32


 	LADICA ZA 3xGN1/1, h = 150	L-3-15-58	40	58	60	32
	<i>Drawer 3xGN1/1, h=150</i>	L-3-15-68	40	68	60	35

 	LADICA ZA 4xGN1/1, h = 100	L-4-10-58	40	58	60	34
	<i>Drawer 4xGN1/1, h=100</i>	L-4-10-68	40	68	60	37

 	LADICA ZA GN1/1 S NAGIBNOM-KIPER	L10-58	40	58	60	32
	<i>Drawer GN1/1 with swinging hopper</i>	L10-68	40	68	60	35

	Art.	Model	d / l	š / d	v / h	Netto kg
 	LADICA ZA TALOG KAVE / <i>Coffee grounds drawer</i>	LTK-58	40	58	16,5	12
		LTK-68	40	68	16,5	14

 	LADICA NAGIBNA - KIPER POSUDA ZA TALOG KAVE ILI OTPAD	LO-58	40	58	60	30
	<i>Solid waste hopper with filter emptier</i>	LO-68	40	68	60	34

 	SANITARNA PREGRADA, lijeva ili desna, inox	SP - 60	1,2	58	40
	<i>Sanitary panel left or right, inox</i>	SP - 70	1,2	68	40


 	SANITARNA PREGRADA VISOKA, lijeva ili desna, inox	SPV - 60	1,2	58	110
	<i>High sanitary panel left or right, inox</i>	SPV - 70	1,2	68	110

	Art.	Model	d / l	š / d	v / h
	STOL ZA OBRADU MESA, 1/2 inox i BIJELA 1/2 KOTERM PLOČA PE500	SOM-10/7	1000	700	850
		SOM-15/7	1500	700	850
	Boning table, 1/2 s/s + 1/2 PE500 in white colour	SOM-20/7	2000	700	850
		*SOM-25/7	2500	700	850
		*SOM-30/7	2900	700	850
		SOM-10/9	1000	900	850
		SOM-15/9	1500	900	850
		SOM-20/9	2000	900	850
		*SOM-25/9	2500	900	850
		*SOM-30/9	3000	900	850


* Stolovi sa 6 nogu

	STOL ZA OBRADU MESA, 1/2 inox i BIJELA 1/2 KOTERM PLOČA PE500, S PODIGNUTIM ZADNJIM RUBOM	SOMR-10/7	1000	700	850/900
		SOMR-15/7	1500	700	850/900
	Boning table, 1/2 s/s + 1/2 PE500 in white colour, with rear splashback	SOMR-20/7	2000	700	850/900
		*SOMR-25/7	2500	700	850/900
		*SOMR-30/7	2900	700	850/900
		SOMR-10/9	1000	900	850/900
		SOMR-15/9	1500	900	850/900
		SOMR-20/9	2000	900	850/900
		*SOMR-25/9	2500	900	850/900
		*SOMR-30/9	2900	900	850/900

* Stolovi sa 6 nogu

	STOL ZA OBRADU MESA S POLICOM, 1/2 inox i BIJELA 1/2 KOTERM PLOČA PE500	SOMP-10/7	1000	700	850
		SOMP-15/7	1500	700	850
	Boning table, 1/2 s/s + 1/2 PE500 in white colour, with bottom shelf	SOMP-20/7	2000	700	850
		*SOMP-25/7	2500	700	850
		*SOMP-30/7	2900	700	850
		SOMP-10/9	1000	900	850
		SOMP-15/9	1500	900	850
		SOMP-20/9	2000	900	850
		*SOMP-25/9	2500	900	850
		*SOMP-30/9	2900	900	850

* Stolovi sa 6 nogu

	STOL ZA OBRADU MESA S POLICOM I PODIGNUTIM RUBOM, 1/2 inox i BIJELA 1/2 KOTERM PLOČOM PE500	SOMPR-10/7	1000	700	850/900
		SOMPR-15/7	1500	700	850/900
	Boning table, 1/2 s/s + 1/2 PE500 in white colour, with bottom shelf with rear splashback	SOMPR-20/7	2000	700	850/900
		*SOMPR-25/7	2500	700	850/900
		*SOMPR-30/7	2900	700	850/900
		SOMPR-10/9	1000	900	850/900
		SOMPR-15/9	1500	900	850/900
		SOMPR-20/9	2000	900	850/900
		*SOMPR-25/9	2500	900	850/900
		*SOMPR-30/9	2900	900	850/900

* Stolovi sa 6 nogu

	Art.	Model	d / l	š/ d	v / h	
	STOL ZA OBRADU MESA S BIJELOM KOTERM PLOČOM	SPVC-10/7	1000	700	850	
	PE500	SPVC-15/7	1500	700	850	
	<i>Boning table with table top PE500 in white colour</i>	SPVC-20/7	2000	700	850	
		*SPVC-25/7	2500	700	850	
		*SPVC-30/7	2900	700	850	
			SPVC-10/9	1000	900	850
			SPVC-15/9	1500	900	850
			SPVC-20/9	2000	900	850
			*SPVC-25/9	2500	900	850
			*SPVC-30/9	2900	900	850
	<i>* Stolovi sa 6 nogu</i>					

Niko

Niko

STOL ZA OBRADU MESA S BIJELOM KOTERM PLOČOM
PE500 I PODIGNUTIM ZADNJIM RUBOM

*Boning table with table top PE500 in white colour and
rear splashback*

SRPVC-10/7	1000	700	850/900
SRPVC-15/7	1500	700	850/900
SRPVC-20/7	2000	700	850/900
*SRPVC-25/7	2500	700	850/900
*SRPVC-30/7	2900	700	850/900
SRPVC-10/9	1000	900	850/900
SRPVC-15/9	1500	900	850/900
SRPVC-20/9	2000	900	850/900
*SRPVC-25/9	2500	900	850/900
*SRPVC-30/9	2900	900	850/900

** Stolovi sa 6 nogu*

 <i>Niko</i>	STOL ZA OBRADU MESA S BIJELOM KOTERM PLOČOM PE500 I POLICOM	SPPVC-10/7	1000	700	850
		SPPVC-15/7	1500	700	850
	<i>Boning table with table top PE500 in white colour, with bottom shelf</i>	SPPVC-20/7	2000	700	850
		*SPPVC-25/7	2500	700	850
		*SPPVC-30/7	2900	700	850
	 <i>Niko</i>	SPPVC-10/9	1000	900	850
		SPPVC-15/9	1500	900	850
		SPPVC-20/9	2000	900	850
		*SPPVC-25/9	2500	900	850
		*SPPVC-30/9	2900	900	850

 <i>Niko</i>	STOL ZA OBRADU MESA S BIJELOM KOTERM PLOČOM PE 500, POLICOM I PODIGNUTIM ZADNJIM RUBOM	SPRPVC-10/7	1000	700	850/900
		SPRPVC-15/7	1500	700	850/900
	<i>Boning table with PE500 in white colour, with rear splashback, with bottom shelf</i>	SPRPVC-20/7	2000	700	850/900
		*SPRPVC-25/7	2500	700	850/900
		*SPRPVC-30/7	2900	700	850/900
 <i>Niko</i>		SPRPVC-10/9	1000	900	850/900
		SPRPVC-15/9	1500	900	850/900
		SPRPVC-20/9	2000	900	850/900
		*SPRPVC-25/9	2500	900	850/900
		*SPRPVC-30/9	2900	900	850/900
<i>* Stolovi sa 6 nogu</i>					

Art.	Model	d / l	š / d	v / h
	PANJ ZA MESO S KOTERM PLOČOM PE500 I INOX POSTOLJEM <i>Chopping block PE500 with stainlesssteel stand</i>	KOTERM PLOČA PE500 = 100 mm		850/900
		boja: bijela		850/900
				850/900
	<i>Work top PE500, thickness 100 mm</i> <i>colour: white</i>	500		850/900
		600		850/900
		700		850/900

	PANJ ZA MESO S KOTERM PLOČOM PE500 I INOX POSTOLJEM <i>Chopping block PE500 with stainlesssteel stand</i>	KOTERM PLOČA PE500 = 100 mm		850/900
		boje: crvena		850/900
				850/900
	<i>Work top PE500, thickness 100 mm</i> <i>colour: red</i>	500		850/900
		600		850/900
		700		850/900

	Ploča za panj za meso, koterm ploča PE500 <i>Work top PE500 for chopping block</i>	boja: bijela / colour: white		100
		500		100
		600		100
	boja: crvena <i>colours: red</i>	500		100
		600		100
		700		100

Art.	Model	d / l	š / d	v / h
------	-------	-------	-------	-------



Četka za panj, čelična vlakna dužine 4 cm,
plastična drška
*Chopping block brush, with steel wire bristles
length 4 cm, plastic handle*

5872/190

19

7,5



STOL ZA OBRADU POVRĆA / RIBE s koritom i
otvorom za otpad
*Vegetable / fish preparation table with basin and
opening for waste*

SOP-12 - dim. korita / basin 107x31x18

120

70

85/95



PODLOŠKA, PP
Board PP

DPP/12

65

22

4



STOL ZA OBRADU MESA i s otvorom za otpad
Meat preparation table with opening for waste

SOR-12

120

70

85/95






PODLOŠKA, PP
Board PP

DPP/12

65

22

4


	Art.	Model	d / l	š / d	v / h	Neto kg
	STOL ZA CIJEĐENJE SIRA s utisnutim koritom 40 mm, ventilom za ispuštanje sirutke, policom, kotačima Ø 125 mm poliamid (2 + 2 kočnica), kućištem od nehrđajućeg čelika za prehrambenu industriju <i>Cheese preparation table with pressed work top 40 mm, with drain valve, shelf, polyamid castors Ø 125 mm (2x2 with brakes), stainlesssteel for food industry</i>	RSCS-710	100	70	85	
		RSCS-712	120	70	85	
		RSCS-714	140	70	85	
	POLICA ZA STOLOVE <i>Work top</i>	PS-12	120	40	40	12
		PS-14	140	40	40	14
		PS-16	160	40	40	16
		PS-18	180	40	40	18
		PS-20	200	40	40	20
	POLICA ZA STOLOVE, DVOSTRUKA <i>Worktop double</i>	PS-2-12	120	40	70	22
		PS-2-14	140	40	70	26
		PS-2-16	160	40	70	30
		PS-2-18	180	40	70	34
		PS-2-20	200	40	70	38
	POLICA S GRIJAČEM 0,66kW/230V <i>Superstructure with lamp warmer for tables 1 shelf, 0,66kW/230V</i>	1000	100	40	40	
		1020	120	40	35	
		1237	140	40	35	
		1267	160	40	35	
		1300	180	40	35	
		1701	200	40	35	

Izvedba:


konstrukcija inox lim AISI3045SB; vrata otklopna ili klizna s dvostrukom stijenkom, ručka po visini vrata, polica ukrućena profilom podesiva po visini.


Performance:


frame made in stainless steel AISI304SB, overhead or sliding doors with double wall, handle height door, strengthened shelf with adjustable height.







	Art.	Model	d / l	š / d	v / h
 <i>Niko</i>	ORMARIĆ VISEĆI OTVORENI <i>Open overhead cupboard</i>	OVO-10	100	40	60
		OVO-12	120	40	60
		OVO-14	140	40	60
		OVO-16	160	40	60
		OVO-18	180	40	60
		OVO-20	200	40	60


 <i>Niko</i>	ORMARIĆ VISEĆI S KLIZNIM VRATIMA <i>Overhead cupboard with sliding doors</i>	OVZ-10	100	40	60
		OVZ-12	120	40	60
		OVZ-14	140	40	60
		OVZ-16	160	40	60
		OVZ-18	180	40	60
		OVZ-20	200	40	60


 <i>Niko</i>	ORMARIĆ ZIDNI S OTKLOPNIM VRATIMA I POLICOM <i>Overhead cupboard with swing doors</i>	OVZO-04	40	40	60
		OVZO-06	60	40	60
		OVZO-08	80	40	60
		OVZO-10	100	40	60

 <i>Niko</i>	ORMARIĆ VISEĆI KUTNI OTVORENI <i>Open overhead corner cupboard</i>	OVKO	70	70	60

 <i>Niko</i>	ORMARIĆ VISEĆI KUTNI ZATVORENI <i>Closed overhead corner cupboard</i>	OVKZ	70	70	60


	Art.	Model	d / l	š / d	v / h
 	ORMARIĆ VISEĆI S KLIZNIM VRATIMA I SETOM ZA DODATKE (set za dodatke se montira ispod visećeg ormarića) <i>Overhead cupboard with sliding doors and ingredients set (installation of ingredients set under overhead cupboard)</i> dim. 1200 x 208 x 105 mm	OVZ-18/6xGN1/6 6 x GN1/6 h=100 mm kapacitet / capacity: 6 x 1,5 l	180	40	60
 	ORMARIĆ VISEĆI S KLIZNIM VRATIMA I SETOM ZA DODATKE (set za dodatke se montira ispod visećeg ormarića) <i>Overhead cupboard with sliding doors and ingredients set (installation of ingredients set under overhead cupboard)</i> dim. 1200 x 300 x 205 mm	OVZ-18/6xGN1/4 6 x GN1/4 h=100 mm kapacitet / capacity: 6 x 2,5 l	180	40	60
 	ORMARIĆ VISEĆI S KLIZNIM VRATIMA I SETOM ZA DODATKE (set za dodatke se montira ispod visećeg ormarića) <i>Overhead cupboard with sliding doors and ingredients set (installation of ingredients set under overhead cupboard)</i> dim. 1200 x 210 x 205 mm	OVZ-18/8xGN1/9 8 x GN1/9 h=100 mm kapacitet / capacity: 8 x 0,8 l	180	40	60
 	ZIDNA POLICA RAVNA JEDNOSTRUKA - uključuje 3 komada vertikalnih i horizontalnih držača <i>Wall - mounted shelf</i> - includes vertical and horizontal supports 3 pcs	ZPR-310	100	30	20
		ZPR-312	120	30	20
		ZPR-314	140	30	20
		ZPR-316*	160	30	20
		ZPR-318*	180	30	20
		ZPR-410	100	40	20
		ZPR-412	120	40	20
		ZPR-414	140	40	20
		ZPR-416*	160	40	20
		ZPR-418*	180	40	20
 	ZIDNA POLICA RAVNA DVOSTRUKA - uključuje 3 komada vertikalnih i horizontalnih držača <i>Double wall-mounted shelves</i> - includes vertical and horizontal supports 3 pcs	ZPR-2-310	100	30	60
		ZPR-2-312	120	30	60
		ZPR-2-314	140	30	60
		ZPR-2-316*	160	30	60
		ZPR-2-318*	180	30	60
		ZPR-2-410	100	40	60
		ZPR-2-412	120	40	60
		ZPR-2-414	140	40	60
		ZPR-2-416*	160	40	60
		ZPR-2-418*	180	40	60
 	ZIDNA POLICA PREKLOPNA <i>Lapped wall-mounted shelf</i>	ZPP-80	80	40	40
		ZPP-100	100	40	40
		ZPP-120	120	40	40

Art.	Model	d / l	š / d	v / h
 ZIDNA POLICA ZA OCIJEDIVANJE JEDNOSTRUKA - uključuje 3 komada vertikalnih i horizontalnih držača <i>Slotted wall - mounted shelf</i> - includes vertical and horizontal supports 3 pcs	ZPO-310	100	30	20
	ZPO-312	120	30	20
	ZPO-314	140	30	20
	ZPO-316*	160	30	20
	ZPO-318*	180	30	20
	ZPO-410	100	30	20
	ZPO-412	120	30	20
	ZPO-414	140	30	20
	ZPO-416*	160	30	20
	ZPO-418*	180	30	20

 ZIDNA POLICA ZA OCIJEDIVANJE DVOSTRUKA - uključuje 3 komada vertikalnih i horizontalnih držača <i>Double slotted - wall mounted shelf</i> - includes vertical and horizontal supports 3 pcs	ZPO-2-310	100	30	60
	ZPO-2-312	120	30	60
	ZPO-2-314	140	30	60
	ZPO-2-316*	160	30	60
	ZPO-2-318*	180	30	60
	ZPO-2-410	100	30	60
	ZPO-2-412	120	30	60
	ZPO-2-414	140	30	60
	ZPO-2-416*	160	30	60
	ZPO-2-418*	180	30	60

 LINJA EKONOM ZIDNA POLICA RAVNA <i>Wall - mounted shelf</i>	cijena dužnog metra / price owed meters		
	ZPRE-20	200	30/30
	ZPRE-25	250	30/30
	ZPRE-30	300	30/30
	ZPRE-35	350	30/30
	ZPRE-40	400	30/30
	ZPRE-45	450	30/30
	ZPRE-50	500	30/30

 LINJA EKONOM ZIDNA POLICA S UTISNUTIM RUBOM I OTVOROM ZA CIJEĐENJE <i>Slotted wall - mounted shelf with imprinted edges</i>	cijena dužnog metra / price owed meters		
	ZPRE-20C	200	30/30
	ZPRE-25C	250	30/30
	ZPRE-30C	300	30/30
	ZPRE-35C	350	30/30
	ZPRE-40C	400	30/30
	ZPRE-45C	450	30/30
	ZPRE-50C	500	30/30

 LINJA EKONOM Traka 3M NOSAČ ZIDNE POLICE / Support	NZP-20	200	150
	NZP-25	250	200
	NZP-30	300	200
	NZP-35	350	200
	NZP-40	400	250
	NZP-45	450	300
	NZP-50	500	300


Izvedba:


Konstrukcija inox lim AISI304SB police ukrućene profilima, vrata otklopna ili klizna s dvostrukom stjenkom, ručka po visini vrata, podesive nogice ormara za regulaciju po visini.

Performance:

Frame made in stainless steel AISI304SB, overhead or sliding doors with double wall, handle height door, with adjustable feet.

Art.	Model	d / l	š / d	v / h	Netto kg	
	VISOKI ORMAR S OTKLOPNIM VRATIMA – 4 police	VOZO-660	600	600	2000	81
	<i>Storage cupboard with swing doors – 4 shevles</i>	VOZO-670	600	700	2000	95

		VOZO-508	800	500	2000	97
		VOZO-510	1000	500	2000	113
		VOZO-512	1200	500	2000	129
		VOZO-608	800	600	2000	105
		VOZO-610	1000	600	2000	122
		VOZO-612	1200	600	2000	139
		VOZO-708	800	700	2000	113
		VOZO-710	1000	700	2000	131
		VOZO-712	1200	700	2000	148

		VOZK-512	1200	500	2000	120
		VOZK-514	1400	500	2000	134
		VOZK-516	1600	500	2000	148
		VOZK-612	1200	600	2000	132
		VOZK-614	1400	600	2000	147
		VOZK-616	1600	600	2000	162
		VOZK-712	1200	700	2000	143
		VOZK-714	1400	700	2000	159
		VOZK-716	1600	700	2000	175

	VISOKI ORMAR ZA KRUH / <i>Bread cupboard</i>	VOK-660	600	600	2000	81
		VOK-670	600	700	2000	95

Art.	Model	d / l	š / d	v / h
 STALAŽA INOX OTVORENA SA 4 PUNE POLICE	SI-80/40	800	400	2000
	SI-100/40	1000	400	2000
	SI-120/40	1200	400	2000
	SI-80/50	800	500	2000
	SI-100/50	1000	500	2000
	SI-120/50	1200	500	2000
	SI-80/60	800	600	2000
	SI-100/60	1000	600	2000
	SI-120/60	1200	600	2000

 STALAŽA INOX OTVORENA SA 4 PERFORIRANE POLICE	SIP-80/40	800	400	2000
	SIP-100/40	1000	400	2000
	SIP-120/40	1200	400	2000
	SIP-80/50	800	500	2000
	SIP-100/50	1000	500	2000
	SIP-120/50	1200	500	2000
	SIP-80/60	800	600	2000
	SIP-100/60	1000	600	2000
	SIP-120/60	1200	600	2000



SUDOPERI I RUKOPERI *SINKS & HAND WASH BASINS*

Sudoperi
Rukoperi
Trokadero
Uređaj za mljevenje kuhinjskog otpada

*Sinks
Hand Wash Basins
Trokadero
Garbage Disposer*

Kao rezultat višegodišnjeg iskustva u radu s ugostiteljskom opremom, pokrenuli smo vlastitu proizvodnju ugostiteljske opreme pod trgovačkim imenom NIKO. Tako je nastao posve nov koncept kreiranja proizvoda po želji i potrebi kupca. NIKO sudoperi i rukoperi su u cijelosti hrvatski proizvod, što s ponosom ističemo, a svoju primjenu nalaze u kuhinjama, školama, dječjim vrtićima, restoranima, bolnicama, domovima za stare i nemoćne itd.

As a result of long-time experience in the supply of catering equipment, we have launched our own manufacturing facility for the production of catering equipment under the brand name NIKO. In this way a completely new concept of creating a new product exclusively in line with the customers' wishes and needs has been developed. We are proud to present NIKO sinks & hand wash basins, as completely Croatian products, to be used in kitchens, schools and kindergartens, restaurants, hospitals, homes for the elderly and disabled, and similar.

	Art.	Model	d / l	š / d	v / h	Netto kg
 	SUDOPER S JEDNIM KORITOM / Sink	SP1K-60 - (dim. korita / dim. basin 40x40x25)	60	60	85/95	25
		SP1K-70 - (dim. korita / dim. basin 50x50x30)	70	70	85/95	28
		SP1K-70 - (dim. korita / dim. basin 60x50x30)	70	70	85/95	30
 	SUDOPER S JEDNIM VELIKIM KORITOM Sink with large basin (lijevo ili desno korito / left or right basin)	SP1KV-70 - (dim. korita / dim. basin 80x50x37,5)	100	70	85/95	40
		SP1KV-70 - (dim. korita / dim. basin 106x50x37,5)	120	70	85/95	46
		SP1KV-70 - (dim. korita / dim. basin 116x50x37,5)	140	70	85/95	48
 	SUDOPER S JEDNIM VELIKIM KORITOM Sink with large basin (lijevo ili desno korito / left or right basin)	SP1KV-70 - (dim. korita / dim. basin 136x50x37,5)	160	70	85/95	56
		SP1KV-70 - (dim. korita / dim. basin 166x50x37,5)	180	70	85/95	66
 	SUDOPER S JEDNIM KORITOM I POLICOM Sink with bottom shelf	SPP1K-60 - (dim. korita / dim. basin 40x40x25)	60	60	85/95	29
		SPP1K-70 - (dim. korita / dim. basin 50x50x30)	70	70	85/95	32
 	SUDOPER S DVA KORITA Sink with two basins	SP2K-60/100 - (dim. korita / dim. basin 40x40x25)	100	60	85/95	42
		SP2K-70/120 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	50
		SP2K-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	54
		SP2K-70/180 - (dim. korita / dim. basin 80x50x37,5)	180	70	85/95	68
 	SUDOPER S DVA KORITA I POLICOM Sink with two basins and bottom shelf	SPP2K-60 - (dim. korita / dim. basin 40x40x25)	100	60	85/95	49
		SPP2K-70/120 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	58
		SPP2K-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	62
		SPP2K-70/180 - (dim. korita / dim. basin 80x50x35)	180	70	85/95	76
 	SUDOPER s jednim koritom lijevo i ocjedom glatkom plohom desno Sink with drain on the right side	SP1KL-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	42
		SP1KL-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	46
		SP1KL-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	54
 	SUDOPER s jednim koritom desno i ocjedom glatkom plohom lijevo Sink with drain on the left side	SP1KD-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	42
		SP1KD-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	46
		SP1KD-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	54

	Art.	Model	d / l	š / d	v / h	Netto kg
 	SUDOPER s jednim koritom lijevom i ocjednom plovom desno s utisnutim rebrima	SP1KL-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	42
		SP1KL-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	46
	<i>Sink with corrugated drain on the right side</i>	SP1KL-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	54
 	SUDOPER s jednim koritom desno i ocjednom plovom lijevo s utisnutim rebrima	SP1KD-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	42
		SP1KD-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	46
	<i>Sink with corrugated drain on the left side</i>	SP1KD-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	54
 	SUDOPER s jednim koritom lijevo, ocjednom glatkom plovom desno i policom	SPP1KL-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	48
		SPP1KL-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	54
	<i>Sink with drain on the right side and bottom shelf</i>	SPP1KL-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	62
 	SUDOPER s jednim koritom desno, ocjednom glatkom plovom lijevo i policom	SPP1KD-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	48
		SPP1KD-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	54
	<i>Sink with drain on the left side and bottom shelf</i>	SPP1KD-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	62
 	SUDOPER s jednim koritom lijevo, ocjednom plovom desno s utisnutim rebrima i policom	SPP1KL-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	48
		SPP1KL-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	54
	<i>Sink with corrugated drain on the right side and bottom shelf</i>	SPP1KL-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	62
 	SUDOPER s jednim koritom desno, ocjednom plovom lijevo s utisnutim rebrima i policom	SPP1KD-60 - (dim. korita / dim. basin 40x50x25)	120	60	85/95	48
		SPP1KD-70 - (dim. korita / dim. basin 50x50x30)	120	70	85/95	54
	<i>Sink with corrugated drain on the left side and bottom shelf</i>	SPP1KD-70/140 - (dim. korita / dim. basin 60x50x30)	140	70	85/95	62
 	SUDOPER s dva korita lijevo i ocjednom glatkom plovom desno	SP2KL-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	60
		SP2KL-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	68
	<i>Sink with two basins and drain on the right side</i>	SP2KL-70 - (dim. korita / dim. basin 60x50x30)	200	70	85/95	76
 	SUDOPER s dva korita desno i ocjednom glatkom plovom lijevo	SP2KD-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	60
		SP2KD-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	68
	<i>Sink with two basins and drain on the left side</i>	SP2KD-70 - (dim. korita / dim. basin 60x50x30)	200	70	85/95	76

	Art.	Model	d / l	š / d	v / h	Netto kg
 	SUDOPER s dva korita lijevo i ocjednom plohom desno s utisnutim rebrima <i>Sink with two basins and corrugated drain on the right side</i>	SP2KL-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	60
		SP2KL-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	68
 	SUDOPER s dva korita desno i ocjednom plohom lijevo s utisnutim rebrima <i>Sink with two basins and corrugated drain on the left side</i>	SP2KD-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	60
		SP2KD-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	68
 	SUDOPER s dva korita lijevo, ocjednom glatkom plohom desno i policom <i>Sink with two basins and drain on the right side and bottom shelf</i>	SPP2KL-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	70
		SPP2KL-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	79
		SPP2KL-70 - (dim. korita / dim. basin 60x50x30)	200	70	85/95	88
 	SUDOPER s dva korita desno, ocjednom glatkom plohom lijevo i policom <i>Sink with two basins and drain on the left side and bottom shelf</i>	SPP2KD-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	70
		SPP2KD-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	79
		SPP2KD-70 - (dim. korita / dim. basin 60x50x30)	200	70	85/95	88
 	SUDOPER s dva korita lijevo, ocjednom plohom desno s utisnutim rebrima i policom <i>Sink with two basins and corrugated drain on the right side and bottom shelf</i>	SPP2KL-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	70
		SPP2KL-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	79
 	SUDOPER s dva korita desno, ocjednom plohom lijevo s utisnutim rebrima i policom <i>Sink with two basins and corrugated drain on the left side and bottom shelf</i>	SPP2KD-60 - (dim. korita / dim. basin 40x50x25)	160	60	85/95	70
		SPP2KD-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	79
 	SUDOPER S TRI KORITA <i>Sink with three basins</i>	SP3K-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	76
 	SUDOPER S TRI KORITA I POLICOM <i>Sink with three basins and bottom shelf</i>	SPP3K-70 - (dim. korita / dim. basin 50x50x30)	180	70	85/95	86

	Art.	Model	d / l	š / d	v / h	Netto kg
 <i>Niko</i>	SUDOPER ZATVORENI, S VRATIMA, BRAVICOM I KLJUČEM <i>Sink cupboard with lock and key</i>	SPZ1K-60 - (dim. korita / dim. basin 40 x 40 x 25)	60	60	85/95	37
		SPZ1K-70 - (dim. korita / dim. basin 50 x 50 x 30)	70	70	85/95	42
		SPZ1KV-70 - (dim. korita / dim. basin 80 x 50 x 30)	100	70	85/95	46
		*Dodatno: s bravicom i ključem / Accessorie: with lock and key				

 <i>Niko</i>	SUDOPER ZATVORENI, S VRATIMA, BRAVICOM I KLJUČEM <i>Sink cupboard with lock and key</i>	SPZ2K-60/100 - (dim. korita / dim. basin 40 x 40 x 25)	100	60	85/95	68
		SPZ2K-70/120 - (dim. korita / dim. basin 50 x 50 x 30)	120	70	85/95	78
		SPZ2K-70/140 - (dim. korita / dim. basin 60 x 50 x 30)	140	70	85/95	86
		*Dodatno: s bravicom i ključem / Accessorie: with lock and key				

 <i>Niko</i>	SUDOPER ZATVORENI, S KLIZNIM VRATIMA <i>Sink cupboard with sliding doors</i>	SPZ3K-70/180 - (dim. korita / dim. basin 50 x 50 x 30)	180	70	85/95	108
--	---	--	-----	----	-------	-----

 <i>Niko</i>	SUDOPER ZATVORENI S OCJEDNOM GLATKOM PLOHOM DESNO, VRATIMA, BRAVICOM I KLJUČEM <i>Sink cupboard with drain on the right side and with lock and key</i>	SPZ1KL-60/120 - (dim. korita / dim. basin 50 x 40 x 25)	120	60	85/95	68
		SPZ1KL-70/120 - (dim. korita / dim. basin 50 x 50 x 30)	120	70	85/95	74
		*Dodatno: s bravicom i ključem / Accessorie: with lock and key				

 <i>Niko</i>	SUDOPER ZATVORENI S OCJEDNOM GLATKOM PLOHOM LIJEVO, VRATIMA, BRAVICOM I KLJUČEM <i>Sink cupboard with drain on the left side and with lock and key</i>	SPZ1KD-60/120 - (dim. korita / dim. basin 50 x 40 x 25)	120	60	85/95	68
		SPZ1KD-70/120 - (dim. korita / dim. basin 50 x 50 x 30)	120	70	85/95	74
		*Dodatno: s bravicom i ključem / Accessorie: with lock and key				

CIJENE SU BEZ STROJA ZA PRANJE SUĐA
(PRICES ARE WITHOUT DISHWASHER)

Art.

Model

d / l

š / d

v / h

Netto kg



STOLNI CENTAR ZA
PRANJE SUĐA
Sink center

SP1KLSD - 70 - (dim. korita / dim. basin 40 x 50 x 25)

120

70

90

52

SP1KLSD - 70 - (dim. korita / dim. basin 60 x 50 x 30)

140

70

90

58



STOLNI CENTAR ZA
PRANJE SUĐA
Sink center

SP1KDSL - 70 - (dim. korita / dim. basin 40 x 50 x 25)

120

70

90

52


SP1KDSL - 70 - (dim. korita / dim. basin 60 x 50 x 30)

140

70

90

58



STOLNI CENTAR ZA
PRANJE SUĐA
Sink center


SP2KLSD - 70 - (dim. korita / dim. basin 40x50x25)

180

70

90

74



STOLNI CENTAR ZA
PRANJE SUĐA
Sink center

SP2KDSL - 70 - (dim. korita / dim. basin 40x50x25)

180

70

90

74

UREĐAJ ZA MLJEVENJE KUHINJSKOG OTPADA / GARBAGE DISPOSER

Za male restorane i kućanstva. Uređaj melje u vrlo sitne čestice povrće, kosti, ribu, orašasto voće, ljuske orašastog voća i jaja, staklo itd.
Uređaj se jednostavno montira ispod korita sudopera od inoxa ili keramike i isporučuje se zajedno s izljevnim ventilom od 2" ili 3" i sifonom Ø 40 mm.

For domestic purposes and canteens, health centers etc. Disposer eliminates all the organic waste of the kitchen: chicken or steake bones, fish bones and shells, peel of every kind, vegetable leaves, fruit stones, nut and egg shells, glass etc.

The disposer can easily be installed on a metal or ceramic sink of one or two basin, the insertion of rammer is 2" or 3".



Model	Art. / Opis / Description
Z105	220V/50Hz/1; 1,2KS/HP 1450 okr/min – rpm/min izlaz / exhaust: Ø 40 mm izljevni ventil 2" za korito inox, rammer 2" for stainless steel sink težina neto / weight: 15 kg dim. Ø 170 x 360 mm
Z105 SA PUMPOM / with pump	220V/50Hz/1; 1,2KS/HP 1450 okr/min – rpm/min izlaz / exhaust: Ø 40 mm izljevni ventil 2" za korito inox, rammer 2" for stainless steel sink težina neto / weight: 15 kg dim. Ø 170 x 360 mm

Za male kuhinje, gostionice, menze, ribarnice, trgovine voćem i povrćem. Uređaj melje u vrlo sitne čestice povrće, kosti, ribu, biorazgradiv papir, orašasto voće, ljuske orašastog voća i jaja.

Uređaj se jednostavno montira ispod korita sudopera i isporučuje se zajedno s izljevnim ventilom od 2" ili 3".

For canteens, restaurants, fish or fruit and vegetable markets. Disposer eliminates all the organic waste of the kitchen: chicken or steake bones, fish bones and shells, peel of every kind, vegetable leaves, fruit stones, nut and egg shells, glass etc.

The disposer can easily be installed on a metal or ceramic sink of one or two basin, the insertion of rammer is 2" or 3".



Model	Art. / Opis / Description
Z 106	380V/50Hz/3 . 1,5KS / HP 1400 okr/min – rpm/min izlaz / exhaust: Ø 40 mm kapacitet / disposing cap.: 50 – 70 kg/sat težina neto / weight: 17 kg dim. Ø 170 x 445 mm za podrumne prostore <i>in extreme conitons</i>
Z 106/P SA PUMPOM / with pump	380V/50Hz/3 1,5 KS / HP; 1400 okr/min / rpm/mn izlaz / exhaust: Ø 40 mm kapacitet / disposing cap.: 50-70 kg/h težina neto / weight: 17 kg dim. Ø 170 x 445 mm

UREĐAJ ZA MLJEVENJE KUHNJSKOG OTPADA / GARBAGE DISPOSER

Za male kuhinje, gostionice, menze, ribarnice, trgovine voćem i povrćem, za manje brodove.

Uređaj melje u vrlo sitne čestice povrće, kosti, ribu, biorazgradiv papir, orašasto voće, ljuške orašastog voća i jaja.

For canteens, restaurants, fish or fruit and vegetable markets, small boats. Disposer eliminates all the organic waste of the kitchen: chicken or steake bones, fish bones and shells, peel of every kind, vegetable leaves, fruit stones, nut and egg shells, glass etc.

The disposer can easily be installed on a metal or ceramic sink of one or two basin, the insertion of rammer is 2" or 3".

Model	Art. / Opis / Description
	Z106 inox 380V/50Hz/3 ; 1,5KS / HP: 2800 okr/min / rpm/min izlaz / <i>exhaust</i>: Ø 40 mm kapacitet / <i>disposing cap.</i>: 50-70 kg/h težina neto / <i>weight</i>: 45 kg dim. 440 x 560 x 850 mm

Za srednje velike kuhinje, menze, restorane itd. / *For medium sized communities, canteens, kitchens etc.*

Model	Art. / Opis / Description
	T300 380V/50Hz/3 ; 3KS / HP 2800 okr/min - rpm/min izlaz / <i>exhaust</i>: Ø 60 mm kapacitet / <i>disposing cap.</i>: 100 - 150 kg/h težina neto / <i>weight</i>: 120 kg dim. 400 x 700 x 850 mm

Za velike kuhinje, menze, restorane itd.

Uređaj radi s "učinkom pumpe", što znači da osim što melje kuhinjski otpad, izbacuje sadržaj kao centrifuga.

For large communities, canteens, kitchens etc....

This machine has "pump effect", it breaks up the wastes and expels the effluent like centrifugal pump.

Model	Art. / Opis / Description
	T421 380V/50Hz/3 ; 4KS / HP 2800 okr/min - rpm/min izlaz / <i>exhaust</i>: Ø 3" kapacitet / <i>disposing cap.</i>: 200-250 kg/h težina neto / <i>weight</i>: 90 kg dim. Ø 327 x 632 mm

SUDOPERI S PRIPREMOM ZA UGRADNJU STROJA ZA MLJEVENJE KUHINJSKOG OTPADA / SINKS MADE FOR INSTALLATION GARBAGE DISPOSER

(ugrađuju se strojevi Z105, Z105 sa pumpom, Z106, Z106 sa pumpom)

(for intallation Z105, Z105 with pump, Z106, Z106 with pump)

	Model	d / l	š / d	v / h
	SPK 8/5 / 60/100 - dim. korita / <i>basin</i> : 60x50x35	100	60	95/105
	SPK 8/5 / 70/100 - dim. korita / <i>basin</i> : 60x50x35	100	70	95/105
				

	SPZ1KL / 60/120 - dim. korita / <i>basin</i> : 50x40x25	120	60	85/95
	SPZ1KL / 70/120 - dim. korita / <i>basin</i> : 50x50x30	120	70	85/95
				

	SPZ1KD / 60/120 - dim. korita / <i>basin</i> : 50x40x25	120	60	85/95
	SPZ1KD / 70/120 - dim. korita / <i>basin</i> : 50x50x30	120	70	85/95
				




VAŽNA NAPOMENA:

IMPORTANT:

visina sudopera 85/95 cm sa stroj Z105,
visina sudopera 90/100 cm za stroj Z106.

sink's height 85/95 cm with installation Z105.
sink's height 90/100 cm with installation Z106.

BLOK PRAONIKA ZA PRANJE SUDA I RUBLJA (za kampove) / SINKS FOR DISHES AND LAUNDRY (use in the touristic camps)


	Model	Opis / Description
	C-3-257/60	2 korita 500x400x250 mm za pranje rublja 1 korito 500x400x250 mm za pranje suda s ravnim ocjedom za sude 1000x470 mm <i>2 basins 500x400x250 mm for laundry 1 basin 500x400x250 mm for dishes with drain of 1000x470 mm</i> dim. praonika / sink: 2570 x 600 x 50/300 mm Podkonstrukcija čelična cijev vruće cinkana s pripremom za učvršćenje bloka praonika za betonsko postolje. <i>Support made of stainless steel tube with preparation for mounting on concrete base.</i> dim. podkonstrukcije / support: 2560 x 590 x 291 mm težina ukupno /total weight: 126 kg
	A-6-257/120	4 korita 500x400x250 mm za pranje rublja 2 korita 500x400x250 mm za pranje suda s ravnim ocjedom za sude 1000x470 mm <i>4 basins 500x400x250 mm for laundry 2 basin 500x400x250 mm for dishes with drain of 1000x470 mm</i> dim. praonika / sink: 2570 x 1200 x 50/300 mm Podkonstrukcija čelična cijev vruće cinkana s pripremom za učvršćenje bloka praonika za betonsko postolje. <i>Support made of stainless steel tube with preparation for mounting on concrete base.</i> dim. podkonstrukcije / support: 2560 x 1190 x 291 mm težina ukupno /total weight: 195 kg
	B-8-257/120	8 korita 500x400x250 mm za pranje rublja i suda, <i>8 basins 500x400x250 mm for laundry and dishes</i> dim. praonika / sink: 2570 x 1200 x 50/300 mm Podkonstrukcija čelična cijev vruće cinkana s pripremom za učvršćenje bloka praonika za betonsko postolje. <i>Support made of stainless steel tube with preparation for mounting on concrete base.</i> dim. podkonstrukcije / support: 2560 x 1190 x 291 mm težina ukupno /total weight: 203 kg

SERVISNI SUDOPER INOX SA UGRAĐENIM SERVISNIM SEPARATOROM SP 30/20 / SERVICE SINK (INOX) WITH INSTALLED SERVICE SEPARATOR SP 30/20

	Model	d / l	š / d	v / h
	SP - 1K 70 SP 30/20	700	700	900/1000
	dim. korita / basin 600 x 500 x 300 - ojačano dno i bočne stranice (cijena bez mješalice) <i>reinforced bottom and lateral sides</i>			
	SP - 1KV 70 30/20	1000	700	900/1000
	dim. korita / basin 800 x 500 x 370 - ojačano dno i bočne stranice (cijena bez mješalice) <i>reinforced bottom and lateral sides</i>			

KORITA SUDOPERA (ravni rub s izljevom, za ugradnju varenjem) / *BASIN (flat edge with exhaust, welding system)*

Model	d / l	š/ d	v / h
3323 D	33	23,5	18
3333 L	33	23,5	18
V 344020 R	34	40	20
V 344020 L	34	40	20
40402P IP	40	40	25
VA404525SX	40	45	25
VA404525DX	40	45	25
V 454525 A	45	45	25
V 504025 IPD	50	40	25
V 504025 IPS	50	40	25
V 505030 IP	50	50	30
605030 IPD	60	50	30
605030 IPS	60	50	30
805037 IPD	80	50	37,5
805037 IPS	80	50	37,5
11650371P DX	106	50	37,5
11650371P SX	116	50	37,5


V3014 - s izljevom / *with exhaust*

Ø 30

14


V3618T - s izljevom / *with exhaust*

Ø 36


18

SIFONI / *DRAIN SYPHONE*

Art. / Model

Opis / *Description*


LIRA 5133

SIFON JEDNOSTRUKI / *Drain syphone 1 - way*


LIRA 5233

SIFON DVOSTRUKI / *Drain syphone 2 - way*

PRELJEVNA CIJEV / *Overflow pipe*

Ø 40/38 l = 300 mm

Ø 40/38 l = 190 mm

Ø 40/40 l = 225 mm

Ø 50/47 l = 225 mm

Ø 50/47 l = 300 mm

Art. / Model

Opis / Description


IZLJEVNI VENTIL / *Drain plate*


PVC Ø 70/40/38, 1,1/2"

PVC Ø 70/49/47, 1,1/2"

PVC Ø 70/49/47, 2"


IZLJEVNI VENTIL / *Drain plate*

RF Mesing / *Brass* 1,1/2"

za prelivnu cijev / *for overflow pipe* Ø 40/40 ili čep / *or tap* Ø 50

LIRA 2510
REDUKCIJA / *Flange*

2" / 1,1/2"


8.0646.06
ČEP / *Tampon*

PVC
Ø 45 mm
Ø 50,5 mm

1911005
IZLJEVNI VENTIL SA PVC ČEPOM
Drain plate with plastic tampon

Izljevni ventil / *Drain plate*
Ø 70/50, 1,1/2"
sa čepom / *with tampon* Ø 50,5

RUKOPER ZIDNA IZVEDBA S REGULACIJOM NA POTISAK / WALL MOUNTED HAND-WASH BASIN WITH KNEE PRESS CONTROL



ECO

Model: IP0067

dim. korita / *basin*: Ø 340 x 130 mm
dim. 400 x 400 x 230/280 mm



ECO

Model: IP0074

dim. korita / *basin*: Ø 340 x 130 mm
dim. 400 x 400 x 230/330 mm



ECO

Model: IP0073

korito ovalno / *oval sink*
dim. 480 x 350 x 260/310 mm



ECO

Model: IP0076

dim. korita / *basin*: 400 x 370 x 140 mm
dim. 500 x 500 x 230/330 mm



Model: NIKO PTZP 4538P

pritisak koljenom / *knee control*
dim. korita / *basin*: 330 x 240 x 185 mm
dim. 450 x 380 x 250/650 mm



Model: PTZP6060P

dim. korita / *basin*: 480/420x370x165 mm
dim. 600 x 600 x 440/540 mm

RUKOPER S KOLJENOM REGULACIJOM / HAND-WASH BASIN WITH KNEE CONTROL



Model: NIKO IP0074-PO

pritisak koljenom / *knee control*
dim. korita / *basin*: Ø 340 x 130 mm
dim. 400 x 400 x 850/950 mm



Model: NIKO IP0076-PO

pritisak koljenom / *knee control*
dim. korita / *basin*: 400 x 370 x 140 mm
dim. 500 x 500 x 850/950 mm



Model: NIKO PT5650K

pritisak koljenom / *knee control*
dim. korita / *basin*: 480/420x370 x 165 mm
dim. 600 x 600 x 850/950 mm

RUKOPER S KOLJENOM REGULACIJOM / HAND-WASH BASIN WITH KNEE CONTROL

**Model: NIKO IP0076-PZK**

pritisak koljenom / *knee control*
 dim. korita / *basin*: 400 x 370 x 140 mm
 dim. 500 x 500 x 850/950 mm


RUKOPER S NOŽNOM REGULACIJOM / HAND-WASH BASINS WITH PEDAL CONTROL

**Model: PT5050N - PER**

s miješalicom za vodu i pedalom
with mixer tap and pedal
 dim. korita / *basin*: 415x340x123 mm
 dim. 500 x 500 x 850/950 mm

**Model: PT5042NZ - PER**

zatvoreni, s miješalicom za vodu i pedalom
closed with mixer tap and pedal
 dim. korita / *basin*: 415x340x123 mm
 dim. 500 x 420 x 850/950 mm

**Model: PT5042NZK - PER**

zatvoreni, s kiperom za otpad,
 s miješalicom za vodu i pedalom
closed with paper waste hopper, with mixer tap and pedal
 dim. korita / *basin*: 415x340x123 mm
 dim. 500 x 420 x 850/950 mm

RUKOPERI ZIDNA IZVEDBA SA SENZORSKOM MJEŠALICOM / HAND-WASH BASIN WITH PHOTOCELL TAP

**Model: PTSZ4538**

senzor baterijski / *battery*: 6V
 dim. korita/*basin*: 330 x 240 x 185 mm
 dim. 450 x 380 x 250/350 mm

**Model: PTSZ5050 - PER**

senzor baterijski / *battery*: 6V
 dim. korita / *basin*: 415x340x125 mm
 dim. 500 x 500 x 250/350 mm

**Model: PTSZ5050P - PER**

senzor baterijski / *battery*: 6V
 dim. korita / *basin*: 415x340x125 mm
 dim. 500 x 500 x 250/350 mm

RUKOPERI ZIDNA IZVEDBA SA SENZORSKOM MJEŠALICOM I DOZATOROM SAPUNA / *WALL MOUNTED HAND-WASH BASIN WITH PHOTOCELL TAP AND SOAP DOSER*



Niko

Model: PTSZ4538D

senzor baterijski / *battery* 6V
dim. korita / *basin*: 330 x 240 x 185 mm
dim. 450 x 380 x 400/500 mm
dozator sapuna / *soap doser*: 1,1 litra

RUKOPERI SA SENZORSKOM MJEŠALICOM / *HAND-WASH BASIN WITH PHOTOCELL TAP*



Niko

Model: PTSS4538

senzor baterijski / *battery*: 6V
dim. korita/ *basin*: 330 x 240 x 185 mm
dim. 450 x 380 x 850/950 mm



Niko

Model: PTSS5050 - PER

senzor baterijski / *battery*: 6V
dim. korita/ *basin*: 415x340x125 mm
dim. 500 x 500 x 850/950 mm



Niko

Model: TROKADERO

nožna regulacija / *pedal control*
korito donje / *lowe basin*: 400 x 400 x 250 mm
korito rukopera / *hand-wash basin*: 430x260x125 mm
dim. 500 x 700 x 610 / 1000 / 1100 mm
težina / *weight*: 22,5 kg



PROFESIONALNE MIJEŠALICE ZA VODU *PROFESSIONAL TAPS FOR SINKS*

Miješalica s tušem

Miješalica za vodu s tušem i izljevom

Miješalica zidna s tušem i izljevom

Miješalica za kuhinjski blok

Miješalice za sudoper

Shower unit

Shower unit with pipe

Wall mounted shower unit with pipe

Monoblock mixer tap

Taps for sinks

Linija profesionalnih miješalica za velike pogone i kuhinje ističe se svojim stilom, ergonomijom, snagom i visokim performansama. Zbog svoje funkcionalnosti od velike su pomoći prilikom rada u kuhinji.

A line of professional taps for large plants and industrial kitchens stand out for their style, ergonomics, power and high performance. Due to their functionality, they are great help in the professional use.

Art. / Model

Opis / Description



133002

Ponny

MIJEŠALICA S TUŠEM

Shower unit

h = 500 mm

priključak / *inlet* 2x3/8"

otvor za ugradnju / *mounting hole* Ø 32 mm


00958001


Top- Class

MIJEŠALICA S TUŠEM

Shower unit

h = 1200 mm

priključak / *inlet* 2x3/4"

otvor za ugradnju / *mounting hole* Ø 32 mm


00958504

Mignon

971030+00101002

MIJEŠALICA ZA VODU S TUŠEM

I IZLJEVOM

Shower unit with pipe

h = 600 mm

priključak / *inlet* 2x3/4"

otvor za ugradnju / *mounting hole* Ø 32 mm


971030 + 00205002

Mignon

MIJEŠALICA ZA VODU S TUŠEM

I IZLJEVOM

Shower unit with pipe

h = 600 mm

priključak / *inlet* 2x3/4"

otvor za ugradnju / *mounting hole* Ø 32 mm

Art. / Model

Opis / *Description*



00958013

Top-Class

MIJEŠALICA ZA VODU S TUŠEM I IZLJEVOM

Shower unit with pipe

h = 1200 mm

priključak / *inlet* 2x3/4"

otvor za ugradnju / *mounting hole* Ø 32 mm



00958019

Top-Class


MIJEŠALICA ZA VODU S TUŠEM I IZLJEVOM

Shower unit with pipe

h = 1200 mm

priključak / *inlet* 2x3/4"

otvor za ugradnju / *mounting hole* Ø 32 mm



00958005

Top-Class

MIJEŠALICA ZA VODU S TUŠEM I IZLJEVOM

Shower unit with pipe

h = 1200 mm

priključak / *inlet* 2x3/4"

otvor za ugradnju / *mounting hole* Ø 32 mm

Art. / Model

Opis / Description



00958047

MIJEŠALICA ZIDNA S TUŠEM I IZLJEVOM
Wall mounted shower unit with pipe

h = 1000 mm
zidni priključak / *wall inlet 2x1/2"*


00958035

MIJEŠALICA ZIDNA S TUŠEM I IZLJEVOM
Wall mounted shower unit with pipe

h = 1000 mm
zidni priključak / *wall inlet 2x1/2"*
regulacija na lakat


R00991003

Top - Class

TUŠ rezervni za kuhinjske mješalice za vodu
Spare shower

1/2"
krom/crni
chromed / black


111130


Big Chrom


MIJEŠALICA ZA KUHINJSKI BLOK, niska
Monoblock mixer tap


l = 300 mm
h = 300 mm
priključak / *inlet 2x1/2"*
otvor za ugradnju / *mounting hole Ø 48 mm*

Art. / Model	Opis / Description
	112130 Big Chrom MIJEŠALICA ZA KUHINJSKI BLOK, visoka <i>Monoblock mixer tap large type</i> l = 300 mm h = 630 mm priključak / <i>inlet</i> 2x1/2" otvor za ugradnju / <i>mounting hole</i> Ø 44 mm

	Art. 00101252 (00101002+R36100804) MIJEŠALICA ZA VODU <i>Monoblock mixer tap</i> l = 250 mm h = 210 mm priključak / <i>inlet</i> 2x1/2" otvor za ugradnju / <i>mounting hole</i> Ø 32 mm
--	--


	Art. 00101302 (00101002+R36100805) MIJEŠALICA ZA VODU <i>Monoblock mixer tap</i> l = 300 mm h = 230 mm priključak / <i>inlet</i> 2x1/2" otvor za ugradnju / <i>mounting hole</i> Ø 32 mm
--	--

	Art. 2518 (00205002+R36100804) MIJEŠALICA ZA SUDOPER JEDNORUČNA <i>Monoblock single-lever mixer tap</i> l = 250 mm Ø 18 mm
--	--

	Art. 3018 (00205002+R36100805) MIJEŠALICA ZA SUDOPER JEDNORUČNA <i>Monoblock single-lever mixer tap</i> l = 300 mm Ø 18 mm
--	--

Art. / Model

Opis / Description



Art. 00205202
(00205002+R36100822)
MIJEŠALICA ZA SUDOPER
JEDNORUČNA
Monoblock single-lever mixer tap

l = 200 mm
Ø 24 mm



Art. 00206532
MIJEŠALICA ZA SUDOPER
JEDNORUČNA
Monoblock single-lever mixer tap

l = 300 mm
Ø 24 mm
regulacija na lakat




00185133
MIJEŠALICA ZA SUDOPER,
JEDNORUČNA,
DUGA RUČKA ZA LAKAT
*Monoblock single-lever mixer tap
with cast outlet*

dužina slavine / *pipe length* 320 mm
dužina ručke / *lever length*: 350 mm
priključak / *inlet*: 2x3/8"
otvor za ugradnju / *mounting hole* Ø 32 mm



00209202
MIJEŠALICA S IZVLAČIVIM TUŠEM,
JEDNORUČNA, DUGA RUČKA
*Monoblock single-lever mixer tap
removable shower handset*

dužina slavine / *pipe length*: 228 mm
dužina ručke / *lever length*: 140 mm
izvlačivost do / *retractable up to* 70 cm
priključak / *inlet* 2x3/8"
otvor za ugradnju / *mounting hole* Ø 35 mm



00925215
SISTEM ZA PRANJE S PIŠTOLJEM/
TUŠEM I CRIJEVOM
*Wall mounted open reel with
shower and hose*

dužina crijeva / *hose length*: 15 m
zidna montaža / *wall mounted*

	Art. / Model	Opis / Description
	IP-033/047 MIJEŠALICA NA PRITISAK KOLJENOM <i>Knee operated tap</i>	priključak / <i>connection</i> 2 x 1/2" otvor za mješalicu / <i>tap hole</i> 1/2" otvor za ventil na pritisak / <i>valve hole</i> Ø 28 mm (isporuka u 6 dijelova / <i>delivery into</i> 6 pcs)
	250R36100804 MIJEŠALICA SA SLAVINOM, nožnom i koljenom regulacijom i flexi crijevom inox <i>Foot and knee operated mixer tap with flexibly hose</i>	dim. 250 mm
	Priključno flexi crijevo / <i>flexibly hose</i>	1/2" , l=800 mm; 3/1
	486 Miješalica nožna regulacija <i>Foot operated mixer tap</i>	priključak / <i>inlet</i> 2x1/2" izlaz / <i>outlet</i> 1/2"
	RIVER 00720/700	Mješalica koljena regulacija 1/2" <i>Knee operated mixer tap</i> 1/2"



KOLICA TROLLEYS

Kao rezultat višegodišnjeg iskustva u radu s ugostiteljskom opremom, pokrenuli smo vlastitu proizvodnju ugostiteljske opreme pod trgovačkim imenom NIKO. Tako je nastao posve nov koncept kreiranja proizvoda po želji i potrebi kupca. NIKO kolica su u cijelosti hrvatski proizvod, što s ponosom ističemo, a svoju primjenu nalaze u kuhinjama, školama, dječjim vrtićima, restoranima, bolnicama, domovima za stare i nemoćne itd.

As a result of long-time experience in the supply of catering equipment, we have launched our own manufacturing facility for the production of catering equipment under the brand name NIKO. In this way a completely new concept of creating a new product exclusively in line with the customers' wishes and needs has been developed. We are proud to present NIKO trolleys, as completely Croatian products, to be used in kitchens, schools and kindergartens, restaurants, hospitals, homes for elderly and disabled, and similar.



Niko

Kolica s ravnom platformom, inox
Low platform trolley, s/s

Model	Opis/ description	nosivost/ load
KRP-6	dim. 600 x 600 x 200/900 mm	200 kg
KRP-8	dim. 800 x 600 x 200/900 mm	
KRP-10	dim. 1000 x 600 x 200/900 mm	

Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)
gumeni sivi kutni odbojnici / grey rubber buffers
zavareni spojevi / welded joints



Niko

Kolica s ravnom platformom i zaštitnom cjevastom
ogradom, inox
Low platform trolley with tubular guardrail, s/s

Model	Opis/ description	nosivost/ load
KPP-8	800 x 650 x 200/900 mm	200 kg
KPP-10	1000 x 650 x 200/900 mm	

Ø 125 mm kotači poliamd, kućište inox
(dva kotača s kočnicom)
polyamid castors, case s/s (two castors with brakes)
gumeni sivi kutni odbojnici / grey rubber buffers
zavareni spojevi / welded joints



Niko

Kolica s rešetkastom platformom, inox, cijevi 25/25
Low platform trolley, s/s, tube 25/25

Model	Opis/ description	nosivost/ load
KPRI-12	1200 x 600 x 190/900 mm	200 kg

Ø 125 mm kotači poliamd, kućište inox
(dva kotača s kočnicom)
polyamid castors, case s/s
(two castors with brakes)
gumeni sivi kutni odbojnici / grey rubber buffers
zavareni spojevi / welded joints



Niko

Kolica kuhinjska s dvije police, s cjevastim okvirom, inox
Trolley with two shelves, round tube frame, s/s

Model	Opis/ description	nosivost po polici/ load per shelf:
KK2-8	830 x 530 x 980 mm	80 kg
KK2-8/6	800 x 600 x 980 mm	
KK2-10	1030 x 530 x 980 mm	

Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)
zavareni spojevi / welded joints



Niko

Kolica kuhinjska s tri police, s cjevastim okvirom, inox
Trolley with three shelves, round tube frame, s/s

Model	Opis/ description	nosivost po polici/ load per shelf:
KK3-8	830 x 530 x 980 mm	80 kg
KK3-8/6	800 x 600 x 980 mm	
KK3-10	1030 x 530 x 980 mm	

Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)
zavareni spojevi / welded joints



Niko

Kolica kuhinjska s četiri police, s cjevastim okvirom,
inox
Trolley with four shelves, round tube frame, s/s

Model	Opis/ description	nosivost po polici/ load per shelf:
KK4-8	830 x 530 x 1290 mm	80 kg
KK4-8/6	800 x 600 x 1290 mm	
KK4-10	1030 x 530 x 1290 mm	

Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)
zavareni spojevi / welded joints



Niko

Kolica kuhinjska s dvije police i pleksi kupolom,
s cjevastim okvirom, inox
Trolley with two shelves and acrylic dome, round tube frame, s/s

Model	Opis/ description	nosivost po polici/ load per shelf:
KKP-2	1080 x 590 x 960/1200 mm	80 kg

Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)
kupola s dvostranim otvaranjem
dome opening on both sides
zavareni spojevi / *welded joints*



Niko

Kolica kuhinjska s tri police i pleksi kupolom, s cjevastim
okvirom, inox
Trolley with three shelves and acrylic dome, round tube frame, s/s

Model	Opis/ description	nosivost po polici/ load per shelf:
KKP-3	1080 x 590 x 960/1200 mm	80 kg

Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)
kupola s dvostranim otvaranjem
dome opening on both sides
zavareni spojevi / *welded joints*



Niko

Kolica kuhinjska s jednim koritom, inox
Trolley with one basin, s/s

Model	Opis/ description
KK-1K	700 x 600 x 900 mm

kućište inox / *stainless steel frame*
Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)
dim. korita / *basin*: 600 x 500 x 300 mm
izljevni ventil / *drain plate*
zavareni spojevi / *welded joints*



Niko

Kolica za povrat tanjura, pribora za jelo i hrane, inox
Service trolley, s/s

Model	Opis/ description
KPTP-0	1200 x 630 x 1100 mm

Sa PVC kantom 70 litara,
4 x GN2/4 h=100 mm za pribor za jelo,
1 x GN2/1 za tanjure
With plastic bin capacity 70 l,
4 x GN2/4 h=100 mm for cutlery,
1 x GN2/1 for plates
zavareni spojevi / *welded joints*
Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)



Niko

Kolica s ormarićem za povrat tanjura, pribora za jelo
i hrane, inox
Service trolley with cabinet, s/s

Model	Opis/ description
KPTP-Z	1200 x 630 x 1100 mm

Sa PVC kantom 70 litara,
4 x GN2/4 h=100 mm za pribor za jelo,
1 x GN2/1 za tanjure
With plastic bin capacity 70 l,
4 x GN2/4 h=100 mm for cutlery,
1 x GN2/1 for plates
zavareni spojevi / *welded joints*
Ø 125 mm kotači (dva kotača s kočnicom)
castors (two castors with brakes)



Niko

Kolica za brašno/šećer s poklopcem, inox
Bin on castors with removable lid, stainless steel

Model	Opis/ description
KB-100	Zapremina / <i>Volume</i> : 100 l kotači / <i>castors</i> : Ø 125 mm dim. 400 x 605 x 700 mm



Niko

Kolica za brašno/šećer s poklopcem, inox
Bin on castors with removable lid, stainless steel

Model	Opis/ description
IP007/1	Zapremina / Volume: 115 l dim. 395 x 610 x 725 mm težina / weight: 15 kg
IP009/1	Zapremina / Volume: 135 l dim. 395 x 700 x 725 mm težina / weight: 18 kg
IP0011/1	Zapremina / Volume: 175 l dim. 420 x 750 x 782 mm težina / weight: 20 kg

1 posuda / container, kotači / castors: Ø 100 mm



Niko

Kolica za brašno/šećer s poklopcem, inox
Bin on castors with removable lid, stainless steel

Model	Opis/ description
IP0072/2	Zapremina / Volume: 2 x 55 l dim. 395 x 610 x 725 mm težina / weight: 20 kg
IP009/2	Zapremina / Volume: 2 x 65 l dim. 395 x 700 x 725 mm težina / weight: 24 kg
IP0011/2	Zapremina / Volume: 2 x 80 l dim. 420 x 750 x 782 mm težina / weight: 26 kg

1 posuda / container, sa pregradom u dva dijela
with separation in two parts
kotači / castors: Ø 100 mm



Niko

Kolica za salamurenje sira, s poklopcem, inox
Brining bin on castors with removable lid, stainless steel

Model	Opis/ description
K-SS-300	Zapremina 300 l, sa 4 perforirane police na umetanje i vadenje ispusni ventil, kotači poliuretana, težina: 66 kg dim. 600 x 800 x 850 mm Volume 300 litres, with 4 removable shelves drain valve, polyurethane castors weight: 66 kg dim. 600 x 800 x 850 mm



Niko

Transportna kolica inox za 10xGN-1/1
GN container trolley for 10xGN-1/1, s/s

Model	Opis/ description
KGT-11	590 x 335 x 1480 mm razmak između vodilica 115 mm shelf spacing 115 mm zavareni spojevi / welded joints Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Transportna kolica inox dvostruka za 16xGN-1/1
Double GN container trolley for 16xGN-1/1, s/s

Model	Opis/ description
KT2-1/1	750 x 540 x 850 mm razmak između vodilica 80 mm shelf spacing 80 mm zavareni spojevi / welded joints Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Transportna kolica inox za 8xGN-1/1 s policom na vrhu
GN container trolley for 8xGN-1/1 with top, s/s

Model	Opis/ description
KTP-1/1	600 x 400 x 850 mm razmak između vodilica 70 mm shelf spacing 70 mm zavareni spojevi / welded joints Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Transportna kolica inox za 16xGN-1/1 s policom na vrhu
GN container trolley for 16xGN-1/1 with top, s/s

Model	Opis/ description
KTP2-1/1	750 x 540 x 850 mm razmak između vodilica 80 mm shelf spacing 80 mm zavareni spojevi / welded joints Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Transportna kolica inox za 8xGN-2/1 ili 16xGN-1/1
GN container trolley for 8xGN-2/1 or 16xGN-1/1, s/s


Model	Opis/ description
KT 1-2/1	590 x 660 x 850 mm razmak između vodilica 80 mm shelf spacing 80 mm zavareni spojevi / welded joints Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Transportna kolica inox za 8xGN-2/1 ili 16xGN-1/1 s
policom na vrhu
GN container trolley for 8xGN-2/1 or 16xGN-1/1 with top, s/s

Model	Opis/ description
KTP1-2/1	590 x 660 x 850 mm razmak između vodilica 80 mm shelf spacing 80 mm zavareni spojevi / welded joints Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Transportna kolica inox za 14xGN-2/1 ili 28xGN-1/1
GN container trolley for 14xGN-2/1 or 28xGN-1/1, s/s

Model	Opis/ description
KGT-21	560 x 660 x 1755 mm razmak između vodilica 107 mm shelf spacing 107 mm zavareni spojevi / welded joints Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Kolice inox za pekarske tave, 600x400 mm
Container trolley, s/s, 600x400 mm


Model	Opis/ description
KPT 3	kapacitet 16 tava razmak između vodilica 82 mm loading capacity 16 containers shelf spacing 82 mm zavareni spojevi / welded joints dim. 460 x 600 x 1600 mm Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)
KPT 6	kapacitet 20 tava razmak između vodilica 80 mm loading capacity 20 containers shelf spacing 80 mm zavareni spojevi / welded joints dim. 460 x 600 x 1790 mm Ø 125 mm kotači (dva kotača s kočnicom) castors (two castors with brakes)



Niko

Kolice inox regalna za pekarske tave 600x400 mm,
zatvorena sa tri strane
Container trolley with panel on 3 sides, s/s, 600x400 mm

Model	Opis/ description
KPTZ-H85	kapacitet 8 tava, razmak između vodilica 80 mm kotači poliamid Ø 125 mm; (korištenje za unos u rashladne komore) (dva kotača s kočnicom) loading capacity 8 containers shelf spacing 80 mm polyamid castors Ø 125 mm; (for use in the cold chamber) (two castors with brakes) zavareni spojevi / welded joints težina / weight 35 kg dim. 462 x 610 x 850 mm



Niko

Kolica inox za pekarske tave 434x333 mm
Container trolley, s/s, 434x333 mm

Model	Opis/ description
KPT-GIERRE	kapacitet 12 tava, razmak između vodilica 45 mm kotači Ø 75 mm
	loading capacity 12 containers shelf spacing 45 mm castors Ø 75 mm
	zavareni spojevi / welded joints dim. 494 x 344 x 705 mm



Niko

Kolica inox za košare stroja za pranje tanjura
Dishwasher rack trolley

Model	Opis/ description
KK5050	Kapacitet 5 košara 500x500 mm razmak između vodilica 30 cm Ø 125 mm kotači (dva kotača s kočnicom)
	Capacity 5 baskets 500x500 mm shelf spacing 30 cm Ø 125 mm castors (two castors with brakes)
	zavareni spojevi / welded joints dim. 640 x 600 x 1840 mm



Niko

Kolica za povrat poslužavnika, konstrukcija inox cijevi / inox vodilice
Universal tray trolley, tubular s/s frame / s/s runners

Model	Opis	Description
KPP-10	vanjska obloga iveral	with laminated panels
KPPI-10 Dodatak/ Addition	vanjska obloga inox Cijena kolica prilagođena prema dimenziji i modelu poslužavnika na upit	with stainless steel panels Price trolley adapted to the dimensions and trolley tray upon request
Kapacitet 10 poslužavnika Capacity 10 trays	razmak između vodilica 120 mm dim. poslužavnika 530x370 mm ili 501x353 mm dim. kolica: 428 x 550 x 1625 mm dim. trolley: 408 x 534 x 1625 mm Ø 125 mm kotači (dva kotača s kočnicom) zavareni spojevi	shelf spacing 120 mm dim. tray 530x370 mm or 501x353 mm dim. trolley: 428 x 550 x 1625 mm dim. trolley: 408 x 534 x 1625 mm Ø 125 mm castors (two castors with brakes) welded joints



Kolica za povrat poslužavnika, konstrukcija inox
Universal tray trolley, stainless steel structure

Model	Opis/ description
CA 1455P	Kapacitet 10 poslužavnika vodilice od kromirane žice razmak između vodilica 120 mm Ø 125 mm kotači (dva kotača s kočnicom) kotači s gumenim odbojnicima vanjska obloga bijeli perflex (polimer) neto težina 21 kg dim. kolica 550 x 620 x 1750 mm
	Capacity 10 trays chromed steel wire slides shelf spacing 120 mm Ø 125 mm castors (two castors with brakes) rubber shock absorber side panels in white perflex (polymer) net weight 21 kg dim. trolleys 550 X 620 X 1750 mm



Niko

Kolica za povrat poslužavnika, konstrukcija inox cijevi / inox vodilice
Universal tray trolley, tubular s/s frame / s/s runners

Model	Opis	Description
KPP-20	vanjska obloga iveral	with laminated panels
KPPI-20 Dodatak/ Addition	vanjska obloga inox Cijena kolica prilagođena prema dimenziji i modelu poslužavnika na upit.	with stainless steel panels Price trolley adapted to the dimensions and trolley tray upon request.
Kapacitet 20 poslužavnika Capacity 20 trays	razmak između vodilica 120 mm dim. poslužavnika 530x370 mm ili 501x353 mm dim. kolica: 830 x 550 x 1625 mm dim. kolica: 800 x 534 x 1625 mm Ø 125 mm kotači (dva kotača s kočnicom) zavareni spojevi	shelf spacing 120 mm dim. tray 530x370 mm or 501x353 mm dim. trolley: 830 x 550 x 1625 mm dim. trolley: 800 x 534 x 1625 mm Ø 125 mm castors (two castors with brakes) welded joints



Niko

Kolica za povrat poslužavnika, konstrukcija inox cijevi / inox vodilice
Universal tray trolley, tubular s/s frame / s/s runners

Model	Opis	description
KPP-30	vanjska obloga iveral	with laminated panels
KPPI-30 Dodatak/ Addition	vanjska obloga inox Cijena kolica prilagođena prema dimenziji i modelu poslužavnika na upit.	with laminated panels Price trolley adapted to the dimensions and trolley tray upon request.
Kapacitet 30 poslužavnika Capacity 30 trays	razmak između vodilica 120 mm dim. poslužavnika 530x370 mm ili 501x353 mm dim. kolica: 1233 x 550 x 1625 mm dim. kolica: 1197 x 534 x 1625 mm Ø 125 mm kotači (dva kotača s kočnicom) zavareni spojevi	shelf spacing 120 mm dim. tray 530x370 mm or 501x353 mm dim. trolley: 1233 x 550 x 1625 mm dim. trolley: 1197 x 534 x 1625 mm Ø 125 mm castors (two castors with brakes) welded joints

	Art.	Model	Opis	Description
	KOLICA TOPLA KUPKA <i>Thermal bain-marie trolley</i> dim. 900 x 650 x 900 mm	KTK-2GN1/1	Kapacitet 2xGN1/1 h=200 mm, 230V/1,5kW/50Hz, digitalna regulacija temperature od +30°C/+90°C punjenje vodom ručno, ventil za ispušt vode donja polica s ogradom na tri strane, kotači poliamid, kućište inox, zavareni spojevi težina: 56 kg dim. 900 X 650 x 900 mm (Cijena je bez gastro posuda.)	Capacity 2xGN1/1 h=200mm 230V/1,5kW/50Hz, digital regulation, temperature +30°C/+90°C manual fill water, drain valve lower shelf with guardrail on three sides 4 castors (2 with brakes) welded joints weight: 56 kg dim. 900 X 650 x 900 mm (Price is without GN containers)
	dim. 900 x 200 x 30 mm		Dodatna oprema: Polica sklopiva, inox	Accessories: Folding shelf, stainlesssteel


	KOLICA TOPLA KUPKA <i>Thermal bain-marie trolley</i> dim. 1200 x 650 x 900 mm	KTK-3GN1/1	Kapacitet 3xGN1/1 h=200 mm, 230V/2kW/50Hz, digitalna regulacija temperature od +30°C/+90°C punjenje vodom ručno, ventil za ispušt vode donja polica s ogradom na tri strane, kotači poliamid, kućište inox, zavareni spojevi težina: 65 kg dim. 1200 x 650 x 900 mm (Cijena je bez gastro posuda.)	Capacity 3xGN1/1 h=200mm 230V/2kW/50Hz, digital regulation, temperature +30°C/+90°C manual fill water, drain valve lower shelf with guardrail on three sides 4 castors (2 with brakes) welded joints weight: 65 kg dim. 1200 x 650 x 900 mm (Price is without GN containers)
	dim. 1200 x 200 x 30 mm		Dodatna oprema: Polica sklopiva, inox	Accessories: Folding shelf, stainlesssteel

	Art.	Model	Opis	Description
	KOLICA KONOBARSKA <i>Service trolley</i>	CA 1000	dvije furnir police kotači s gumenim štitnicima inox okvir nosivost police: 60 kg dim. 830 x 570 x 970h mm	<i>two wood veneer shelves wheels with rubber buffer steel frame maximum load: 60 kg dim. 830 x 570 x 970h mm</i>

	KOLICA KONOBARSKA <i>Service trolley</i>	CA 1050	tri furnir police kotači s gumenim štitnicima inox okvir nosivost police: 60 kg dim. 830 x 570 x 970h mm	<i>three wood veneer shelves wheels with rubber buffer steel frame maximum load: 60 kg dim. 830 x 570 x 970h mm</i>
--	---	---------	--	---

	KOLICA KONOBARSKA <i>Service trolley</i>	LP 1000	dvije drvene (drvo breze) police inox štitnici na kotačima nosivost police: 80 kg dim. 1150 x 550 x 820h mm	<i>two birch wood shelves wheels protected with chrome plated buffer maximum load: 80 kg dim. 1150 x 550 x 820h mm</i>
---	---	---------	--	--

	KOLICA KONOBARSKA <i>Service trolley</i>	LP 1050	tri drvene (drvo breze) police inox štitnici na kotačima nosivost police: 80 kg dim. 1150 x 550 x 820h mm	<i>three birch wood shelves wheels protected with chrome plated buffer maximum load: 80 kg dim. 1150 x 550 x 820h mm</i>
---	---	---------	--	--



PROFESIONALNE KUHINJSKE VENTILO NAPE


Zidna napa
Središnja napa
Nape s ugrađenim motorom
Zidna napa EKO
Središnja napa EKO

Kao rezultat višegodišnjeg iskustva u radu s ugostiteljskom opremom, pokrenuta je vlastita proizvodnja ugostiteljske opreme pod trgovačkim imenom NIKO.


Tako je nastala mogućnost ostvarivanja posve novog, te stvaranja proizvoda isključivo po želji i potrebi kupca.

NIKO ventilo nape su u cijelosti hrvatski proizvod, što sa ponosom ističemo, a svoju primjenu nalaze u velikim kuhinjama (škole, dječji vrtići, restorani, bolnice, domovi za stare i nemoćne itd.).


NAPA ZIDNA, inox



Model NP



Model PNP



Model NP/PNP

NAPA ZIDNA, inox, NIKO - QUANT EKO sa UV-C ozonskom tehnologijom

MODEL INOX 18/10 NP	MODEL INOX 18/10 PNP	Dimenzije (cm)						Br. filtera 40 x 50 cm	Kapacitet ispuha (m ³ /h)	Težina (kg)	Volumen (m ³)
		d	l	l ₁	h	C/D	E				
NP 8/10	PNP 8/10	80	100		45	21/23		2	1000	27	0,40
NP 8/12	PNP 8/12	80	120		45	26/30		2	1000	32	0,48
NP 8/16	PNP 8/16	80	160		45	26/30		3	1300	38	0,64
NP 8/18	PNP 8/18	80	180		45	26/30		3	1700	41	0,72
NP 8/20	PNP 8/20	80	200		45	26/30		4	1900	44	0,80
NP 8/24	PNP 8/24	80	240		45	26/30		4	2300	50	0,96
NP 8/28	PNP 8/28	80		280	45	26/2x30	130	5	2800	56	1,12
NP 8/30	PNP 8/30	80		300	45	26/2x30	151	5	3000	59	1,20
NP 8/32	PNP 8/32	80		320	45	26/2x30	171	6	3300	62	1,28
NP 8/36	PNP 8/36	80		360	45	26/2x30	211	6	3500	68	1,44
NP 8/40	PNP 8/40	80		400	45	26/2x30	251	8	3800	74	1,60
NP 9/10	PNP 9/10	90	100		45	25/25		2	1200	28	0,45
NP 9/12	PNP 9/12	90	120		45	25/25		2	1400	33	0,54
NP 9/16	PNP 9/16	90	160		45	25/25		3	1800	42	0,72
NP 9/18	PNP 9/18	90	180		45	30/30		3	2000	46	0,81
NP 9/20	PNP 9/20	90	200		45	30/30		4	2300	51	0,90
NP 9/24	PNP 9/24	90	240		45	30/30		4	2700	58	1,08
NP 9/28	PNP 9/28	90		280	45	30/50	131	5	3300	67	1,26
NP 9/30	PNP 9/30	90		300	45	30/50	151	6	3600	72	1,35
NP 9/32	PNP 9/32	90		320	45	30/50	171	6	3900	74	1,44
NP 9/36	PNP 9/36	90		360	45	30/50	211	6	4200	76	1,62
NP 9/40	PNP 9/40	90		400	45	30/50	251	8	4540	84	1,80
NP 11/12	PNP 11/12	110	120		45	30/30		2	1700	36	0,66
NP 11/16	PNP 11/16	110	160		45	30/30		3	2200	45	0,88
NP 11/18	PNP 11/18	110	180		45	30/30		3	2500	49	0,99
NP 11/20	PNP 11/20	110	200		45	30/30		4	2800	55	1,10
NP 11/24	PNP 11/24	110	240		45	30/30		4	3000	63	1,32
NP 11/28	PNP 11/28	110		280	45	30/50	131	5	3700	72	1,54
NP 11/30	PNP 11/30	110		300	45	30/50	151	6	4100	77	1,65
NP 11/32	PNP 11/32	110		320	45	30/50	171	6	4550	77	1,76
NP 11/36	PNP 11/36	110		360	45	30/30	211	6	4990	87	1,98
NP 11/40	PNP 11/40	110		400	45	30/30	251	8	5540	96	2,20


- U cijenu nije uključena cijena rasvjete (rasvjeta halogena 230V/40W, termootporna do +350°C).

- Pribor za ovjes je uključen u cijenu.

- Standardna isporuka bez otvaranja priključka za ventilo kanale, kod definiranog priključka otvaranje je u cijeni s izlaznom priрубnicom.

- NIKO - QUANT EKO nape sa UV-C ozonskom tehnologijom JIMCO nudimo po upitu, s izmjerom, nakon popunjenog KPC lista za instalaciju, od strane kupca.

NAPA SREDIŠNJA, inox





MODEL INOX 18/10 MP	MODEL INOX 18/10 PMP	Dimenzije (cm)						Br. filtera 40 x 50 cm	Kapacitet ispuha (m³/h)	Težina (kg)	Volumen (m³)
		d	l	l ₁	h	C/D	E				
MP 14/16	PMP 14/16	140	160		45	26/30		6	3000	45	1,12
MP 14/18	PMP 14/18	140	180		45	26/30		6	3000	48	1,26
MP 14/20	PMP 14/20	140	200		45	26/30		8	3700	52	1,40
MP 14/24	PMP 14/24	140		240	45	26/2x30	91	8	4500	59	1,68
MP 14/28	PMP 14/28	140		280	45	26/2x30	131	10	5200	66	1,96
MP 14/30	PMP 14/30	140		300	45	26/2x30	151	10	5600	69	2,10
MP 14/32	PMP 14/32	140		320	45	26/2x30	171	10	6000	72	2,24
MP 14/36	PMP 14/36	140		360	45	26/2x30	211	12	6800	79	2,52
MP 14/40	PMP 14/40	140		400	45	26/2x30	251	14	7600	86	2,80
MP 16/16	PMP 16/16	160	160		45	26/30		6	3100	56	1,28
MP 16/20	PMP 16/20	160	200		45	26/30		8	3700	64	1,60
MP 16/24	PMP 16/24	160		240	45	26/2x30	91	8	4500	73	1,92
MP 16/28	PMP 16/28	160		280	45	26/2x30	131	10	5300	83	2,24
MP 16/30	PMP 16/30	160		300	45	26/2x30	151	10	5680	86	2,40
MP 16/32	PMP 16/32	160		320	45	26/2x30	171	10	6050	91	2,56
MP 16/36	PMP 16/36	160		360	45	26/2x30	211	12	6800	96	2,88
MP 16/40	PMP 16/40	160		400	45	26/2x30	251	14	7650	109	3,20
MP 18/16	PMP 18/16	180	160		45	26/30		6	3500	60	1,44
MP 18/20	PMP 18/20	180	200		45	26/30		8	4300	72	1,80
MP 18/24	PMP 18/24	180		240	45	26/2x30	91	10	5200	84	2,16
MP 18/28	PMP 18/28	180		280	45	26/2x30	131	12	6000	96	2,50
MP 18/30	PMP 18/30	180		300	45	26/2x30	151	12	6400	102	2,70
MP 18/32	PMP 18/32	180		320	45	26/2x30	171	12	6900	108	2,80
MP 18/36	PMP 18/36	180		360	45	26/2x30	211	14	7800	120	3,24
MP 18/40	PMP 18/40	180		400	45	26/2x30	251	14	8600	132	3,60
MP 20/20	PMP 20/20	200	200		45	26/2x30	51	6	4800	61	2,00
MP 20/24	PMP 20/24	200		240	45	26/2x30	91	8	5750	70	2,40
MP 20/28	PMP 20/28	200		280	45	26/2x30	131	10	6700	79	2,80
MP 20/30	PMP 20/30	200		300	45	26/2x30	151	10	7100	84	3,00
MP 20/32	PMP 20/32	200		320	45	26/2x30	171	10	7650	88	3,20
MP 20/36	PMP 20/36	200		360	45	26/2x30	211	12	8650	97	3,60
MP 20/40	PMP 22/40	200		400	45	26/2x30	251	14	9600	106	4,00
MP 22/20	PMP 22/20	220		200	45	26/2x30	51	8	5300	80	2,20
MP 22/24	PMP 22/24	220		240	45	26/2x30	91	10	6300	93	2,64
MP 22/28	PMP 22/28	220		280	45	26/2x30	131	12	7400	106	3,08
MP 22/30	PMP 22/30	220		300	45	26/2x30	151	12	7900	112	3,30
MP 22/32	PMP 22/32	220		320	45	26/2x30	171	14	8500	119	3,52
MP 22/36	PMP 22/36	220		360	45	26/2x30	211	14	9500	131	3,90
MP 22/40	PMP 22/40	220		400	45	26/2x30	251	14	10600	144	4,40

- U cijenu nije uključena cijena rasvjete (rasvjeta halogena 230V/400W, termootporna do +350°C).

- Pribor za ovjes je uključen u cijenu.

- Standardna isporuka bez otvaranja priključka za ventilo kanale, kod definiranog priključka otvaranje je u cijeni s izlaznom prirubnicom.

NAPA ZIDNA S UGRAĐENIM MOTOROM, inox




NAPA ZIDNA S UGRAĐENIM MOTOROM, inox, NIKO - QUANT EKO sa UV-C ozonskom tehnologijom

MODEL INOX 18/10 NPV	MODEL INOX 18/10 PNPV	Dimenzije (cm)					E	Br. filtera 40 x 50 cm	Kapacitet ispuha (m³/h)	Snaga motora (W)	Težina (kg)	Volumen (m³)
		d	l	l ₁	h	C/D						
NPV 8/10	PNPV 8/10	80	100		45	21/23		2	1400	250	38	0,40
NPV 8/12	PNPV 8/12	80	120		45	21/23		2	1400	250	42	0,48
NPV 8/16	PNPV 8/16	80	160		45	21/23		3	1400	250	48	0,64
NPV 8/18	PNPV 8/18	80	180		45	21/23		3	1400	250	51	0,72
NPV 8/20	PNPV 8/20	80	200		45	21/23		4	1400	250	54	0,80
NPV 8/24	PNPV 8/24	80	240		45	26/30		4	2500	550	60	0,96
NPV 8/28	PNPV 8/28	80	280		45	26/30		5	2500	550	76	1,12
NPV 8/30	PNPV 8/30	80		300	45	21/2x23	151	6	2800	2x250	79	1,20
NPV 8/32	PNPV 8/32	80		320	45	21/2x23	171	6	2800	2x250	82	1,28
NPV 8/36	PNPV 8/36	80		360	45	26/2x30	211	6	5000	2x550	88	1,44
NPV 8/40	PNPV 8/40	80		400	45	26/2x30	251	8	5000	2x550	94	1,60
NPV 9/10	PNPV 9/10	90	100		45	21/23		2	1400	250	40	0,45
NPV 9/12	PNPV 9/12	90	120		45	21/23		2	1400	250	44	0,54
NPV 9/16	PNPV 9/16	90	160		45	21/23		3	1400	250	50	0,72
NPV 9/18	PNPV 9/18	90	180		45	21/23		3	1400	250	53	0,81
NPV 9/20	PNPV 9/20	90	200		45	21/23		4	1400	250	57	0,90
NPV 9/24	PNPV 9/24	90	240		45	26/30		4	2500	550	64	1,08
NPV 9/28	PNPV 9/28	90	280		45	26/30		5	2500	550	80	1,26
NPV 9/30	PNPV 9/30	90		300	45	21/2x23	151	6	2800	2x250	85	1,35
NPV 9/32	PNPV 9/32	90		320	45	21/2x23	171	6	2800	2x250	93	1,44
NPV 9/36	PNPV 9/36	90		360	45	26/2x30	211	6	5000	2x550	97	1,62
NPV 9/40	PNPV 9/40	90		400	45	26/2x30	251	8	5000	2x550	100	1,80
NPV 11/12	PNPV 11/12	110	120		45	21/23		2	1400	250	46	0,66
NPV 11/16	PNPV 11/16	110	160		45	21/23		3	1400	250	52	0,88
NPV 11/18	PNPV 11/18	110	180		45	21/23		3	1400	250	56	0,99
NPV 11/20	PNPV 11/20	110	200		45	26/30		4	2500	550	60	1,10
NPV 11/24	PNPV 11/24	110	240		45	26/30		4	2500	550	68	1,32
NPV 11/28	PNPV 11/28	110	280		45	26/30		5	2500	550	84	1,54
NPV 11/30	PNPV 11/30	110		300	45	21/2x23	151	6	2800	2x250	88	1,65
NPV 11/32	PNPV 11/32	110		320	45	21/2x23	171	6	2800	2x250	92	1,76
NPV 11/36	PNPV 11/36	110		360	45	26/2x30	211	6	5000	2x550	98	1,98
NPV 11/40	PNPV 11/40	110		400	45	26/2x30	251	8	5000	2x550	106	2,20

- U cijenu nije uključena cijena rasvjete (rasvjeta halogena 230V/400W, termootporna do +350°C).
- Pribor za ovjes je uključen u cijenu.
- Standardna isporuka bez otvaranja priključka za ventilo kanale, kod definiranog priključka otvaranje je u cijeni s izlaznom priрубnicom.
- Regulator broja okretaja nije uključen u cijenu.
- NIKO - QUANT EKO nape sa UV-C ozonskom tehnologijom JIMCO nudimo po upitu, s izmjerom, nakon popunjenog KPC lista za instalaciju, od strane kupca.

NAPE SREDIŠNJA S UGRAĐENIM MOTOROM, inox




NAPE SREDIŠNJA S UGRAĐENIM MOTOROM, inox, NIKO - QUANT EKO sa UV-C ozonskom tehnologijom

MODEL INOX 18/10 MPV	MODEL INOX 18/10 PMPV	Dimenzije (cm)						Br. filtera 40 x 50 cm	Kapacitet ispuha (m³/h)	Snaga motora (W)	Težina (kg)	Volumen (m³)
		d	l	l ₁	h	C/D	E					
MPV 14/16	PMPV 14/16	140	160		45	26/30		6	2500	550	50	1,12
MPV 14/18	PMPV 14/18	140	180		45	26/30		6	2500	550	54	1,26
MPV 14/20	PMPV 14/20	140	200		45	26/30		8	2500	550	58	1,40
MPV 14/24	PMPV 14/24	140		240	45	26/2x30	91	8	5000	2x550	66	1,68
MPV 14/28	PMPV 14/28	140		280	45	26/2x30	131	10	5000	2x550	72	1,96
MPV 14/30	PMPV 14/30	140		300	45	26/2x30	151	12	5000	2x550	75	2,10
MPV 16/16	PMPV 16/16	160	160		45	26/30		6	2500	550	60	1,28
MPV 16/18	PMPV 16/18	160	180		45	26/30		6	2500	550	66	1,44
MPV 16/20	PMPV 16/20	160	200		45	26/30		8	2500	550	72	1,60
MPV 16/24	PMPV 16/24	160		240	45	26/2x30	91	8	5000	2x550	80	1,92
MPV 16/28	PMPV 16/28	160		280	45	26/2x30	131	10	5000	2x550	92	2,24
MPV 16/30	PMPV 16/30	160		300	45	26/2x30	151	12	5000	2x550	96	2,40

- U cijenu nije uključena cijena rasvjete (rasvjeta halogena 230V/400W, termootporna do +350°C).
- Pribor za ovjes je uključen u cijenu.
- Standardna isporuka bez otvaranja priključka za ventilo kanale, kod definiranog priključka otvaranje je u cijeni s izlaznom prirubnicom.
- Regulator broja okretaja nije uključen u cijenu.
- NIKO - QUANT EKO nape s UV-C ozonskom tehnologijom JIMCO nudimo po upitu, sa izmjerom, nakon popunjenog KPC lista za instalaciju, od strane kupca.


NAPA ZIDNA EKO, inox



MODEL	DIMENZIJE (mm)			Izlazni kanal (mm)			Kapacitet ispuha (m³/h)	Br. filtera	Dimenzije ulaznog kanala (mm)				Kap. usisa (m³/h)	Težina (kg)
	d	l	h	A	B	C			A1	B1	C1	D		
EKO 11/16	1100	1600	450	400	300	250	2450	3	400	200	200		1720	78
EKO 11/20	1100	2000	450	400	300	250	2770	3	400	200	200		1950	90
EKO 11/24	1100	2400	450	500	300	250	3326	4	500	200	200		2350	109
EKO 11/28	1100	2800	450	400	300	250	3880	4	400	200	200	1400	2750	122
EKO 11/30	1100	3000	450	400	300	250	4150	5	400	200	200	1500	2950	132
EKO 11/32	1100	3200	450	500	300	250	4430	6	500	200	200	1600	3150	142
EKO 11/36	1100	3600	450	600	300	250	4990	7	500	200	200	1800	3500	160
EKO 11/40	1100	4000	450	500	300	250	5540	7	500	200	200	2000	3900	175
EKO 13/16	1300	1600	450	400	300	250	2700	3	400	250	200		1900	90
EKO 13/20	1300	2000	450	400	300	250	3270	3	400	250	200		2300	110
EKO 13/24	1300	2400	450	500	300	250	3930	4	500	250	200		2800	133
EKO 13/28	1300	2800	450	400	300	250	4580	4	400	250	200		3250	148
EKO 13/30	1300	3000	450	400	300	250	4914	5	400	250	200	1500	3450	160
EKO 13/32	1300	3200	450	500	300	250	5240	6	500	250	200	1600	3700	172
EKO 13/36	1300	3600	450	500	300	250	5890	7	500	250	200	1800	4150	194
EKO 13/40	1300	4000	450	500	300	250	6550	7	500	250	200	2000	4600	213

- U cijenu nije uključena cijena rasvjete (rasvjeta halogena 230V/400W, termootporna do +350°C).
- Pribor za ovjes je uključen u cijenu.
- Standardna isporuka bez otvaranja priključka za ventilo kanale, kod definiranog priključka otvaranje je u cijeni s izlaznom prirubnicom.
- Regulator broja okretaja nije uključen u cijenu.

NAPE SREDIŠNJA EKO, inox



MODEL	DIMENZIJE (mm)			Izlazni kanal (mm)			Kapacitet ispuha (m³/h)	Br. filtera	Dimenzije ulaznog kanala (mm)				Kap. usisa (m³/h)	Težina (kg)
	d	l	h	A	B	C			A1	B1	C1	D		
EKO 18/20	1800	2000	450	400	300	900	4530	6	400	200	200		3200	103
EKO 18/24	1800	2400	450	500	300	900	5440	6	500	200	200		3850	119
EKO 18/28	1800	2800	450	400	300	900	6350	8	400	200	200	1400	4450	137
EKO 18/30	1800	3000	450	400	300	900	6800	8	400	200	200	1500	4800	148
EKO 18/32	1800	3200	450	500	300	900	7250	10	500	200	200	1600	5100	157
EKO 18/36	1800	3600	450	500	300	900	8160	10	500	200	200	1800	5750	163
EKO 18/40	1800	4000	450	500	300	900	9070	10	500	200	200	2000	4500	178
EKO 22/24	2200	2400	500	500	300	250	6650	8	500	250	200		2600	218
EKO 22/28	2200	2800	500	400	300	250	7760	8	400	250	200	1400	3200	244
EKO 22/30	2200	3000	500	400	300	250	8310	8	400	250	200	1500	3800	264
EKO 22/32	2200	3200	500	500	300	250	8870	10	500	250	200	1600	6250	284
EKO 22/36	2200	3600	500	500	300	250	9970	12	500	250	200	1800	3800	320
EKO 22/40	2200	4000	500	500	300	250	11080	12	500	250	200	2000	4500	350
EKO 26/24	2600	2400	500	500	300	250	7860	8	500	250	200		5550	266
EKO 26/28	2600	2800	500	400	300	250	9170	8	400	250	200	1400	6450	296
EKO 26/32	2600	3000	500	400	300	250	9820	8	400	250	200	1500	5050	320
EKO 26/36	2600	3200	500	500	300	250	10480	10	500	250	200	1600	7350	344
EKO 26/38	2600	3600	500	500	300	250	11790	12	500	250	200	1800	8300	388
EKO 26/40	2600	4000	500	500	300	250	13100	12	500	250	200	2000	9200	426

- U cijenu nije uključena cijena rasvjete (rasvjeta halogena 230V/400W, termootporna do +350°C).

- Pripor za ovjes je uključen u cijenu.

- Standardna isporuka bez otvaranja priključka za ventilo kanale, kod definiranog priključka otvaranje je u cijeni s izlaznom priрубnicom.

- Regulator broja okretaja nije uključen u cijenu.


Rasvjeta za kuhinjske nape

Halogena žarulja zaštićena staklom, armatura keramička, 230V/40W.
Otpornost na temperaturu do 350°C.


DUŽINA NAPE cm	NAPA ZIDNA	NAPA SREDIŠNJA
100 - 120	2x40W	4x40W
140 - 160	3x40W	6x40W
180 - 280	4x40W	8x40W
300 - 340	5x40W	10x40W
360 - 400	6x40W	12x40W



Pribor za ovjes zidne nape



Pribor za ovjes središnje nape



Regulator broja okretaja električnog motora



MODEL		Snaga motora (W)	DIMENZIJE (cm)
RVM 6E	230V/50Hz	1200W/6A	13 x 8 x 6,5 h
RCS 250	230V/50Hz	2500W/12A	17x8,2x10,5 h




Električni motor za ugradnju u ventilo nape, centrifugalni



MODEL		Snaga motora (W)	KAPACITET ISPUHA m³/h	TEMPERATURA AMBIJENTA
7.7.	230V/50Hz	300W 4 polni	760 / 2400	temp. -20°C / +65°C
9.9.	230V/50Hz	550W 4 polni	1400 / 3800	temp. -40°C / +80°C




Filteri za masnoću



MODEL	OPIS
FAM 40/50	rešetkasti, aluminij dim. 400 x 500 x 20 mm



Filteri za masnoću



MODEL	OPIS
FIL 40/50	labirintni, inox dim. 400 x 500 x 25 mm
FIL 40/50 dvostrana ručka	labirintni, inox dim. 400 x 500 x 25 mm za nape s UV lampom





PROJECT TRADE

Dubrava 46, 10040 Zagreb, Republika Hrvatska
tel: +385 (0)1 2910 893
fax: 385 (0)1 2910 907
e-mail: info@project-trade.hr
www.project-trade.hr